Printing date 16.07.2021

CHEMICALS, INC.

Revision: 16.07.2021

Trade name: Hexadecyltrimethylammonium bromide, $99+\%$ CTAB Item number: 02-5045 CAS Number: 57-09-0 EINECS Number: 20-0 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Strem Chemicals, Inc. 7 Mulliken Way NEWBURYPORT, MA 01950 USA info@strem.com Further information obtainable from: Technical Department 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Irri. 2 H315 Causes skin irritation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard sdeereming GHS07 Signal word Warning Hazard-determining components of labelling: certimonium bromide Hazard sdeements	· 1.1 Product id	ntifier
Item number: 02-5045 CAS Number: 57-09-0 EINECS Number: 20-0 12. Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Strem Chemicals, Inc. 7 Multiken Way NEWBURYPORT, MA 01950 USA info@strem.com Further information obtainable from: Technical Department 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Sim Irrit. 2: H315 Causes skin irritation. Eye Irrit. 2: H319 Causes serious eye irritation. STOT SE 3: H335 May cause respiratory irritation. 2.1 Label elements Labelling according to Regulation (EC) No 1272/2008 The substances is classified and labelled according to the CLP regulation. Hazard sider of Regulations of the Substance or information. Hazard sider of the Regulation of the Substance or irritation. Signal word Warning Hazard sider of the Regulation is of tabelling: certimonium bromide Hazard sidements		
CAS Number: 57-09-0 ELINECS Number: 20-0 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Strem Chemicals, Inc. 7 Multiken Way NEWBURYPRT, MA 01950 USA Info@strem.com Further information obtainable from: Technical Department 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 $\widehat{V}$ GHS07 Acute Tox. 4 H302 Harmful if swallowed. Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H315 Causes skin irritation. STOT SE 3 H335 May cause respiratory irritation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard statements Signal word Warning Hazard-determining components of labelling: certimonium bromide Hazard statements		
57.90-0 EINECS Number: 20-0 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Strem Chemicals, Inc. 7 Multiken Way NEWBURYPORT, MA 01950 USA info@ strem.com Further information obtainable from: Technical Department 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Kin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H315 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation. STOT SE 3 H335 May cause respiratory irritation. 2.1 Label elements Tabelling according to Regulation (EC) No 1272/2008 The substance is classified and tabelled according to the CLP regulation. Hazard statements Tabelling according to Regulation (EC) No 1272/2008 The substance is classified and tabelled according to the CLP regulation. Hazard statements Signal word Warning Hazard statements Hazard statements		12-3043
EINECS Number: 20-0 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Strem Chemicals, Inc. 7 Multiken Way NEWBURYPORT, MA 01950 USA info@strem.com Further informationblainable from: Technical Department 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification of the substance or mixture Ster TOX 2: Hazards identification 2.1 Classification of the substance or mixture Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 \$\vee Vee Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H315 Causes serious eye irritation. 2.1 Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard site attements Hazard site attements		
1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Strem Chemicals, Inc. 7 Mulliken Way NEWBURYPORT, MA 01950 USA info@strem.com Further information obtainable from: Technical Department 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS07 Acute Tox. 4 H302 Harmful if swallowed. Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H315 Causes serious eye irritation. 2.1 Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms Gits07 Signal word Warning Hazard statements Hazard statements Hazard statements		ber:
No further relevant information available. 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Strem Chemicals, Inc. 7 Multiken Way NEWBURYPORT, MA 01950 USA info@strem.com Further information obtainable from: Technical Department 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 $\widehat{V}$ GHS07 Acute Tox. 4 H302 Harmful if swallowed. Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H315 Cause serious eye irritation. STOT SE 3 H335 May cause respiratory irritation. 2.1 Lobel elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard Statements Signal word Warning Hazard Statements Hazard Statements		
1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Strem Chemicals, Inc. 7 Multiken Way NEWBURYPORT, MA 01950 USA info@strem.com Further information obtainable from: Technical Department 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008		
$\begin{aligned} & \text{Manufacturer/Supplier:} \\ & \text{Strem Chemicals, Inc.} \\ & \text{Mulliken Way} \\ & \text{NEWBURYPORT, MA 01950} \\ & \text{USA} \\ & \text{info@stren.com} \\ & \text{Further information obtainable from: Technical Department} \\ & 1.4 Emergency telephone number: \\ & \text{EMERGENCY: CHEMTREC: + 1 (800) 424-9300} \\ & \text{During normal opening times: + 1 (978) 499-1600} \\ & \text{SECTION 2: Hazards identification} \\ & \text{SICCISSIFICation of the substance or mixture} \\ & \text{Classification according to Regulation (EC) No 1272/2008} \\ & \overbrace{\text{OUS}} \\ & \overbrace{\text{OUS}} \\ & \text{GHS07} \\ & \text{Acute Tox. 4 H302 Harmful if swallowed.} \\ & \text{Skin Irrit. 2 H315 Causes skin irritation.} \\ & \text{Eye Irrit. 2 H315 Causes serious eye irritation.} \\ & \text{StorT SE 3 H335 May cause respiratory irritation.} \\ & \text{SICT SIGN 50 No 1272/2008} \\ & \text{The substance is classified and labelled according to the CLP regulation.} \\ & \text{Hazard pictograms} \\ & \overbrace{\text{GHS07}} \\ & \text{Signal word Warning} \\ & \text{Hazard-determining components of labelling:} \\ & \text{cetrimonium bromide} \\ & \text{Hazard stements} \\ & \text{Hazard stements} \\ & \text{Hazard stements} \\ & \text{Hazard stements} \\ & \text{Signal word Warning} \\ & \text{Hazard statements} \\ & Hazard $		
Strem Chemicals, Inc. 7 Multiken Way NEWBURYPORT, MA 01950 USA info@strem.com Further information obtainable from: Technical Department 1.1 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: + 1 (978) 499-1600 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008		
7 Mulliken Way NEWBURYPORT, MA 01950 USA info@strem.com Further information obtainable from: Technical Department 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: + 1 (978) 499-1600 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008		
NEWBURYPORT, MA 01950 USA info@strem.com Further information obtainable from: Technical Department 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 $\widehat{V}$ GHS07 Acute Tox. 4 H302 Harmful if swallowed. Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H315 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms Signal word Warning Hazard-determining components of labelling: cetrimonium bromide Hazard statements		
USA info@strem.com Further information obtainable from: Technical Department 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008		
Further information obtainable from: Technical Department 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 $\widehat{V}$ GHS07 Acute Tox. 4 H302 Harmful if swallowed. Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H315 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms Signal word Warning Hazard-determining components of labelling: cetrimonium bromide Hazard statements		
1.4 Emergency telephone number:         EMERGENCY: CHEMTREC: + 1 (800) 424-9300         During normal opening times: +1 (978) 499-1600         SECTION 2: Hazards identification         SECTION 2: Hazards identification         2.1 Classification of the substance or mixture         Classification according to Regulation (EC) No 1272/2008	info@strem.co	n
EMERGENCY: CHEMTREC: + 1 (800) 424-9300         During normal opening times: +1 (978) 499-1600         SECTION 2: Hazards identification         2.1 Classification of the substance or mixture         Classification according to Regulation (EC) No 1272/2008         Image: Classification according to Regulation (EC) No 1272/2008         Image: Classification according to Regulation (EC) No 1272/2008         Image: Classification according to Regulation.         Skin Irrit. 2       H312 Causes skin irritation.         Eye Irrit. 2       H319 Causes serious eye irritation.         Stort SE 3       H335 May cause respiratory irritation.         2.1 Label elements       Labelling according to Regulation (EC) No 1272/2008         The substance is classified and labelled according to the CLP regulation.         Hazard pictograms         Image: Classified and labelled according to the CLP regulation.         Hazard pictograms         Signal word Warning         Hazard-determining components of labelling:         certimonium bromide         Hazard statements		
During normal opening times: +1 (978) 499-1600 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 $\widehat{V}$ GHS07 Acute Tox. 4 H302 Harmful if swallowed. Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms $\widehat{V}$ GHS07 Signal word Warning Hazard-determining components of labelling: cetrimonium bromide Hazard statements		
SECTION 2: Hazards identification         2.1 Classification of the substance or mixture         Classification according to Regulation (EC) No 1272/2008         Image: Classification according to Regulation (EC) No 1272/2008         Image: Classification according to Regulation (EC) No 1272/2008         Image: Classification according to Regulation (EC) No 1272/2008         Acute Tox. 4 H302 Harmful if swallowed.         Skin Irrit. 2 H315 Causes skin irritation.         Eye Irrit. 2 H319 Causes serious eye irritation.         STOT SE 3 H335 May cause respiratory irritation.         STOT SE 3 H335 May cause respiratory irritation.         2.2 Label elements         Labelling according to Regulation (EC) No 1272/2008         The substance is classified and labelled according to the CLP regulation.         Hazard pictograms         Image: Classified and labelled according to the CLP regulation.         Hazard pictograms         Signal word Warning         Hazard-determining components of labelling:         certimonium bromide         Hazard statements		
2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008	During norma	<i>opening times: +1 (978) 499-1000</i>
2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008		
Classification according to Regulation (EC) No 1272/2008	<b>SECTION</b>	: Hazards identification
$\widehat{\text{C}} effective GHS07$ Acute Tox. 4 H302 Harmful if swallowed. Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation. <b>2.2 Label elements</b> Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms $\widehat{\text{V}} effective}$ Signal word Warning Hazard-determining components of labelling: cetrimonium bromide Hazard statements		
Acute Tox. 4 H302 Harmful if swallowed. Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms Signal word Warning Hazard-determining components of labelling: cetrimonium bromide Hazard statements	· Classification	according to Regulation (EC) No 1272/2008
Acute Tox. 4 H302 Harmful if swallowed. Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms Signal word Warning Hazard-determining components of labelling: cetrimonium bromide Hazard statements		
Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms GHS07 Signal word Warning Hazard-determining components of labelling: cetrimonium bromide Hazard statements	GH	07
Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms GHS07 Signal word Warning Hazard-determining components of labelling: cetrimonium bromide Hazard statements	$\mathbf{\vee}$	
Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms GHS07 Signal word Warning Hazard-determining components of labelling: cetrimonium bromide Hazard statements		
<ul> <li>STOT SE 3 H335 May cause respiratory irritation.</li> <li>2.2 Label elements</li> <li>Labelling according to Regulation (EC) No 1272/2008</li> <li>The substance is classified and labelled according to the CLP regulation.</li> <li>Hazard pictograms</li> <li>GHS07</li> <li>Signal word Warning</li> <li>Hazard-determining components of labelling: cetrimonium bromide</li> <li>Hazard statements</li> </ul>	Skin Irrit. 2	315 Causes skin irritation.
<ul> <li>2.2 Label elements</li> <li>Labelling according to Regulation (EC) No 1272/2008</li> <li>The substance is classified and labelled according to the CLP regulation.</li> <li>Hazard pictograms</li> <li>GHS07</li> <li>Signal word Warning</li> <li>Hazard-determining components of labelling:</li> <li>cetrimonium bromide</li> <li>Hazard statements</li> </ul>	Eye Irrit. 2	319 Causes serious eye irritation.
Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms GHS07 Signal word Warning Hazard-determining components of labelling: cetrimonium bromide Hazard statements	STOT SE 3	335 May cause respiratory irritation.
The substance is classified and labelled according to the CLP regulation. Hazard pictograms	· 2.2 Label elen	ents
Hazard pictograms		
Vision       Vision         Signal word Warning         Hazard-determining components of labelling:         cetrimonium bromide         Hazard statements		
Signal word Warning Hazard-determining components of labelling: cetrimonium bromide Hazard statements	• Hazara pictog	ams
Signal word Warning Hazard-determining components of labelling: cetrimonium bromide Hazard statements		
Signal word Warning Hazard-determining components of labelling: cetrimonium bromide Hazard statements		
Signal word Warning Hazard-determining components of labelling: cetrimonium bromide Hazard statements	CUS07	
Hazard-determining components of labelling: cetrimonium bromide Hazard statements	GHS0/	
cetrimonium bromide Hazard statements	· Signal word V	arning
Hazard statements		
H302 Harmful if swallowed. H315 Causes skin irritation.		
H319 Causes serious eye irritation.		
H335 May cause respiratory irritation.		se respiratory irritation.
(Contd. on		(Contd. on

Printing date 16.07.2021

Revision: 16.07.2021

Trade name: Hexadecyltrimethylammonium bromide, 99+% CTAB

	(Contd. of page 1)
· Precautionary	statements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P305+P351+P	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
23 Other haza	rdo

· 2.3 Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

#### SECTION 3: Composition/information on ingredients

· 3.1 Chemical characterisation: Substances

· CAS No. Description

57-09-0 cetrimonium bromide

· Identification number(s)

• EC number: 20-0

#### **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** *No further relevant information available.*

#### **SECTION 5: Firefighting measures**

· 5.1 Extinguishing media

 $\cdot$  Suitable extinguishing agents:

Sand. Do not use water.

CO2, sand, extinguishing powder. Do not use water.

- Use fire extinguishing methods suitable to surrounding conditions.
- For safety reasons unsuitable extinguishing agents: Water

• 5.2 Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

GB



Printing date 16.07.2021

Revision: 16.07.2021

Trade name: Hexadecyltrimethylammonium bromide, 99+% CTAB

- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

#### **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions: No special measures required.
- 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- Do not flush with water or aqueous cleansing agents
- · 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

- · 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.
- Respiratory protection:
- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. • **Protection of hands:**



Protective gloves

(Contd. on page 4)


(Contd. of page 2)

GB

CHEMICALS.

Printing date 16.07.2021

Revision: 16.07.2021



Printing date 16.07.2021

Revision: 16.07.2021

Trade name: Hexadecyltrimethylammonium bromide, 99+% CTAB

		(Contd. of page 4)
Kinematic:	Not applicable.	
• Solvent content: Organic solvents: VOC (EC)	0.0 % 0.00 %	
Solids content: • 9.2 Other information	100.0 % No further relevant information available.	

#### **SECTION 10: Stability and reactivity**

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

· 10.4 Conditions to avoid No further relevant information available.

- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

· 11.1 Information on toxicological effects

• Acute toxicity

Harmful if swallowed.

· LD/LC50 values relevant for classification:

57-09-0 cetrimonium bromide

Oral LD50 410 mg/kg (rat)

• Primary irritant effect:

Skin corrosion/irritation

Causes skin irritation.

- Serious eye damage/irritation Causes serious eye irritation.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.

· STOT-single exposure

- May cause respiratory irritation.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

#### **SECTION 12: Ecological information**

· 12.1 Toxicity

- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.

(Contd. on page 6)

GB

Printing date 16.07.2021

CHEMICALS, INC.

Revision: 16.07.2021

(Contd. of page 5)

Trade name: Hexadecyltrimethylammonium bromide, 99+% CTAB

• Additional ecological information:

- General notes: Not known to be hazardous to water.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

#### **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

• Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

14.1 UN-Number ADR, IMDG, IATA	UN3077
14.2 UN proper shipping name ADR	3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE SOLID, N.O.S.
IMDG, IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID N.O.S.
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
Class Label	9 Miscellaneous dangerous substances and articles. 9
14.4 Packing group ADR, IMDG, IATA	III
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user EMS Number:	Warning: Miscellaneous dangerous substances and articles. F-A,S-F
Stowage Category Stowage Code	A SW23 When transported in BK3 bulk container, see 7.6.2.1 and 7.7.3.9.
14.7 Transport in bulk according to Ann Marpol and the IBC Code	<b>ex II of</b> Not applicable.

GB

#### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.07.2021

Revision: 16.07.2021

Trade name: Hexadecyltrimethylammonium bromide, 99+% CTAB

	(Contd. of page 6
· Transport/Additional information:	
· ADR · Limited quantities (LQ) · Excepted quantities (EQ)	5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
· UN "Model Regulation":	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III

#### **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Department.
- · Contact: Technical Director
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

- EINECS: European Inventory of Existing Commercial Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- *VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent*
- LD50: Lethal dose, 50 percent
- *PBT: Persistent, Bioaccumulative and Toxic*
- vPvB: very Persistent and very Bioaccumulative
- Acute Tox. 4: Acute toxicity Category 4
- Skin Irrit. 2: Skin corrosion/irritation Category 2
- Eye Irrit. 2: Serious eye damage/eye irritation Category 2
- STOT SE 3: Specific target organ toxicity (single exposure) Category 3