


CHEMICALS, INC.

		cation of the substance/mixture and of the company/undertaking
1.1 Product id	v	
		T™ Lithium triethylborohydride, 1M in tetrahydrofuran
	dentified use	es of the substance or mixture and uses advised against ation available.
1.3 Details of Manufactures Strem Chemic 7 Mulliken Wa NEWBURYPO USA info@strem.co	r/ Supplier: als, Inc. ay DRT, MA 019	of the safety data sheet 50
Further infor	mation obtai	nable from: Technical Department
1.4 Emergence		
		EC: + 1 (800) 424-9300 nes: +1 (978) 499-1600
_		
an antoni	A 77 1	
2.1 Classifica	tion of the su	t <mark>s identification</mark> ubstance or mixture to Regulation (EC) No 1272/2008
2.1 Classifica Classification GH Flam. Liq. 2	tion of the su	ubstance or mixture o Regulation (EC) No 1272/2008 Highly flammable liquid and vapour.
2.1 Classifica Classification	tion of the su according to SO2 flame H225 H250	ubstance or mixture p Regulation (EC) No 1272/2008
2.1 Classification Classification GH Flam. Liq. 2 Pyr. Liq. 1 Water-react.	tion of the su according to SO2 flame H225 H250	abstance or mixture o Regulation (EC) No 1272/2008 Highly flammable liquid and vapour. Catches fire spontaneously if exposed to air. In contact with water releases flammable gases which may ignite spontaneously.
2.1 Classification Classification GH Flam. Liq. 2 Pyr. Liq. 1 Water-react.	tion of the su according to SO2 flame H225 H250 H260	abstance or mixture o Regulation (EC) No 1272/2008 Highly flammable liquid and vapour. Catches fire spontaneously if exposed to air. In contact with water releases flammable gases which may ignite spontaneously.
2.1 Classification Classification GH Flam. Liq. 2 Pyr. Liq. 1 Water-react. 1 Water-react. 2 Carc. 2	tion of the su according to S02 flame H225 H250 H260 S08 health ho	abstance or mixture o Regulation (EC) No 1272/2008 Highly flammable liquid and vapour. Catches fire spontaneously if exposed to air. In contact with water releases flammable gases which may ignite spontaneously. azard Suspected of causing cancer.
2.1 Classification Classification GH Flam. Liq. 2 Pyr. Liq. 1 Water-react. 1 Water-react. 2 Carc. 2	tion of the su according to SO2 flame H225 H250 H260 SO8 health ha H351 SO5 corrosio	abstance or mixture o Regulation (EC) No 1272/2008 Highly flammable liquid and vapour. Catches fire spontaneously if exposed to air. In contact with water releases flammable gases which may ignite spontaneously. azard Suspected of causing cancer.
2.1 Classification Classification Flam. Liq. 2 Pyr. Liq. 1 Water-react. 1 Carc. 2 Carc. 2 GH Skin Corr. 1B	tion of the su according to SO2 flame H225 H250 H260 SO8 health ha H351 SO5 corrosio	nbstance or mixture o Regulation (EC) No 1272/2008 Highly flammable liquid and vapour. Catches fire spontaneously if exposed to air. In contact with water releases flammable gases which may ignite spontaneously. azard Suspected of causing cancer.
2.1 Classification Classification Flam. Liq. 2 Pyr. Liq. 1 Water-react. 1 Carc. 2 Carc. 2 GH Skin Corr. 1B	tion of the su according to SO2 flame H225 H250 H260 SO8 health ha H351 SO5 corrosio H314	nbstance or mixture o Regulation (EC) No 1272/2008 Highly flammable liquid and vapour. Catches fire spontaneously if exposed to air. In contact with water releases flammable gases which may ignite spontaneously. azard Suspected of causing cancer.

(Contd. on page 2) GB



P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- P310 Immediately call a POISON CENTER/doctor.
- *P403+P233* Store in a well-ventilated place. Keep container tightly closed.
- *P411+P235* Store at temperatures not exceeding 4°C. Keep cool.
- P422 Store contents under inert gas.
- *P501* Dispose of contents/container in accordance with local/regional/national/international regulations.
- Additional information:

EUH014 Reacts violently with water.

EUH019 May form explosive peroxides.

- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

 • Dangerous components:
 75.0%

 CAS: 109-99-9
 Tetrahydrofuran [109-99-9]
 75.0%

 EINECS: 203-726-8
 ♦ Flam. Liq. 2, H225; ♦ Carc. 2, H351; ♦ Eye Irrit. 2, H319; STOT SE 3, H335
 (Contd. on page 3)



Printing date 16.03.2022

(Contd. of page 1)

Revision: 16.03.2022

Printing date 16.03.2022

Revision: 16.03.2022

Trade name: CALSELECT[™] Lithium triethylborohydride, 1M in tetrahydrofuran

(Con	td. of page 2)
CAS: 22560-16-3 lithium triethylhydroborate	20.0%
EINECS: 245-076-8 🚯 Flam. Liq. 1, H224; Pyr. Liq. 1, H250; Self-heat. 2, H252; 🚸 Skin Corr. 1B, H314	
CAS: 97-94-9 triethylborane	5.0%
EINECS: 202-620-9 🚸 Pyr. Sol. 1, H250; 🚸 Skin Corr. 1B, H314	
• Additional information · For the wording of the listed hazard phrases refer to section 16	

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · General information:
- *Immediately remove any clothing soiled by the product.*

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eve contact: Rinse opened eve for several minutes under running water. Then consult a doctor.

• After swallowing:

Call for a doctor immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

- 6.2 Environmental precautions: Do not allow to enter sewers/surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

· 6.4 Reference to other sections See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 4)

Printing date 16.03.2022

Revision: 16.03.2022

Trade name: CALSELECTTM Lithium triethylborohydride, 1M in tetrahydrofuran

(Contd. of page 3)

See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.

• *Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.*

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions:

Keep container tightly sealed.

- Store in cool, dry conditions in well sealed receptacles.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

109-99-9 Tetrahydrofuran [109-99-9]

WEL Short-term value: 300 mg/m³, 100 ppm Long-term value: 150 mg/m³, 50 ppm Sk

• *Additional information: The lists valid during the making were used as basis.*

- · 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

(Contd. on page 5)

Printing date 16.03.2022

CHEMICALS, INC.

Revision: 16.03.2022

ude name: CALSELECT™ Lithium trieth	ylborohydride, 1M in tetrahydrofuran
	(Contd. of pag eration of the penetration times, rates of diffusion and the degradation
varies from manufacturer to manufactur of the glove material can not be calculate Penetration time of glove material The exact break through time has to be observed.	not only depend on the material, but also on further marks of quality a ver. As the product is a preparation of several substances, the resistance ed in advance and has therefore to be checked prior to the application. It found out by the manufacturer of the protective gloves and has to
Eye protection:	
Tightly sealed goggles	
9.1 Information on basic physical and c General Information	hemical properties
Appearance:	T · · 1
Form: Colour:	Liquid Pale
· Odour:	<i>Characteristic</i>
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition Melting point/freezing point: Initial boiling point and boiling range	Undetermined. : 65.5 °C
Flash point:	-21 °C
Flammability (solid, gas):	Not determined.
Ignition temperature:	230 °C
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Spontaneously flammable in air.
Explosive properties:	May form explosive peroxides.
Explosion limits:	
Lower: Upper:	1.5 Vol % 12.0 Vol %
<i>Vapour pressure at 20 °C:</i>	200 hPa
Density at 20 °C:	0.88571 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with water:	Not miscible or difficult to mix.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content: Organic solvents:	75.0 %
• • • • • • • • • • • • • • • • • • •	/ .) 1/ 70

Printing date 16.03.2022

Revision: 16.03.2022

Trade name: CALSELECTTM Lithium triethylborohydride, 1M in tetrahydrofuran

(Contd. of page 5)

VOC (EC) • 9.2 Other information 75.00 % No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- \cdot 10.3 Possibility of hazardous reactions Contact with water releases flammable gases.

• 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity

Harmful if swallowed.

· LD/LC50 values relevant for classification:

109-99-9 Tetrahydrofuran [109-99-9]

Oral LD50 2500 mg/kg (rat)

97-94-9 triethylborane

Oral LD50 235 mg/kg (rat)

• Primary irritant effect:

Skin corrosion/irritation

- Causes severe skin burns and eye damage.
- Serious eye damage/irritation

Causes severe skin burns and eye damage.

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity

Suspected of causing cancer.

• Reproductive toxicity Based on available data, the classification criteria are not met.

· STOT-single exposure

May cause respiratory irritation. May cause drowsiness or dizziness.

- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

(Contd. on page 7)

GB

GB

Safety data sheet according to 1907/2006/EC, Article 31

Trade name: CALSELECT[™] Lithium triethylborohydride, 1M in tetrahydrofuran (Contd. of page 6) Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised. · 12.5 Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable. · 12.6 Other adverse effects No further relevant information available. **SECTION 13: Disposal considerations** · 13.1 Waste treatment methods · Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system. · Uncleaned packaging: • **Recommendation:** Disposal must be made according to official regulations. **SECTION 14: Transport information** · 14.1 UN-Number · ADR, IMDG, IATA UN3129 · 14.2 UN proper shipping name 3129 WATER-REACTIVE LIQUID, CORROSIVE, N.O.S. ·ADR WATER-REACTIVE LIQUID, CORROSIVE, N.O.S. · IMDG, IATA · 14.3 Transport hazard class(es) · ADR Class 4.3 Substances which, in contact with water, emit flammable gases. · Label 4.3 + 8·IMDG

Class
 Label
 LATA
 Class
 LATA
 Class
 Class
 4.3 Substances which, in contact with water, emit flammable gases.
 4.3 Substances which, in contact with water, emit flammable gases.

CHEMICALS.



Printing date 16.03.2022

Revision: 16.03.2022

Trade name: CALSELECTTM Lithium triethylborohydride, 1M in tetrahydrofuran

	(Contd. of page
Label	4.3 (8)
· 14.4 Packing group · ADR, IMDG, IATA	Ι
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Warning: Substances which, in contact with water, em flammable gases.
EMS Number:	F-G,S-N
14.7 Transport in bulk according to Ann Marpol and the IBC Code	ex II of Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	0
Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
UN "Model Regulation":	UN 3129 WATER-REACTIVE LIQUID, CORROSIVE, N.O.S 4.3 (8), I

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category
- P7 PYROPHORIC LIQUIDS AND SOLIDS
- O1 Substances or mixtures with hazard statement EUH014
- Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 40

· National regulations:

- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H224 Extremely flammable liquid and vapour.
H225 Highly flammable liquid and vapour.
H250 Catches fire spontaneously if exposed to air.
H252 Self-heating in large quantities; may catch fire.
H314 Causes severe skin burns and eye damage.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H351 Suspected of causing cancer.

· Department issuing SDS: Technical Department.

(Contd. on page 9)

GB

Printing date 16.03.2022

CHEMICALS, INC.

Revision: 16.03.2022

Trade name: CALSELECT[™] Lithium triethylborohydride, 1M in tetrahydrofuran

(Contd. of page 8)	
Contact: Technical Director	
· Abbreviations and acronyms:	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International	
Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Flam. Liq. 1: Flammable liquids – Category 1	
Flam. Liq. 2: Flammable liquids – Category 2	
Pyr. Liq. 1: Pyrophoric liquids – Category 1	
Pyr. Sol. 1: Pyrophoric solids – Category 1	
Self-heat. 2: Self-heating substances and mixtures – Category 2	
Water-react. 1: Substances and mixtures which in contact with water emit flammable gases – Category 1	
Acute Tox. 4: Acute toxicity – Category 4	
Skin Corr. 1B: Skin corrosion/irritation – Category 1B	
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2	
Carc. 2: Carcinogenicity – Category 2	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
GB	_