

CHEMICALS, INC.

Revision: 09.03.2022

	1: Identification of the substance/mixture and of the company/undertaking
· 1.1 Product i	dentifier
· Trade name:	CALLERY TM Lithium tert-Butoxide, 20% solution in tetrahydrofura
	: 03-1430 identified uses of the substance or mixture and uses advised against levant information available.
• Manufacture Strem Chemi 7 Mulliken W	cals, Înc. ⁷ ay ORT, MA 01950
• 1.4 Emergen EMERGENC	rmation obtainable from: Technical Department cy telephone number: Y: CHEMTREC: + 1 (800) 424-9300 al opening times: +1 (978) 499-1600
SECTION	2: Hazards identification
· Classification	n according to Regulation (EC) No 1272/2008
GF Flam. Liq. 2	n according to Regulation (EC) No 1272/2008 HS02 flame H225 Highly flammable liquid and vapour. HS08 health hazard
GF Flam. Liq. 2	HS02 flame H225 Highly flammable liquid and vapour.
GF Flam. Liq. 2 GF Carc. 2	IS02 flame H225 Highly flammable liquid and vapour. IS08 health hazard
Flam. Liq. 2 Flam. Liq. 2 GH Carc. 2 GH Skin Corr. 1E	ISO2 flame H225 Highly flammable liquid and vapour. ISO8 health hazard H351 Suspected of causing cancer. ISO5 corrosion
Flam. Liq. 2 Flam. Liq. 2 GH Carc. 2 GH Skin Corr. 1E	ISO2 flame H225 Highly flammable liquid and vapour. ISO8 health hazard H351 Suspected of causing cancer. ISO5 corrosion 3 H314 Causes severe skin burns and eye damage. ISO7 H302 Harmful if swallowed.
GH Flam. Liq. 2 GH Carc. 2 GH Skin Corr. 1E Skin Corr. 1E GH Acute Tox. 4 STOT SE 3 2.2 Label ele	ISO2 flame H225 Highly flammable liquid and vapour. ISO8 health hazard H351 Suspected of causing cancer. ISO5 corrosion 3 H314 Causes severe skin burns and eye damage. ISO7 H302 Harmful if swallowed. H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.



CHEMICALS, INC.

Revision: 09.03.2022

(Contd. of page 1)

K 3	
GHS02	GHS05 GHS07 GHS08
Signal w	ord Danger
	letermining components of labelling:
	<i>rofuran [109-99-9]</i>
	butoxide, 98+%
Hazard s	
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H351	Suspected of causing cancer.
	36 May cause respiratory irritation. May cause drowsiness or dizziness.
	onary statements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. smoking.
P303+P3	61+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with wat
	shower.
	51+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P403+P2	
P501	Dispose of contents/container in accordance with local/regional/national/internation regulations.
Addition	al information:
	Reacts violently with water.
	May form explosive peroxides.
2.3 Other	
	f PBT and vPvB assessment
	t applicable.
	t applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

 $\cdot \textit{Description: Mixture of substances listed below with nonhazardous additions.}$

· Dangerous components:				
	Tetrahydrofuran [109-99-9]	80.0%		
EINECS: 203-726-8	🚸 Flam. Liq. 2, H225; 🚸 Carc. 2, H351; 🚸 Eye Irrit. 2, H319; STOT SE 3, H335			
	Lithium t-butoxide, 98+%	20.0%		
EINECS: 217-611-5	🚸 Pyr. Sol. 1, H250; Self-heat. 1, H251; 🚸 Skin Corr. 1B, H314			
• Additional information: For the wording of the listed hazard phrases refer to section 16.				

(Contd. on page 3)

GB

Printing date 09.03.2022

Revision: 09.03.2022

Trade name: CALLERYTM Lithium tert-Butoxide, 20% solution in tetrahydrofura

(Contd. of page 2)

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:
- Call for a doctor immediately.
- Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- 5.3 Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

• 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

- Do not flush with water or aqueous cleansing agents
- · 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.

(Contd. on page 4)

GB

Printing date 09.03.2022

Revision: 09.03.2022

Trade name: CALLERYTM Lithium tert-Butoxide, 20% solution in tetrahydrofura

(Contd. of page 3)

- *Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.*
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- *Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed receptacles.*
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

109-99-9 Tetrahydrofuran [109-99-9]

WEL Short-term value: 300 mg/m³, 100 ppm Long-term value: 150 mg/m³, 50 ppm Sk

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eves and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

GB –

Printing date 09.03.2022

ЫK

CHEMICALS, INC.

EA/

Revision: 09.03.2022

Fue meterien.		(Contd. of pag
Eye protection:		
Tightly sealed goggles		
9.1 Information on basic physical and c General Information	hemical properties	
Appearance:		
Form:	Liquid	
Colour:	Colourless	
Odour:	Characteristic	
Odour threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling range	: 65.5 °C	
Flash point:	-28.9 °C	
Flammability (solid, gas):	Not determined.	
Ignition temperature:	230 °C	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	May form explosive peroxides.	
Explosion limits:		
Lower:	1.5 Vol %	
Upper:	12.0 Vol %	
Vapour pressure at 20 °C:	200 hPa	
Density at 20 °C:	0.88936 g/cm ³	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	80.0 %	
VOC (EC)	80.00 %	
Solids content:	20.0 %	
9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

GB

Printing date 09.03.2022

Revision: 09.03.2022

(Contd. of page 5)

Trade name: CALLERYTM Lithium tert-Butoxide, 20% solution in tetrahydrofura

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity
- Harmful if swallowed.

· LD/LC50 values relevant for classification:

109-99-9 Tetrahydrofuran [109-99-9]

Oral LD50 2500 mg/kg (rat)

- · Primary irritant effect:
- · Skin corrosion/irritation
- Causes severe skin burns and eye damage.
- · Serious eye damage/irritation
- Causes severe skin burns and eye damage.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity
- Suspected of causing cancer.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure
- May cause respiratory irritation. May cause drowsiness or dizziness.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised.

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

(Contd. on page 7)



Printing date 09.03.2022

CHEMICALS, INC.

Revision: 09.03.2022

Trade name: CALLERYTM Lithium tert-Butoxide, 20% solution in tetrahydrofura

(Contd. of page 6)

SECTION 13: Disposal considerations

• 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.

14.1 UN-Number ADR, IMDG, IATA	UN2924
14.2 UN proper shipping name ADR IMDG, IATA	2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. FLAMMABLE LIQUID, CORROSIVE, N.O.S.
14.3 Transport hazard class(es)	
ADR	
Class	3 Flammable liquids.
Label IMDG	3+8
Class Label	3 Flammable liquids. 3/8
IATA	
Class Label	3 Flammable liquids. 3 (8)
14.4 Packing group ADR, IMDG, IATA	II
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user EMS Number:	Warning: Flammable liquids. F-E,S-C
14.7 Transport in bulk according to Ann Marpol and the IBC Code	ex II of Not applicable.

HEMICALS, INC.

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.03.2022

Revision: 09.03.2022

Trade name: CALLERYTM Lithium tert-Butoxide, 20% solution in tetrahydrofura

	(Contd. of page 7)
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	1L
• Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S., 3 (8), II

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category
- O1 Substances or mixtures with hazard statement EUH014
- P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · National regulations:
- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour.
H250 Catches fire spontaneously if exposed to air.
H251 Self-heating: may catch fire.
H314 Causes severe skin burns and eye damage.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H351 Suspected of causing cancer.

- · Department issuing SDS: Technical Department.
- · Contact: Technical Director

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)
- VOC: Volatile Organic Compounds (USA, EU)
- *LC50: Lethal concentration, 50 percent*
- LD50: Lethal dose, 50 percent

(Contd. on page 9)

GB



Printing date 09.03.2022

Revision: 09.03.2022

Trade name: CALLERYTM Lithium tert-Butoxide, 20% solution in tetrahydrofura

(Contd. of page 8)

GB

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Pyr. Sol. 1: Pyrophoric solids – Category 1 Self-heat. 1: Self-heating substances and mixtures – Category 1 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1B: Skin corrosion/irritation – Category 1B Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Carc. 2: Carcinogenicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3