### Printing date 07/18/2021

Reviewed on 07/18/2021

# **1** Identification

- · Product name
- · Trade name: Graphene nanoplatelets aggregates (sub-micron particles, surface area 750m<sup>2</sup>/g)
- Item number: 06-0235
- CAS Number: 1034343-98-0
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Strem Chemicals, Inc.
   7 Mulliken Way NEWBURYPORT, MA 01950 USA info@strem.com
- Information department: Technical Department
   Emergency telephone number: EMERGENCY: CHEMTREC: +1 (800) 424-9300 During normal opening times: +1 (978) 499-1600

# 2 Hazard(s) identification

· Classification of the substance or mixture

GHS07

Skin Irrit. 2H315Causes skin irritation.Eye Irrit. 2AH319Causes serious eye irritation.STOT SE 3H335May cause respiratory irritation.

- · Label elements
- · GHS label elements
- *The substance is classified and labeled according to the Globally Harmonized System (GHS).* • *Hazard pictograms*




· Signal word Warning

Hazard-determining components of labeling: Graphene
Hazard statements
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
Precautionary statements
P262 Do not get in eyes, on skin, or on clothing.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

(Contd. on page 2)

Printing date 07/18/2021

Reviewed on 07/18/2021



### **3** Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description
- 1034343-98-0 Graphene

### **4** First-aid measures

- · Description of first aid measures
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

### **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

(Contd. on page 3)

US

Printing date 07/18/2021

Reviewed on 07/18/2021

(Contd. of page 2)

Trade name: Graphene nanoplatelets aggregates (sub-micron particles, surface area 750m<sup>2</sup>/g)

- · Environmental precautions: No special measures required.
- *Methods and material for containment and cleaning up:* Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals
- PAC-1:

Substance is not listed.

· PAC-2:

Substance is not listed.

· PAC-3:

Substance is not listed.

# 7 Handling and storage

- · Handling:
- Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- Breathing equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 4)

### Printing date 07/18/2021

CHEMICALS, INC

Reviewed on 07/18/2021

Trade name: Graphene nanoplatelets aggregates (sub-micron particles, surface area 750m<sup>2</sup>/g)

(Contd. of page 3)

US

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  **Material of gloves** 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

# 9 Physical and chemical properties

| Appearance:                      |   |  |
|----------------------------------|---|--|
| Form:                            | Solid   |  |
| Color:                           | Black   |  |
| Odor:                            | Odorless                                      |  |
| Odor threshold:                  | Not determined.                               |  |
| pH-value:                        | Not applicable.                               |  |
| Change in condition              |   |  |
| Melting point/Melting range:     | Undetermined.                                 |  |
| Boiling point/Boiling range:     | Undetermined.                                 |  |
| Flash point:                     | Not applicable.                               |  |
| Flammability (solid, gaseous):   | Not determined.                               |  |
| Ignition temperature:            |   |  |
| Decomposition temperature:       | Not determined.                               |  |
| Auto igniting:                   | Not determined.                               |  |
| Danger of explosion:             | Product does not present an explosion hazard. |  |
| Explosion limits:                |   |  |
| Lower:                           | Not determined.                               |  |
| Upper:                           | Not determined.                               |  |
| Vapor pressure:                  | Not applicable.                               |  |
| Density:                         | Not determined.                               |  |
| Relative density                 | Not determined.                               |  |
| Vapor density                    | Not applicable.                               |  |
| Evaporation rate                 | Not applicable.                               |  |
| Solubility in / Miscibility with |   |  |
| Water:                           | Insoluble.                                    |  |

Printing date 07/18/2021

Reviewed on 07/18/2021

Trade name: Graphene nanoplatelets aggregates (sub-micron particles, surface area 750m<sup>2</sup>/g)

|                     |  | (Contd. of page 4 |
|---------------------|--|-------------------|
| · Viscosity:        |  |                   |
| Dynamic:            | Not applicable.                            |                   |
| Kinematic:          | Not applicable.                            |                   |
| · Solvent content:  |  |                   |
| Organic solvents:   | 0.0 %                                      |                   |
| VOC content:        | 0.0 g/l / 0.00 lb/gl                       |                   |
| Solids content:     | 100.0 %                                    |                   |
| • Other information | No further relevant information available. |                   |

# **10 Stability and reactivity**

· Reactivity No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### **11 Toxicological information**

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- $\cdot$  Additional toxicological information:
- · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

### · NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

# **12** Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- General notes: Not known to be hazardous to water.

(Contd. on page 6)



Printing date 07/18/2021

CHEMICALS, INC

Reviewed on 07/18/2021

Trade name: Graphene nanoplatelets aggregates (sub-micron particles, surface area 750m<sup>2</sup>/g)

(Contd. of page 5)

#### · Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· **vPvB:** Not applicable.

· Other adverse effects No further relevant information available.

### **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

| UN-Number<br>DOT, ADN, IMDG, IATA  | not regulated        |
|--|----------------------|
| UN proper shipping name<br>DOT, ADN, IMDG, IATA                            | not regulated        |
| Transport hazard class(es)   |                      |
| DOT, ADN, IMDG, IATA<br>Class  | not regulated        |
| Packing group<br>DOT, IMDG, IATA   | not regulated        |
| Environmental hazards:<br>Marine pollutant:                                | No                   |
| Special precautions for user   | Not applicable.      |
| Transport in bulk according to Annex II of<br>MARPOL73/78 and the IBC Code | f<br>Not applicable. |
| UN ''Model Regulation'':   | not regulated        |

### **15 Regulatory information**

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

· Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is not listed.

• TSCA (Toxic Substances Control Act):

Substance is not listed.

(Contd. on page 7)

US

Printing date 07/18/2021

· Proposition 65

CHEMICALS.

Reviewed on 07/18/2021

| Trade name: | Graphene nanopla | telets aggregates  | s (sub-micron | narticles. | surface area | $750m^{2/g}$ |
|-------------|------------------|--------------------|---------------|------------|--------------|--------------|
| Traue nume. | Опирисис пинори  | 111113 uzzr czurc. | (Sub-micron   | purneres,  | surjuce ureu | / 5011 / 8/  |

| (Contd. | of | nage | 6) |
|---------|----|------|----|
| (Comu.  | 01 | page | v, |

· Chemicals known to cause cancer:

Substance is not listed.

 $\cdot$  Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

Substance is not listed.

· TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· GHS label elements

*The substance is classified and labeled according to the Globally Harmonized System (GHS).* • *Hazard pictograms* 



· Signal word Warning

| · Hazard-determ   | ining components of labeling:   |
|-------------------|---|
| Graphene          |   |
| • Hazard stateme  | nts   |
| H315 Causes sk    | in irritation.  |
| H319 Causes se    | rious eye irritation.   |
| H335 May caus     | e respiratory irritation.   |
| · Precautionary s | tatements   |
| P262              | Do not get in eyes, on skin, or on clothing.  |
| P280              | Wear protective gloves/protective clothing/eye protection/face protection.                          |
| P305+P351+P.      | 338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present  |
|                   | and easy to do. Continue rinsing.   |
| P304+P340         | IF INHALED: Remove person to fresh air and keep comfortable for breathing.                          |
| P403+P233         | Store in a well-ventilated place. Keep container tightly closed.                                    |
| P501              | Dispose of contents/container in accordance with local/regional/national/international regulations. |
| ~                 |   |

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Technical Department.

(Contd. on page 8)

US

Printing date 07/18/2021

Reviewed on 07/18/2021

# Trade name: Graphene nanoplatelets aggregates (sub-micron particles, surface area 750m<sup>2</sup>/g)

| Contact: Technical Director<br>Date of preparation / last revision 07/18/2021 / -<br>Abbreviations and acronyms:<br>ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International<br>Carriage of Dangerous Goods by Road)<br>IMDG: International Maritime Code for Dangerous Goods<br>DOT: US Department of Transport Association<br>ATA: International Air Transport Association<br>ATGIH: American Conference of Governmental Industrial Hygienists<br>CAS: Chemical Abstracts Service (division of the American Chemical Society)<br>NFPA: National Fire Protection Association (USA)<br>HMIS: Hazardous Materials Identification System (USA)<br>VOC: Volatile Organic Compounds (USA, EU)<br>PBT: Persistent, Bioaccumulative and Toxic<br>vPvB: very Persistent and very Bioaccumulative<br>NIOSH: National Institute for Occupational Safety<br>OSHA: Occupational Safety & Health<br>IV: Threshold Limit Value<br>PEL: Permissible Exposure Limit<br>REL: Recommended Exposure Limit<br>Skin Irrit. 2: Skin corrosion/irritation – Category 2<br>Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A<br>STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 |   | (Contd. of page 7             |
|---|---|-------------------------------|
| Abbreviations and acronyms:<br>ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International<br>Carriage of Dangerous Goods by Road)<br>IMDG: International Maritime Code for Dangerous Goods<br>DOT: US Department of Transportation<br>IATA: International Air Transport Association<br>ACGIH: American Conference of Governmental Industrial Hygienists<br>CAS: Chemical Abstracts Service (division of the American Chemical Society)<br>NFPA: National Fire Protection Association (USA)<br>HMIS: Hazardous Materials Identification System (USA)<br>VOC: Volatile Organic Compounds (USA, EU)<br>PBT: Persistent, Bioaccumulative and Toxic<br>vPvB: very Persistent and very Bioaccumulative<br>NIOSH: National Institute for Occupational Safety<br>OSHA: Occupational Safety & Health<br>TLV: Threshold Limit Value<br>PEL: Permissible Exposure Limit<br>REL: Recommended Exposure Limit<br>REL: Recommended Exposure Limit<br>Skin Irrit. 2: Skin corrosion/irritation – Category 2<br>Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A  | Contact: Technical Director   | · · · · ·                     |
| Abbreviations and acronyms:<br>ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International<br>Carriage of Dangerous Goods by Road)<br>IMDG: International Maritime Code for Dangerous Goods<br>DOT: US Department of Transportation<br>IATA: International Air Transport Association<br>ACGIH: American Conference of Governmental Industrial Hygienists<br>CAS: Chemical Abstracts Service (division of the American Chemical Society)<br>NFPA: National Fire Protection Association (USA)<br>HMIS: Hazardous Materials Identification System (USA)<br>VOC: Volatile Organic Compounds (USA, EU)<br>PBT: Persistent, Bioaccumulative and Toxic<br>vPvB: very Persistent and very Bioaccumulative<br>NIOSH: National Institute for Occupational Safety<br>OSHA: Occupational Safety & Health<br>TLV: Threshold Limit Value<br>PEL: Permissible Exposure Limit<br>REL: Recommended Exposure Limit<br>REL: Recommended Exposure Limit<br>Skin Irrit. 2: Skin corrosion/irritation – Category 2<br>Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A  | Date of preparation / last revision 07/18/2021 / -                          |                               |
| ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International<br>Carriage of Dangerous Goods by Road)<br>IMDG: International Maritime Code for Dangerous Goods<br>DOT: US Department of Transportation<br>IATA: International Air Transport Association<br>ACGIH: American Conference of Governmental Industrial Hygienists<br>CAS: Chemical Abstracts Service (division of the American Chemical Society)<br>NFPA: National Fire Protection Association (USA)<br>HMIS: Hazardous Materials Identification System (USA)<br>VOC: Volatile Organic Compounds (USA, EU)<br>PBT: Persistent, Bioaccumulative and Toxic<br>vPvB: very Persistent and very Bioaccumulative<br>NIOSH: National Institute for Occupational Safety<br>OSHA: Occupational Safety & Health<br>TLV: Threshold Limit Value<br>PEL: Permissible Exposure Limit<br>REL: Recommended Exposure Limit<br>Skin Irrit. 2: Skin corrosion/irritation – Category 2<br>Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A  |   |                               |
| Carriage of Dangerous Goods by Road)<br>IMDG: International Maritime Code for Dangerous Goods<br>DOT: US Department of Transportation<br>IATA: International Air Transport Association<br>ACGIH: American Conference of Governmental Industrial Hygienists<br>CAS: Chemical Abstracts Service (division of the American Chemical Society)<br>NFPA: National Fire Protection Association (USA)<br>HMIS: Hazardous Materials Identification System (USA)<br>VOC: Volatile Organic Compounds (USA, EU)<br>PBT: Persistent, Bioaccumulative and Toxic<br>vPvB: very Persistent and very Bioaccumulative<br>NIOSH: National Institute for Occupational Safety<br>OSHA: Occupational Safety & Health<br>TLV: Threshold Limit Value<br>PEL: Permissible Exposure Limit<br>REL: Recommended Exposure Limit<br>Skin Irrit. 2: Skin corrosion/irritation – Category 2<br>Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A   | •   | t concerning the Internationa |
| DOT: US Department of Transportation<br>IATA: International Air Transport Association<br>ACGIH: American Conference of Governmental Industrial Hygienists<br>CAS: Chemical Abstracts Service (division of the American Chemical Society)<br>NFPA: National Fire Protection Association (USA)<br>HMIS: Hazardous Materials Identification System (USA)<br>VOC: Volatile Organic Compounds (USA, EU)<br>PBT: Persistent, Bioaccumulative and Toxic<br>vPvB: very Persistent and very Bioaccumulative<br>NIOSH: National Institute for Occupational Safety<br>OSHA: Occupational Safety & Health<br>TLV: Threshold Limit Value<br>PEL: Permissible Exposure Limit<br>REL: Recommended Exposure Limit<br>Skin Irrit. 2: Skin corrosion/irritation – Category 2<br>Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A  |   | 0                             |
| IATA: International Air Transport Association<br>ACGIH: American Conference of Governmental Industrial Hygienists<br>CAS: Chemical Abstracts Service (division of the American Chemical Society)<br>NFPA: National Fire Protection Association (USA)<br>HMIS: Hazardous Materials Identification System (USA)<br>VOC: Volatile Organic Compounds (USA, EU)<br>PBT: Persistent, Bioaccumulative and Toxic<br>vPvB: very Persistent and very Bioaccumulative<br>NIOSH: National Institute for Occupational Safety<br>OSHA: Occupational Safety & Health<br>TLV: Threshold Limit Value<br>PEL: Permissible Exposure Limit<br>REL: Recommended Exposure Limit<br>Skin Irrit. 2: Skin corrosion/irritation – Category 2<br>Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A  | IMDG: International Maritime Code for Dangerous Goods                       |                               |
| ACGIH: American Conference of Governmental Industrial Hygienists<br>CAS: Chemical Abstracts Service (division of the American Chemical Society)<br>NFPA: National Fire Protection Association (USA)<br>HMIS: Hazardous Materials Identification System (USA)<br>VOC: Volatile Organic Compounds (USA, EU)<br>PBT: Persistent, Bioaccumulative and Toxic<br>vPvB: very Persistent and very Bioaccumulative<br>NIOSH: National Institute for Occupational Safety<br>OSHA: Occupational Safety & Health<br>TLV: Threshold Limit Value<br>PEL: Permissible Exposure Limit<br>REL: Recommended Exposure Limit<br>Skin Irrit. 2: Skin corrosion/irritation – Category 2<br>Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A   | DOT: US Department of Transportation  |                               |
| CAS: Chemical Abstracts Service (division of the American Chemical Society)<br>NFPA: National Fire Protection Association (USA)<br>HMIS: Hazardous Materials Identification System (USA)<br>VOC: Volatile Organic Compounds (USA, EU)<br>PBT: Persistent, Bioaccumulative and Toxic<br>vPvB: very Persistent and very Bioaccumulative<br>NIOSH: National Institute for Occupational Safety<br>OSHA: Occupational Safety & Health<br>TLV: Threshold Limit Value<br>PEL: Permissible Exposure Limit<br>REL: Recommended Exposure Limit<br>Skin Irrit. 2: Skin corrosion/irritation – Category 2<br>Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A   | IATA: International Air Transport Association                               |                               |
| NFPA: National Fire Protection Association (USA)<br>HMIS: Hazardous Materials Identification System (USA)<br>VOC: Volatile Organic Compounds (USA, EU)<br>PBT: Persistent, Bioaccumulative and Toxic<br>vPvB: very Persistent and very Bioaccumulative<br>NIOSH: National Institute for Occupational Safety<br>OSHA: Occupational Safety & Health<br>TLV: Threshold Limit Value<br>PEL: Permissible Exposure Limit<br>REL: Recommended Exposure Limit<br>Skin Irrit. 2: Skin corrosion/irritation – Category 2<br>Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A  | ACGIH: American Conference of Governmental Industrial Hygienists            |                               |
| HMIS: Hazardous Materials Identification System (USA)<br>VOC: Volatile Organic Compounds (USA, EU)<br>PBT: Persistent, Bioaccumulative and Toxic<br>vPvB: very Persistent and very Bioaccumulative<br>NIOSH: National Institute for Occupational Safety<br>OSHA: Occupational Safety & Health<br>TLV: Threshold Limit Value<br>PEL: Permissible Exposure Limit<br>REL: Recommended Exposure Limit<br>Skin Irrit. 2: Skin corrosion/irritation – Category 2<br>Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A  | CAS: Chemical Abstracts Service (division of the American Chemical Society) |                               |
| VOC: Volatile Organic Compounds (USA, EU)<br>PBT: Persistent, Bioaccumulative and Toxic<br>vPvB: very Persistent and very Bioaccumulative<br>NIOSH: National Institute for Occupational Safety<br>OSHA: Occupational Safety & Health<br>TLV: Threshold Limit Value<br>PEL: Permissible Exposure Limit<br>REL: Recommended Exposure Limit<br>Skin Irrit. 2: Skin corrosion/irritation – Category 2<br>Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A   | NFPA: National Fire Protection Association (USA)                            |                               |
| PBT: Persistent, Bioaccumulative and Toxic<br>vPvB: very Persistent and very Bioaccumulative<br>NIOSH: National Institute for Occupational Safety<br>OSHA: Occupational Safety & Health<br>TLV: Threshold Limit Value<br>PEL: Permissible Exposure Limit<br>REL: Recommended Exposure Limit<br>Skin Irrit. 2: Skin corrosion/irritation – Category 2<br>Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A  | HMIS: Hazardous Materials Identification System (USA)                       |                               |
| vPvB: very Persistent and very Bioaccumulative<br>NIOSH: National Institute for Occupational Safety<br>OSHA: Occupational Safety & Health<br>TLV: Threshold Limit Value<br>PEL: Permissible Exposure Limit<br>REL: Recommended Exposure Limit<br>Skin Irrit. 2: Skin corrosion/irritation – Category 2<br>Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A  | VOC: Volatile Organic Compounds (USA, EU)                                   |                               |
| NIOSH: National Institute for Occupational Safety<br>OSHA: Occupational Safety & Health<br>TLV: Threshold Limit Value<br>PEL: Permissible Exposure Limit<br>REL: Recommended Exposure Limit<br>Skin Irrit. 2: Skin corrosion/irritation – Category 2<br>Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A  | PBT: Persistent, Bioaccumulative and Toxic                                  |                               |
| OSHA: Occupational Safety & Health<br>TLV: Threshold Limit Value<br>PEL: Permissible Exposure Limit<br>REL: Recommended Exposure Limit<br>Skin Irrit. 2: Skin corrosion/irritation – Category 2<br>Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A   | vPvB: very Persistent and very Bioaccumulative                              |                               |
| TLV: Threshold Limit Value<br>PEL: Permissible Exposure Limit<br>REL: Recommended Exposure Limit<br>Skin Irrit. 2: Skin corrosion/irritation – Category 2<br>Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A   | NIOSH: National Institute for Occupational Safety                           |                               |
| PEL: Permissible Exposure Limit<br>REL: Recommended Exposure Limit<br>Skin Irrit. 2: Skin corrosion/irritation – Category 2<br>Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A   | OSHA: Occupational Safety & Health  |                               |
| REL: Recommended Exposure Limit<br>Skin Irrit. 2: Skin corrosion/irritation – Category 2<br>Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A  | TLV: Threshold Limit Value  |                               |
| Skin Irrit. 2: Skin corrosion/irritation – Category 2<br>Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A   | PEL: Permissible Exposure Limit   |                               |
| Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A  | REL: Recommended Exposure Limit   |                               |
|   | Skin Irrit. 2: Skin corrosion/irritation – Category 2                       |                               |
| STOT SE 3: Specific target organ toxicity (single exposure) – Category 3  | Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A              |                               |
|   | STOT SE 3: Specific target organ toxicity (single exposure) – Category 3    |                               |

