Printing date 07/19/2021

Reviewed on 07/14/2021

## **1** Identification

- · Product name
- · Trade name: <u>4-[Polyisobutyl(12)]-2-ethylaniline (50% in heptane/polyisobutylene)</u>
- Item number: 07-6115
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Strem Chemicals, Inc. 7 Mulliken Way NEWBURYPORT, MA 01950 USA info@strem.com
- Information department: Technical Department
   Emergency telephone number: EMERGENCY: CHEMTREC: +1 (800) 424-9300 During normal opening times: +1 (978) 499-1600

## **2** Hazard(s) identification

· Classification of the substance or mixture

GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.

GHS08 Health hazard

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

GHS07

Skin Irrit. 2 H315 Causes skin irritation. STOT SE 3 H336 May cause drowsiness or dizziness.

· Label elements

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms



· Signal word Danger

• Hazard-determining components of labeling: heptane

· Hazard statements

H225 Highly flammable liquid and vapor.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness. H304 May be fatal if swallowed and enters airways.

(Contd. on page 2)

Page 1/9

Printing date 07/19/2021

CHEMICALS, INC.

Reviewed on 07/14/2021

	(Contd. of page
Precautionary s	
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P303+P361+P3	353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with wate shower.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Classification s	
NFPA ratings (	scale 0 - 4)
	ealth = 1
	ire = 3
	eactivity = 0
HMIS-ratings (	
<b>HMIS-raings</b> (	<i>(cale 0 - 4)</i>
HEALTH 1	Health = 1
	Fire = $3$
REACTIVITY 0	
REACTIVITY	leachvuy – 0
Other hazards	
-	and vPvB assessment
<b>PBT:</b> Not applie	
vPvB: Not appli	
12 / 20 Hot appl	
Composition	information on ingredients
Composition/	information on ingredients
•	
Chemical chara	cterization: Mixtures
Chemical chara Description: Mi	<i>cterization: Mixtures</i> xture of the substances listed below with nonhazardous additions.
Chemical chara Description: Mi Dangerous com	cterization: Mixtures xture of the substances listed below with nonhazardous additions. ponents:
Chemical chara Description: Mi	cterization: Mixtures xture of the substances listed below with nonhazardous additions. ponents:
Chemical chara Description: Mi Dangerous com	cterization: Mixtures xture of the substances listed below with nonhazardous additions. ponents:
Chemical chara Description: Mi Dangerous com 142-82-5 hepta	cterization: Mixtures xture of the substances listed below with nonhazardous additions. ponents: ne 50.0%
Chemical chara Description: Mi Dangerous com 142-82-5 hepta	cterization: Mixtures xture of the substances listed below with nonhazardous additions. ponents: ne 50.09
Chemical chara Description: Mi Dangerous com 142-82-5 hepta First-aid med	cterization: Mixtures xture of the substances listed below with nonhazardous additions. ponents: ne 50.0%
Chemical chara Description: Mi Dangerous com 142-82-5 hepta First-aid mea Description of f	cterization: Mixtures xture of the substances listed below with nonhazardous additions. ponents: ne 50.0% csures irst aid measures
Chemical chara Description: Mi Dangerous com 142-82-5 hepta First-aid mea Description of f General inform	cterization: Mixtures xture of the substances listed below with nonhazardous additions. ponents: ne 50.0% Sures irst aid measures ation: Immediately remove any clothing soiled by the product.
Chemical chara Description: Mi Dangerous com 142-82-5 hepta First-aid mea Description of f General inform After inhalation	cterization: Mixtures xture of the substances listed below with nonhazardous additions. ponents: ne 50.0% Sures irst aid measures ation: Immediately remove any clothing soiled by the product. : In case of unconsciousness place patient stably in side position for transportation.
Chemical chara Description: Mi Dangerous com 142-82-5 hepta First-aid med Description of f General inform After inhalation After skin conta	cterization: Mixtures         xture of the substances listed below with nonhazardous additions.         ponents:         ne         50.0%         surres         irst aid measures         ation: Immediately remove any clothing soiled by the product.         : In case of unconsciousness place patient stably in side position for transportation.         ct: Immediately wash with water and soap and rinse thoroughly.
Chemical chara Description: Mi Dangerous com 142-82-5 hepta First-aid med Description of f General inform After inhalation After skin conta After eye contad	cterization: Mixtures         xture of the substances listed below with nonhazardous additions.         ponents:         ne         50.0%         sures         irst aid measures         ation: Immediately remove any clothing soiled by the product.         :: In case of unconsciousness place patient stably in side position for transportation.         ct: Immediately wash with water and soap and rinse thoroughly.         t: Rinse opened eye for several minutes under running water.
Chemical chara Description: Mi Dangerous com 142-82-5 hepta First-aid med Description of f General inform After inhalation After skin conta After eye contad	cterization: Mixtures         xture of the substances listed below with nonhazardous additions.         ponents:         ne         Sures         irst aid measures         ation: Immediately remove any clothing soiled by the product.         : In case of unconsciousness place patient stably in side position for transportation.         ct: Immediately wash with water and soap and rinse thoroughly.
Chemical chara Description: Mi Dangerous com 142-82-5 hepta First-aid med Description of f General inform After inhalation After skin conta After eye contad	cterization: Mixtures         xture of the substances listed below with nonhazardous additions.         ponents:         ne         50.0%         sures         irst aid measures         ation: Immediately remove any clothing soiled by the product.         :: In case of unconsciousness place patient stably in side position for transportation.         ct: Immediately wash with water and soap and rinse thoroughly.         t: Rinse opened eye for several minutes under running water.         g: If symptoms persist consult doctor.

- Most important symptoms and effects, both acute and delayed No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

# **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 3)

US

Printing date 07/19/2021

Reviewed on 07/14/2021

• For safety reasons unsuitable extinguishing agents: Water with full jet • Special hazards arising from the substance or mixture No further relevant information • Advice for firefighters	(Contd. of page available.
• Protective equipment: No special measures required. 6 Accidental release measures	
· Personal precautions, protective equipment and emergency procedures	
Wear protective equipment. Keep unprotected persons away.	
· Environmental precautions:	
Do not allow product to reach sewage system or any water course.	
Prevent seepage into sewage system, workpits and cellars. Inform respective authorities in case of seepage into water course or sewage system.	
• Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sa	iwdust).
Dispose contaminated material as waste according to item 13.	
Ensure adequate ventilation.	
· Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
Protective Action Criteria for Chemicals	
· PAC-1:	
142-82-5 heptane	500 pp
· PAC-2:	
142-82-5 heptane	830 pp

## 7 Handling and storage

#### · Handling:

- Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
   Prevent formation of aerosols.
   Information about protection against explosions and fires:
- Keep ignition sources away Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

(Contd. on page 4)



Printing date 07/19/2021

8 Exposure controls/personal protection

Reviewed on 07/14/2021

Trade name: 4-[Polyisobutyl(12)]-2-ethylaniline (50% in heptane/polyisobutylene)

(Contd. of page 3)

## • Additional information about design of technical systems: No further data; see item 7. · Control parameters · Components with limit values that require monitoring at the workplace: 142-82-5 heptane PEL Long-term value: 2000 mg/m<sup>3</sup>, 500 ppm REL Long-term value: 350 mg/m<sup>3</sup>, 85 ppm Ceiling limit value: 1800\* mg/m<sup>3</sup>, 440\* ppm \*15-min TLV Short-term value: 2050 mg/m<sup>3</sup>, 500 ppm Long-term value: 1640 mg/m<sup>3</sup>, 400 ppm • Additional information: The lists that were valid during the creation were used as basis. · Exposure controls · Personal protective equipment: · General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the skin. Avoid contact with the eyes and skin. • Breathing equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134. · Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. • Eye protection: Tightly sealed goggles



Printing date 07/19/2021

-0

CHEMICALS, INC.

Reviewed on 07/14/2021

#### Trade name: 4-[Polyisobutyl(12)]-2-ethylaniline (50% in heptane/polyisobutylene)

(Contd. of page 4)

9 Physical and chemical proper	ties
· Information on basic physical and c	phomical properties
• General Information	nemicai properties
· Appearance:	
Form:	Liquid
Color:	Red
· Odor:	Petroleum-like
· Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
· Flash point:	-4 °C (25 °F)
· Flammability (solid, gaseous):	Not determined.
· Ignition temperature:	215 °C (419 °F)
• Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
• Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
· Explosion limits:	
Lower:	1.1 Vol %
Upper:	6.7 Vol %
· Vapor pressure at 20 °C (68 °F):	48 hPa (36 mm Hg)
· Density:	Not determined.
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/wate	
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	50.0 %
VOC content:	50.0 %
	500.0 g/l / 4.17 lb/gl
• Other information	No further relevant information available.

# 10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

<sup>(</sup>Contd. on page 6)

Printing date 07/19/2021

Reviewed on 07/14/2021

Trade name: 4-[Polyisobutyl(12)]-2-ethylaniline (50% in heptane/polyisobutylene)

(Contd. of page 5)

- · Possibility of hazardous reactions No dangerous reactions known.
- $\cdot$  Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### **11 Toxicological information**

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- $\cdot$  on the skin: Irritant to skin and mucous membranes.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- $\cdot$  Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

#### · NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### **12** Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)

US

Reviewed on 07/14/2021

Trade name: 4-[Polyisobutyl(12)]-2-ethylaniline (50% in heptane/polyisobutylene)

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

UN-Number       DOT, IMDG, IATA       UN1993         UN proper shipping name       Flammable liquids, n.o.s.         DOT       FLAMMABLE LIQUID, N.O.S.         Transport hazard class(es)       DOT         DOT       Image: Class       3 Flammable liquids         Label       3         IMDG, IATA       Image: Class       3 Flammable liquids         Label       3         Class       3 Flammable liquids         Label       3         Class       3 Flammable liquids         Label       3         Packing group       DOT, IMDG, IATA         DOT, IMDG, IATA       II         Environmental hazards:       Product contains environmentally hazardous substances: heptane         Marine pollutant:       No         Special precautions for user       Warning: Flammable liquids         Darger code (Kemier):       33         EMS Number:       F-E-S-E         Stowage Category       B         Transport in bulk according to Annex II of         MARPOL73/78 and the IBC Code       Not applicable.         Transport in bulk according to Annex II of         Marge category       B         Transport in bulk according to Annex II of on cargo aircraft/rail: 5 L on cargo aircraft onl	Transport information	
UN proper shipping name DOT       Flammable liquids, n.o.s.         IMDG, IATA       FLAMMABLE LIQUID, N.O.S.         Transport hazard class(es)       DOT         DOT	UN-Number	
DOT       Flammable liquids, n.o.s.         IMDG, IATA       FLAMMABLE LIQUID, N.O.S.         Transport hazard class(es)       DOT         Image: Class       3 Flammable liquids         Label       3         IMDG, IATA       3         Class       3 Flammable liquids         Label       3         IMDG, IATA       3         Image: Class       3 Flammable liquids         Label       3         Packing group       Jonation         DOT, IMDG, IATA       II         Environmental hazards:       Product contains environmentally hazardous substances: heptane         Marine pollutant:       No         Special precautions for user       Warning: Flammable liquids         Danger code (Kemler):       33         EMS Number:       F-E,S-E         Stowage Category       B         Transport in bulk according to Annex II of       MARPOL73/78 and the IBC Code         MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       On cargo aircraft only: 60 L         DOT       Un cargo aircraft only: 60 L         IMDG       IL         Excepted quantities (EQ)       IL         Excepted quantities (EQ)	DOT, IMDG, IATA	UN1993
IMDG, IATA       FLAMMABLE LIQUID, N.O.S.         Transport hazard class(es)       DOT         Impose the stand class(es)       Standard class(es)         Class       3 Flammable liquids         Label       3         IMDG, IATA       Standard class(es)         Class       3 Flammable liquids         Label       3         Packing group       Pool, IMDG, IATA         DOT, IMDG, IATA       II         Environmental hazards:       Product contains environmentally hazardous substances: heptane         Maring pollutant:       No         Special precautions for user       Warning: Flammable liquids         Janger code (Kemler):       33         EMS Number:       F-E,S-E         Stowage Category       B         Transport/Additional information:       Not applicable.         DOT       Quantity limitations       On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L         IMDG       IL       Code: E2         Maximum net quantity per inner packaging: 30 ml       Maximum net quantity per inner packaging: 30 ml	UN proper shipping name	
Transport hazard class(es)         DOT         Impose the second s		
DOT         View         Class       3 Flammable liquids         Label       3         IMDG, IATA         View       3         Class       3 Flammable liquids         Label       3         Packing group       II         Environmental hazards:       Product contains environmentally hazardous substances: heptane         Marine pollutant:       No         Special precautions for user       Warning: Flammable liquids         Danger code (Kemler):       33         EMS Number:       F-E,S-E         Stowage Category       B         Transport in bulk according to Annex III of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       No         DOT       Quantity limitations       On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L         IMDG       IL       Code: E2       Maximum net quantity per inner packaging: 30 ml	IMDG, IATA	FLAMMABLE LIQUID, N.O.S.
Class       3 Flammable liquids         Label       3         IMDG, IATA       3         ImDG, IATA       I         Class       3 Flammable liquids         Label       3         Packing group       Product contains environmentally hazardous substances: heptane         Marine pollutant:       No         Special precautions for user       Warning: Flammable liquids         Danger code (Kemler):       33         EMS Number:       F-E,S-E         Stowage Category       B         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L         IMDG       IL       Code: E2 Maximum net quantity per inner packaging: 30 ml	Transport hazard class(es)	
Label       3         IMDG, IATA         IMDG, IATA         Image: Class       3 Flammable liquids         Label       3         Packing group       3         DOT, IMDG, IATA       II         Environmental hazards:       Product contains environmentally hazardous substances: heptane         Marine pollutant:       No         Special precautions for user       Warning: Flammable liquids         Danger code (Kemler):       33         EMS Number:       F-E,S-E         Stowage Category       B         Transport in bulk according to Annex II of         MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       Don         DOT       Quantity limitations         On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L         IMDG       IL         Excepted quantities (LQ)       IL         Excepted quantities (EQ)       IL         Excepted quantities (EQ)       IL         Excepted quantities (SQ)       IL         Maximum net quantity per inner packaging: 30 ml	DOT	
Label       3         IMDG, IATA         IMDG, IATA         Image: Class       3 Flammable liquids         Label       3         Packing group       3         DOT, IMDG, IATA       II         Environmental hazards:       Product contains environmentally hazardous substances: heptane         Marine pollutant:       No         Special precautions for user       Warning: Flammable liquids         Danger code (Kemler):       33         EMS Number:       F-E,S-E         Stowage Category       B         Transport in bulk according to Annex II of         MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       Don         DOT       Quantity limitations         On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L         IMDG       IL         Excepted quantities (LQ)       IL         Excepted quantities (EQ)       IL         Excepted quantities (EQ)       IL         Excepted quantities (SQ)       IL         Maximum net quantity per inner packaging: 30 ml	RAMABLE LOOD	
IMDG, IATA         View         Class       3 Flammable liquids         Label       3         Packing group       3         DOT, IMDG, IATA       II         Environmental hazards:       Product contains environmentally hazardous substances: heptane         Marine pollutant:       No         Special precautions for user       Warning: Flammable liquids         Danger code (Kemler):       33         EMS Number:       F-E,S-E         Stowage Category       B         Transport in bulk according to Annex II of       Not applicable.         Transport/Additional information:       DOT         Quantity limitations       On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L         IMDG       IL         Limited quantities (LQ)       IL         Excepted quantities (EQ)       Code: E2         Maximum net quantity per inner packaging: 30 ml	Class	3 Flammable liquids
Class Label3 Flammable liquids 3Packing group DOT, IMDG, IATAIIEnvironmental hazards: Marine pollutant:Product contains environmentally hazardous substances: heptane NoSpecial precautions for user Danger code (Kemler):Warning: Flammable liquids 33 EMS Number:Special precautions for user Marine pollutant:Warning: Flammable liquids Danger code (Kemler):Transport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:Not applicable.DOT Quantity limitationsOn passenger aircraft/rail: 5 L On cargo aircraft only: 60 LIMDG Limited quantities (LQ)IL Code: E2 	Label	3
Label3Packing group DOT, IMDG, IATAIIEnvironmental hazards:Product contains environmentally hazardous substances: heptane NoMarine pollutant:NoSpecial precautions for userWarning: Flammable liquidsDanger code (Kemler):33EMS Number:F-E,S-EStowage CategoryBTransport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:On passenger aircraft/rail: 5 L On cargo aircraft only: 60 LDMG Limited quantities (LQ)IL Code: E2 Maximum net quantity per inner packaging: 30 ml	IMDG, IATA	
Label3Packing group DOT, IMDG, IATAIIEnvironmental hazards:Product contains environmentally hazardous substances: heptane NoMarine pollutant:NoSpecial precautions for userWarning: Flammable liquidsDanger code (Kemler):33EMS Number:F-E,S-EStowage CategoryBTransport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:On passenger aircraft/rail: 5 L On cargo aircraft only: 60 LIMDG Limited quantities (LQ)IL Code: E2 Maximum net quantity per inner packaging: 30 ml	Class	3 Flammable liquids
DOT, IMDG, IATAIIEnvironmental hazards: Marine pollutant:Product contains environmentally hazardous substances: heptane NoSpecial precautions for user Danger code (Kemler): Stowage CategoryWarning: Flammable liquids 33 F-E,S-E BTransport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:On passenger aircraft/rail: 5 L On cargo aircraft only: 60 LDOT Quantity limitationsOn passenger aircraft only: 60 LIMDG Limited quantities (LQ)IL Code: E2 Maximum net quantity per inner packaging: 30 ml		*
DOT, IMDG, IATAIIEnvironmental hazards: Marine pollutant:Product contains environmentally hazardous substances: heptane NoSpecial precautions for user Danger code (Kemler): Stowage CategoryWarning: Flammable liquids 33 F-E,S-E BTransport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:On passenger aircraft/rail: 5 L On cargo aircraft only: 60 LDOT Quantity limitationsOn passenger aircraft only: 60 LIMDG Limited quantities (LQ)IL Code: E2 Maximum net quantity per inner packaging: 30 ml	Packing group	
Marine pollutant:NoSpecial precautions for userWarning: Flammable liquidsDanger code (Kemler):33EMS Number:F-E,S-EStowage CategoryBTransport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:Not applicable.DOT Quantity limitationsOn passenger aircraft/rail: 5 L On cargo aircraft only: 60 LIMDG Limited quantities (LQ)IL Code: E2 Maximum net quantity per inner packaging: 30 ml		II
Marine pollutant:NoSpecial precautions for userWarning: Flammable liquidsDanger code (Kemler):33EMS Number:F-E,S-EStowage CategoryBTransport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:Not applicable.DOT Quantity limitationsOn passenger aircraft/rail: 5 L On cargo aircraft only: 60 LIMDG Limited quantities (LQ)IL Code: E2 Maximum net quantity per inner packaging: 30 ml	Environmental hazards:	Product contains environmentally hazardous substances: heptane
Danger code (Kemler):33EMS Number:F-E,S-EStowage CategoryBTransport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:Not applicable.DOT Quantity limitationsOn passenger aircraft/rail: 5 L On cargo aircraft only: 60 LIMDG Limited quantities (LQ)IL Code: E2 Maximum net quantity per inner packaging: 30 ml		
Danger code (Kemler):33EMS Number:F-E,S-EStowage CategoryBTransport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:Not applicable.DOT Quantity limitationsOn passenger aircraft/rail: 5 L On cargo aircraft only: 60 LIMDG Limited quantities (LQ)IL Code: E2 Maximum net quantity per inner packaging: 30 ml	Special precautions for user	Warning: Flammable liquids
Stowage CategoryBTransport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:Not applicable.DOT Quantity limitationsOn passenger aircraft/rail: 5 L On cargo aircraft only: 60 LIMDG Limited quantities (LQ)1L Code: E2 Maximum net quantity per inner packaging: 30 ml	Danger code (Kemler):	33
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       Not applicable.         DOT Quantity limitations       On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L         IMDG Limited quantities (LQ)       1L Excepted quantities (EQ)         Code: E2 Maximum net quantity per inner packaging: 30 ml		
MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:Not applicable.DOT Quantity limitationsOn passenger aircraft/rail: 5 L On cargo aircraft only: 60 LIMDG Limited quantities (LQ)IL Code: E2 Maximum net quantity per inner packaging: 30 ml	Stowage Category	В
DOT Quantity limitationsOn passenger aircraft/rail: 5 L On cargo aircraft only: 60 LIMDG Limited quantities (LQ)IL 		
Quantity limitationsOn passenger aircraft/rail: 5 L On cargo aircraft only: 60 LIMDGILLimited quantities (LQ)ILExcepted quantities (EQ)Code: E2 Maximum net quantity per inner packaging: 30 ml	Transport/Additional information:	
Quantity limitationsOn passenger aircraft/rail: 5 L On cargo aircraft only: 60 LIMDGILLimited quantities (LQ)ILExcepted quantities (EQ)Code: E2 Maximum net quantity per inner packaging: 30 ml	DOT	
On cargo aircraft only: 60 LIMDGLimited quantities (LQ)1LExcepted quantities (EQ)Code: E2Maximum net quantity per inner packaging: 30 ml		
Limited quantities (LQ)1LExcepted quantities (EQ)Code: E2Maximum net quantity per inner packaging: 30 ml		
Limited quantities (LQ)1LExcepted quantities (EQ)Code: E2Maximum net quantity per inner packaging: 30 ml	IMDG	
Excepted quantities (EQ)Code: E2Maximum net quantity per inner packaging: 30 ml	Limited quantities (LQ)	1L
		Code: E2
Maximum net quantity per outer packaging: 500 ml	-	
		Maximum net quantity per outer packaging: 500 ml



Printing date 07/19/2021

(Contd. of page 6)

Printing date 07/19/2021

CHEMICALS.

#### Reviewed on 07/14/2021

Trade name: 4-[Polyisobutyl(12)]-2-ethylaniline (50% in heptane/polyisobutylene)

(Contd. of page 7)

· UN "Model Regulation":

UN 1993 FLAMMABLE LIQUIDS, N.O.S., 3, II

#### **15 Regulatory information**

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

• Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

142-82-5 heptane

• TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger

• Hazard-determining components of labeling: heptane

· Hazard statements

H225 Highly flammable liquid and vapor.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H304 May be fatal if swallowed and enters airways.

(Contd. on page 9)

D

Printing date 07/19/2021

Reviewed on 07/14/2021

	(Contd. of page 8)
Precautionary s	statements
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P303+P361+P	353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/
	shower.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Technical Department.

· Date of preparation / last revision 07/19/2021 / -

· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety **OSHA:** Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Skin Irrit. 2: Skin corrosion/irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Asp. Tox. 1: Aspiration hazard – Category 1



<sup>·</sup> Contact: Technical Director