

CHEMICALS, INC.

Revision: 19.07.2021

	ntifier
Trade name: <u>4-[</u>	[Polyisobutyl(18)]-2,6-(di-i-propyl)aniline (50% in heptane/polyisobutylene)
	7-6120 <b>ntified uses of the substance or mixture and uses advised against</b> ant information available.
1.3 Details of th Manufacturer/S Strem Chemicals 7 Mulliken Way NEWBURYPOR USA info@strem.com	s, Inc. T, MA 01950
1.4 Emergency t	ation obtainable from: Technical Department telephone number: CHEMTREC: + 1 (800) 424-9300
	opening times: +1 (978) 499-1600
SECTION 2:	Hazards identification
	n of the substance or mixture
Classification ad	ccording to Regulation (EC) No 1272/2008
GHS0	)2 flame
Flam. Liq. 2	H225 Highly flammable liquid and vapour.
GHS0	)8 health hazard
	98 health hazard H304 May be fatal if swallowed and enters airways.
Asp. Tox. 1	H304 May be fatal if swallowed and enters airways.
Asp. Tox. 1	
Asp. Tox. 1	H304 May be fatal if swallowed and enters airways.
Asp. Tox. 1 GHS0 Aquatic Acute 1	H304 May be fatal if swallowed and enters airways. 99 environment H400 Very toxic to aquatic life.
Asp. Tox. 1	H304 May be fatal if swallowed and enters airways. 99 environment H400 Very toxic to aquatic life.
Asp. Tox. 1 GHS0 Aquatic Acute 1	H304 May be fatal if swallowed and enters airways. 99 environment H400 Very toxic to aquatic life.
Asp. Tox. 1 GHSO Aquatic Acute 1 GHSO	H304 May be fatal if swallowed and enters airways. 99 environment H400 Very toxic to aquatic life. 17
Asp. Tox. 1 Asp. Tox. 1 GHS0 Aquatic Acute 1 GHS0 Skin Irrit. 2 STOT SE 3	H304 May be fatal if swallowed and enters airways. 99 environment H400 Very toxic to aquatic life. 97 H315 Causes skin irritation.
Asp. Tox. 1 Asp. Tox. 1 GHSO Aquatic Acute 1 GHSO Skin Irrit. 2 STOT SE 3	<ul> <li>H304 May be fatal if swallowed and enters airways.</li> <li>99 environment</li> <li>H400 Very toxic to aquatic life.</li> <li>17</li> <li>H315 Causes skin irritation.</li> <li>H336 May cause drowsiness or dizziness.</li> <li>4 H413 May cause long lasting harmful effects to aquatic life.</li> </ul>

Printing date 19.07.2021 Trade name: 4-[Polyisobutyl(18)]-2,6-(di-i-propyl)aniline (50% in heptane/polyisobutylene)

CHEMICALS, INC.

Revision: 19.07.2021

TT	(Contd. of pag
Hazard pictogr	rams
< <b>%</b> > < '	
GHS02 GH	IS07 GHS08 GHS09
Signal word D	anger
Hazard-determ	nining components of labelling:
heptane	
Hazard statem	ents
H225 Highly fl	ammable liquid and vapour.
H315 Causes s	
H336 May cau	se drowsiness or dizziness.
H304 May be f	atal if swallowed and enters airways.
	ic to aquatic life.
H413 May cau	se long lasting harmful effects to aquatic life.
Precautionary	
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. smoking.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P303+P361+F	2353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with was shower.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local/regional/national/internation
	regulations.
2.3 Other haza	

• **vPvB**: Not applicable.

## **SECTION 3:** Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

 $\cdot \textit{Description: Mixture of substances listed below with nonhazardous additions.}$ 

· Dangerous components:

CAS: 142-82-5	heptane	50.0%
EINECS: 205-563-8	Flam. Liq. 2, H225; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Aquatic Chronic 1, H410; Acute 1, H315; STOT SE 3, H336	

• Additional information: For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

• 4.1 Description of first aid measures

- General information: Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)

GB

#### Printing date 19.07.2021

Revision: 19.07.2021

Trade name: 4-[Polyisobutyl(18)]-2,6-(di-i-propyl)aniline (50% in heptane/polyisobutylene)

- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- $\cdot$  4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

#### **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- · 6.2 Environmental precautions:
- Do not allow product to reach sewage system or any water course. Prevent seepage into sewage system, workpits and cellars. Inform respective authorities in case of seepage into water course or sewage system.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- 6.4 Reference to other sections
   See Section 7 for information on safe handling.
   See Section 8 for information on personal protection equipment.
   See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

- 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- *Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.*
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

(Contd. on page 4)

GB



(Contd. of page 2)

Printing date 19.07.2021

Revision: 19.07.2021

Trade name: 4-[Polyisobutyl(18)]-2,6-(di-i-propyl)aniline (50% in heptane/polyisobutylene)

(Contd. of page 3)

· 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

#### 142-82-5 heptane

WEL Long-term value: 2085 mg/m<sup>3</sup>, 500 ppm

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the skin.

Avoid contact with the eyes and skin.

• Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  *Material of gloves* 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

 $\cdot$  Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

- 9.1 Information on basic physical and chemical properties • General Information
- General Inform • Appearance:
- Form:
- Colour:
- Colour
- Odour:
- Odour threshold:

Liquid Yellowish Petroleum-like Not determined.

(Contd. on page 5)

GB

Printing date 19.07.2021

CHEMICALS, INC

Revision: 19.07.2021

#### Trade name: 4-[Polyisobutyl(18)]-2,6-(di-i-propyl)aniline (50% in heptane/polyisobutylene)

	(Contd. of page
pH-value:	Not determined.
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range	e: Undetermined.
Flash point:	-4 °C
Flammability (solid, gas):	Not determined.
Ignition temperature:	215 °C
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of explosive air/vapou
	mixtures are possible.
Explosion limits:	
Lower:	1.1 Vol %
Upper:	6.7 Vol %
Vapour pressure at 20 °C:	48 hPa
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	50.0 %
VÕC (EC)	50.00 %
9.2 Other information	No further relevant information available.

# SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 6)

GB

Printing date 19.07.2021

Revision: 19.07.2021

(Contd. of page 5)

Trade name: 4-[Polyisobutyl(18)]-2,6-(di-i-propyl)aniline (50% in heptane/polyisobutylene)

- · Primary irritant effect:
- · Skin corrosion/irritation
- Causes skin irritation.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- $\cdot$  CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- $\cdot$  Germ cell mutagenicity Based on available data, the classification criteria are not met.
- $\cdot$  Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure
- May cause drowsiness or dizziness.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard

May be fatal if swallowed and enters airways.

#### **SECTION 12: Ecological information**

· 12.1 Toxicity

- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Very toxic for fish
- · Additional ecological information:
- · General notes: Very toxic for aquatic organisms
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

#### **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

## SECTION 14: Transport information

· 14.1 UN-Number · ADR, IMDG, IATA	UN1993	
· 14.2 UN proper shipping name · ADR · IMDG, IATA	1993 FLAMMABLE LIQUID, N.O.S. FLAMMABLE LIQUID, N.O.S.	
		(Contd. on page 7)

3 —

Printing date 19.07.2021

CHEMICALS, INC.

Revision: 19.07.2021

	(Contd. of pag
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
3	
Class	3 Flammable liquids.
Label	3
14.4 Packing group	
ADR, IMDG, IATA	II
14.5 Environmental hazards:	Product contains environmentally hazardous substance
	heptane
Marine pollutant:	No
14.6 Special precautions for user	Warning: Flammable liquids.
Danger code (Kemler):	33
EMS Number:	<i>F-E</i> , <u><i>S-E</i></u>
Stowage Category	В
14.7 Transport in bulk according to Anna	
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	1L
Excepted quantities $(EQ)$	Code: E2
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
Transport category	<i>Maximum net quantity per outer packaging: 500 ml</i> 2
Tunnel restriction code	D/E
IMDG	
Limited quantities (LQ)	IL
Excepted quantities (EQ)	Code: E2
1 ···· 1···· ···· (-2)	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN ''Model Regulation'':	UN 1993 FLAMMABLE LIQUID, N.O.S., 3, II

## **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Seveso category

E1 Hazardous to the Aquatic Environment P5c FLAMMABLE LIQUIDS

PSc FLAMMABLE LIQUIDS

 $\cdot$  Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t

 $\cdot$  Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t

• REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3


(Contd. on page 8)

GB

(Contd. of page 7)

### Safety data sheet according to 1907/2006/EC, Article 31

Revision: 19.07.2021



H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H336 May cause drowsiness or dizziness. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. · Department issuing SDS: Technical Department. · Contact: Technical Director · Abbreviations and acronvms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Skin Irrit. 2: Skin corrosion/irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Asp. Tox. 1: Aspiration hazard - Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard - Category 4

Printing date 19.07.2021