Printing date 19.07.2021

CHEMICALS, INC.

Revision: 19.07.2021

Item number: $08-0750$ CAS Number: 132-22-1 EC number: 216-19-0 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Strem Chemicals, Inc. 7 Multiken Way NEWBURPRORT, MA 01950 USA info@strem.com Further information obtainable from: Technical Department 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: + 1 (978) 499-1600 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Flam. Liq. 3 H226 Flammable liquid and vapour. Stin Corr. IB H314 Causes severe skin burns and eye damage. 2.2 Label elements Labelling Genetics Tabel elements Labelling classified and labelled according to the CLP regulation. Hazard pictograms Flans Liq. 2 GHS05 Stance is classified and labelled according to the CLP regulation. Hazard pictograms Signal word Danger	Item number: 08-0750 CAS Number: 152-22-1 EC number: 152-22-1 EC number: 10-191-0 12 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Strem Chemicals, Inc. 7 Multiken Way NEWBURTPORT, MA 01950 USA info@ strem.com Further information obtainable from: Technical Department 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: + 1 (978) 499-1600 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Flam. Liq. 3 H226 Flammable liquid and vapour. Skin Corr. 1B H314 Causes severe skin burns and eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard jetucrarents Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard jetucrarents Hazard Jetucrarents Hazard Jetucrarents Hazard Jetucrarents Hazard Jetucrants of Iabelling: Hazard-determining components of Iabelling: Hazard-determining components of Iabelling: Hazard-determining components of Iabelling: Hazard Jetucranents H226 Flammable liquid and vapour. H236 Flammable liquid and vapour. H	· 1.1 Product identifier	
$\begin{array}{c} CAS Number:\\ 152:22:1\\ 152:22:1\\ 152:22:1\\ 152:22:1\\ 152:42! \\ 152:42$	CAS Number: 1522-22-1 1522-22-1 1522-22-1 152 Network identified uses of the substance or mixture and uses advised against No further relevant information available. 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Strem Chemicals, Inc. 7 Multiken Way NEWBURPORT, MA 01950 USA info@strem.com Further information obtainable from: Technical Department 1.4 Emergency telephone number: EMERGENCY: CHEMTREC + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600 SECTION 2: Hacards identification 2.1 Classification according to Regulation (EC) No 1272/2008 Fam. Lig. 3 H226 Flammable liquid and vapour. Stin Corr. 1B H314 Causes severe skin burns and eye damage. 2.1 Label elements Hasheling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms Signal word Danger Hazard determining components of labelling: Hexafluoroacetylacetone, min. 98% HFAA Hazard statements H226 Flammable liquid and vapour. H226 Flammable liquid and vapour.	• Trade name: <u>Hexafluoroacetylacetone, min. 98% HFAA</u>	
1522-22-1 EC number: 216-19-10 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Strem Chemicals, Inc. 7 Multiken Way NEWBURYPORT, MA 01950 USA info@strem.com Further information obtainable from: Technical Department 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: + 1 (978) 499-1600 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Firm. Liq. 3 H226 Flammable liquid and vapour. \widehat{V} GHS05 corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. 2.1 abel elements Tabelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms \widehat{V} \widehat{V}	$\begin{array}{l} 152-22-1\\ EC number:\\ 216-191-0\\ 1.2 Relevant identified uses of the substance or mixture and uses advised against No for the relevant information available. \\ 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier:Strem Chemicals, Inc. 7 Multiken Way NEWBURYPORT, MA 01950 USA info@strem.com Further information obtainable from: Technical Department 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: + 1 (978) 499-1600 \\ \\ \hline \\ \hline$	• Item number: 08-0750	
EC number: 216-19-01.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Strem Chemicals, Inc. 7 Multiken Way NEWBURYPORT, MA 01950 USA info@strem.comFurther information obtainable from: Technical Department 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600SECTION 2: Hazards identification2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008GHS02 fiameFlam. Liq. 3 H226 Flammable liquid and vapour.Stin Corr. 1B H314 Causes severe skin burns and eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictogramsQuestion of the substance or difference Classified and labelled according to the CLP regulation. Hazard pictogramsSignal word Danger	EC number: 216-191-0 216-191-0 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Strem Chemicals, Inc. 7 Mulliken Way NEWBURYPORT, MA 01950 USA info@strem.com Further information obtainable from: Technical Department 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 SECTION 2: Hazards identification Flam. Liq. 3 H226 Flammable liquid and vapour. 2.1 Classification to begulation (EC) No 1272/2008 Skin Corr. 1B H314 Causes severe skin burns and eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms Signal word Danger Hexafluoroacetylacetone, min. 98% HFAA Hazard statements H226 Flammable liquid and vapour. Hazard statements H226 Flammable liquid and vapour. H236 Flammable liquid and vapour.		
216-191-0 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Strem Chemicals, Inc. 7 Multiken Way NEWBURYPORT, MA 01950 USA info@strem.com Further information obtainable from: Technical Department 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 \widetilde{VV} GHS02 flame Flam. Liq. 3 H226 Flammable liquid and vapour. \widetilde{VV} GHS05 corrosion Stin Corr. 1B H314 Causes severe skin burns and eye damage. 2.1 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms \widetilde{VV} \widetilde{V} GHS05 Signal word Danger	216-191-0 1.2 Relevant information available. 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Strem Chemicals, Inc. 7 Multiken Way NEWBURYPORT, MA 01950 USA info@strem.com Further information balanable from: Technical Department 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600 SECTION 2: Hazards identification Classification according to Regulation (EC) No 1272/2008 GHS02 flame Flam. Liq. 3 H226 Flammable liquid and vapour. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Kin Corr. 1B H314 Causes severe skin burns and eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard statements Hazard statements H226 Flammable liquid and vapour. H327 GHS05 Flame H326 Flames H326 Flame H326 Flames H32		
1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Strem Chemicals, Inc. 7 Mulliken Way NEWBURYPORT, MA 01950 USA info@ strem.com Further information obtainable from: Technical Department 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 \widehat{V} GHS02 flame Flam. Liq. 3 H226 Flammable liquid and vapour. \widehat{V}	12 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Strem Chemicals, Inc. 7 Mulliken Way NEWBURYPORT, MA 01950 USA info@strem.com Further information obtainable from: Technical Department 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 $\widetilde{\psi}$ GHS02 flame Flam. Lig. 3 H226 Flammable liquid and vapour. Skin Corr. 1B H314 Causes severe skin burns and eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard bitegrams $\widetilde{\psi}$ $\widetilde{\psi}$ $\widetilde{\psi}$ $\widetilde{\psi}$ $\widetilde{\psi}$ $\widetilde{\psi}$ $\widetilde{\psi}$ $\widetilde{\psi}$		
No further relevant information available. 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Strem Chemicals, Inc. 7 Mulliken Way NEWBURYPORT, MA 01950 USA info@strem.com Further information obtainable from: Technical Department 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 \overrightarrow{VV} GHS02 flame Flam. Liq. 3 H226 Flammable liquid and vapour. \overrightarrow{VV} GHS05 corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. 2.1 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms \overrightarrow{VV} GHS05 GHS05 Signal word Danger	No further relevant information available. 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Strem Chemicals, Inc. 7 Multiken Way NEWBURYPRT, MA 01950 USA info@strem.com Further information obtainable from: Technical Department 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: + 1 (978) 499-1600 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 \overrightarrow{VV} GHS02 flame Flam. Liq. 3 H226 Flammable liquid and vapour. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard statements Hazard determining components of labelling: Hexafluoroacetylacetone, min. 98% HFAA Hazard statements H226 Flammable liquid and vapour. Hazard daterminity components of labelling: Hexafluoroacetylacetone, min. 98% HFAA Hazard statements H226 Flammable liquid and vapour. Hazard statements H226 Flammable liquid and vapour. H314 Causes severe skin burns and eye damage.		inst
Manufacturer/Supplier: Strem Chemicals, Inc.Strem Chemicals, Inc.TMulliken Way NEWBURYPORT, MA 01950 USA info@strem.comFurther information obtainable from: Technical Department 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: + 1 (978) 499-1600SECTION 2: Hazards identification2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 \widetilde{V} <	$\begin{array}{llllllllllllllllllllllllllllllllllll$		
Strem Chemicals, Inc. 7 Multiken Way NEWBURYPORT, MA 01950 USA info@strem.com Further information obtainable from: Technical Department 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 ${}$ GHS02 flame Flam. Liq. 3 H226 Flammable liquid and vapour. ${}$ GHS05 corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms ${}{}$ GHS05 GHS05 GHS05 Signal word Danger	Strem Chemicals, Inc. 7 Mulliken Way NEWBURYPORT, MA 01950 USA info@ strem.com Further information obtainable from: Technical Department 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 \overbrace{OO} GHS02 flame Flam. Lig. 3 H226 Flammable liquid and vapour. \overbrace{OO} GHS05 corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hacard pictograms \overbrace{OO} GHS05 Signal word Danger Hacard-determining components of labelling: Hacard-determining components of labelling: Hacard statements H226 Flammable liquid and vapour. H314 Causes severe skin burns and eye damage.	\cdot 1.3 Details of the supplier of the safety data sheet	
7 Mulliken Way NEWBURYPORT, MA 01950 USA info@strem.com Further information obtainable from: Technical Department 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: + 1 (978) 499-1600 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS02 flame Flam. Liq. 3 H226 Flammable liquid and vapour. GHS05 corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms GHS05 GHS05 Signal word Danger	7 Mulliken Way NEWBURYPORT, MA 01950 USA info@strem.com Further information obtainable from: Technical Department 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: + 1 (978) 499-1600 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 \overrightarrow{VV} GHS02 flame Flam. Liq. 3 H226 Flammable liquid and vapour. \overrightarrow{VV} GHS05 corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms Signal word Danger Hazard-determining components of labelling: Hexafluroacetylacetone, min. 98% HFAA Hazard statements H226 Flammable liquid and vapour. H314 Causes severe skin burns and eye damage.	· Manufacturer/Supplier:	
NEWBURYPORT, MA 01950 USA info $@$ strem.com Further information obtainable from: Technical Department 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: + 1 (978) 499-1600 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 \overrightarrow{VV} GHS02 flame Flam. Liq. 3 H226 Flammable liquid and vapour. \overrightarrow{VV} GHS05 corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms \overrightarrow{VV} \overrightarrow{V}	$NEWBURYPORT, MA 01950 \\ USA \\ info@ strem.com \\ Further information obtainable from: Technical Department \\ 1.4 Emergency telephone number: \\ EMERGENCY: CHEMTREC: + 1 (800) 424-9300 \\ During normal opening times: +1 (978) 499-1600 \\ \\ \hline \\ SECTION 2: Hazards identification \\ 2.1 Classification of the substance or mixture \\ Classification according to Regulation (EC) No 1272/2008 \\ \hline \\ \hline \\ \hline \\ \hline \\ GHS02 flame \\ Flam. Liq. 3 H226 Flammable liquid and vapour. \\ \hline \\ \hline \\ Skin Corr. 1B H314 Causes severe skin burns and eye damage. \\ 2.2 Label elements \\ Labelling according to Regulation (EC) No 1272/2008 \\ \hline \\ He substance is classified and labelled according to the CLP regulation. \\ Hazard pictograms \\ \hline \\ \hline \\ GHS02 \\ GHS05 \\ \hline \\ GHS05 \\ \hline \\ \\ Hazard pictograms \\ \hline \\ Hazard determining components of labelling: Hexafluctoracetylacetone, min. 98% HFAA \\ Hazard statements \\ H226 Flammable liquid and vapour. \\ \hline \\ H314 Causes severe skin burns and eye damage. \\ \hline \\ \hline \\ \hline \\ \hline \\ \hline \\ \\ \hline \\ \hline \\ \hline \\ \hline \\ \\ \hline \hline \\ \hline \\ \hline \\ \hline \\ \hline \\ \hline \\ \hline \\ \hline \hline \hline \\ \hline \hline \\ \hline \hline \\ \hline \hline \hline \\ \hline \hline \hline \\ \hline \hline$		
USA info@strem.com Further information obtainable from: Technical Department 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS02 flame Flam. Liq. 3 H226 Flammable liquid and vapour. GHS05 corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms GHS05 GHS05 Signal word Danger	$USA \\ info@strem.com \\ Further information obtainable from: Technical Department \\ 1.4 Emergency telephone number: \\ EMERGENCY: CHEMTREC: + 1 (800) 424-9300 \\ During normal opening times: + 1 (978) 499-1600 \\ \hline \\ SECTION 2: Hazards identification \\ \hline \\ SECTION 2: Hazards identification \\ \hline \\ Classification of the substance or mixture \\ Classification according to Regulation (EC) No 1272/2008 \\ \hline \\ \hline \\ \hline \\ \hline \\ \hline \\ \hline \\ GHS02 flame \\ Flam. Liq. 3 H226 Flammable liquid and vapour. \\ \hline \\ \hline \\ \hline \\ GHS05 corrosion \\ \hline \\ Skin Corr. 1B H314 Causes severe skin burns and eye damage. \\ \hline \\ 2.2 Label elements \\ Labelling according to Regulation (EC) No 1272/2008 \\ \hline \\ Heavier Lissified and labelled according to the CLP regulation. \\ Hazard pictograms \\ \hline \\ \hline \\ \hline \\ GHS02 \\ GHS05 \\ \hline \\ GHS05 \\ \hline \\ \\ Signal word Danger \\ Hazard-determining components of labelling: Heavier Hazard Statements Hazard Statements \\ Hazard statements \\ Hazard statements \\ H226 Flammable liquid and vapour. \\ \hline \\ \\ H314 Causes severe skin burns and eye damage. \\ \hline \\ \hline \\ \\ \hline \\ \\ \hline \\ \\ \hline \\ \hline \\ \\ \hline \\ \hline \\ \\ \hline \\ \hline \\ \hline \\ \\ \hline \hline \\ \hline \hline \\ \hline \hline \\ \hline \\ \hline \\ \hline \\ \hline \\ \hline \\ \hline \hline \\ \hline \\ \hline \hline \\ \hline \hline \\ \hline \\ \hline \hline \\ \hline \hline \\ \hline \\ \hline \hline \\ \hline \hline \\ \hline \hline \\ \hline \\ \hline \\ \hline \hline \hline \\ \hline \hline \hline \\ \hline \hline \\ \hline \hline \hline \\ \hline \hline \\ \hline \hline \hline \\ \hline \hline \hline \hline \\ \hline \hline \hline \\ \hline \hline \hline \\ \hline \hline \hline \\ \hline \hline \\ \hline $		
info@strem.com Further information obtainable from: Technical Department 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: + 1 (978) 499-1600 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS02 flame Flam. Liq. 3 H226 Flammable liquid and vapour. GHS05 corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. 2.1 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms GHS05	info@strem.com Further information obtainable from: Technical Department 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600 SECTION 2: Hazards identification SECTION 2: Hazards identification SECTION 2: Hazards identification Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Flam. Liq. 3 H226 Flammable liquid and vapour. GHS02 flame Flam. Liq. 3 H226 Flammable liquid and vapour. Skin Corr. 1B H314 Causes severe skin burns and eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms Signal word Danger Hazard-determining components of labelling: Hexafluoroacetylacetone, min. 98% HFAA Hazard statements H226 Flammable liquid and vapour. H314 Causes severe skin burns and eye damage.		
1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600SECTION 2: Hazards identificationSECTION 2: Hazards identification2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 \widetilde{V} GHS02 flameFlam. Liq. 3 H226 Flammable liquid and vapour. \widetilde{V} GHS05 corrosionSkin Corr. 1B H314 Causes severe skin burns and eye damage.2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms \widetilde{V} \widetilde{V} \widetilde{G} \widetilde{G} \widetilde{G} Signal word Danger	1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: + 1 (978) 499-1600 SECTION 2: Hazards identification SECTION 2: Hazards identification Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 		
1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600SECTION 2: Hazards identificationSECTION 2: Hazards identification2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 \widetilde{V} GHS02 flameFlam. Liq. 3 H226 Flammable liquid and vapour. \widetilde{V} GHS05 corrosionSkin Corr. 1B H314 Causes severe skin burns and eye damage.2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms \widetilde{V} \widetilde{V} \widetilde{G} \widetilde{G} \widetilde{G} Signal word Danger	1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: + 1 (978) 499-1600 SECTION 2: Hazards identification SECTION 2: Hazards identification Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 	• Further information obtainable from: Technical Department	
EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 $$ <td>EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS02 flame Flam. Liq. 3 H226 Flammable liquid and vapour. GHS05 corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms GHS05 Signal word Danger Hzard-determining components of labelling: Hexafluoroacetylacetone, min. 98% HFAA Hazard statements H226 Flammable liquid and vapour. H314 Causes severe skin burns and eye damage.</td> <td>• 1.4 Emergency telephone number:</td> <td></td>	EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS02 flame Flam. Liq. 3 H226 Flammable liquid and vapour. GHS05 corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms GHS05 Signal word Danger Hzard-determining components of labelling: Hexafluoroacetylacetone, min. 98% HFAA Hazard statements H226 Flammable liquid and vapour. H314 Causes severe skin burns and eye damage.	• 1.4 Emergency telephone number:	
SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Image: Classification according to Regulation (EC) No 1272/2008 Image: Classification according to Regulation (EC) No 1272/2008 Image: Classification according to Regulation and vapour. Image: Classification according to Regulation and vapour. Image: Classification according to Regulation (EC) No 1272/2008 Skin Corr. 1B H314 Causes severe skin burns and eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms Image: Classified and labelled according to the CLP regulation. Hazard pictograms Image: Classified and labelled according to the CLP regulation. Hazard pictograms Image: Classified and labelled according to the CLP regulation. Hazard pictograms Image: Classified and Labelled according to the CLP regulation. Hazard pictograms Image: Classified according to the CLP regulation. Image: Classified according to the CLP regulation. Image: Classified according to the CLP regulation. Image: Classified according to the CLP regulation	SECTION 2: Hazards identification 2:1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Image: Classification according to Regulation (EC) No 1272/2008 Image: Classification according to Regulation (EC) No 1272/2008 Image: Classification according to Regulation and vapour. Image: Classification according to Regulation (EC) No 1272/2008 Skin Corr. 1B H314 Causes severe skin burns and eye damage. 2:2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hzard pictograms Image: Classified and labelled according to the CLP regulation. Hzard pictograms Image: Classified and labelled according to the CLP regulation. Hzard pictograms Image: Classified and labelled according to the CLP regulation. Hzard pictograms Image: Classified and labelled according to the CLP regulation. Hzard pictograms Signal word Danger Hzard-determining components of labelling: Hexafluoroacetylacetone, min. 98% HFAA Hzard statements H226 Flammable liquid and vapour. H314 Causes severe skin burns and eye damage.	EMERGENCY: CHEMTREC: + 1 (800) 424-9300	
2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS02 flame Flam. Liq. 3 H226 Flammable liquid and vapour. GHS05 corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms GHS05 GHS02 GHS05 Signal word Danger	2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS02 flame Flam. Liq. 3 H226 Flammable liquid and vapour. GHS05 corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms GHS02 GHS05 Signal word Danger Hazard-determining components of labelling: Hexafluoroacetylacetone, min. 98% HFAA Hazard statements H226 Flammable liquid and vapour. H314 Causes severe skin burns and eye damage.	During normal opening times: +1 (978) 499-1600	
2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS02 flame Flam. Liq. 3 H226 Flammable liquid and vapour. GHS05 corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms GHS05 GHS02 GHS05 Signal word Danger	2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS02 flame Flam. Liq. 3 H226 Flammable liquid and vapour. GHS05 corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms GHS02 GHS05 Signal word Danger Hazard-determining components of labelling: Hexafluoroacetylacetone, min. 98% HFAA Hazard statements H226 Flammable liquid and vapour. H314 Causes severe skin burns and eye damage.		
Classification according to Regulation (EC) No 1272/2008 Weight GHS02 flame Flam. Liq. 3 H226 Flammable liquid and vapour. Weight GHS05 corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms Weight GHS05 GHS02 GHS05 Signal word Danger	Classification according to Regulation (EC) No 1272/2008 \overrightarrow{V} GHS02 flame Flam. Liq. 3 H226 Flammable liquid and vapour. \overrightarrow{V} GHS05 corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms \overrightarrow{V} \overrightarrow{V} \overrightarrow{V} GHS02 GHS05 Signal word Danger Hazard-determining components of labelling: Hexafluoroacetylacetone, min. 98% HFAA Hazard statements H226 Flammable liquid and vapour. H314 Causes severe skin burns and eye damage.	SECTION 2: Hazards identification	
$\overrightarrow{F} GHS05 \ corrosion$ Skin Corr. 1B H314 Causes severe skin burns and eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms $\overrightarrow{F} GHS02 \qquad GHS05$ Signal word Danger	GHS05 corrosionSkin Corr. 1B H314 Causes severe skin burns and eye damage.2.2 Label elementsLabelling according to Regulation (EC) No 1272/2008The substance is classified and labelled according to the CLP regulation.Hazard pictograms \overbrace{OV} <	· 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008	
Skin Corr. 1B H314 Causes severe skin burns and eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms $\overbrace{OHS02}^{VO}GHS05$ Signal word Danger	Skin Corr. 1B H314 Causes severe skin burns and eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms \widetilde{V} \widetilde{G}	Classification according to Regulation (EC) No 1272/2008	
2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms $\overbrace{OHS02}^{V}$ $\overbrace{OHS05}^{V}$ Signal word Danger	 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms 	Classification according to Regulation (EC) No 1272/2008 GHS02 flame	
Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms GHS02 GHS05 Signal word Danger	 Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms 	Classification according to Regulation (EC) No 1272/2008 GHS02 flame Flam. Liq. 3 H226 Flammable liquid and vapour.	
The substance is classified and labelled according to the CLP regulation. Hazard pictograms GHS02 GHS05 Signal word Danger	The substance is classified and labelled according to the CLP regulation. Hazard pictograms	Classification according to Regulation (EC) No 1272/2008 GHS02 flame Flam. Liq. 3 H226 Flammable liquid and vapour. GHS05 corrosion	
Hazard pictograms GHS02 GHS05 Signal word Danger	 Hazard pictograms Hazard pictograms Image: GHS02 GHS05 Signal word Danger Hazard-determining components of labelling: Hexafluoroacetylacetone, min. 98% HFAA Hazard statements H226 Flammable liquid and vapour. H314 Causes severe skin burns and eye damage. 	Classification according to Regulation (EC) No 1272/2008 GHS02 flame Flam. Liq. 3 H226 Flammable liquid and vapour. GHS05 corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. 2.2 Label elements	
Image: Constraint of the second se	 Signal word Danger Hazard-determining components of labelling: Hexafluoroacetylacetone, min. 98% HFAA Hazard statements H226 Flammable liquid and vapour. H314 Causes severe skin burns and eye damage. 	Classification according to Regulation (EC) No 1272/2008 GHS02 flame Flam. Liq. 3 H226 Flammable liquid and vapour. GHS05 corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008	
Signal word Danger	• Signal word Danger • Hazard-determining components of labelling: Hexafluoroacetylacetone, min. 98% HFAA • Hazard statements H226 Flammable liquid and vapour. H314 Causes severe skin burns and eye damage.	 Classification according to Regulation (EC) No 1272/2008 GHS02 flame Flam. Liq. 3 H226 Flammable liquid and vapour. GHS05 corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. 	
Signal word Danger	• Signal word Danger • Hazard-determining components of labelling: Hexafluoroacetylacetone, min. 98% HFAA • Hazard statements H226 Flammable liquid and vapour. H314 Causes severe skin burns and eye damage.	 Classification according to Regulation (EC) No 1272/2008 GHS02 flame Flam. Liq. 3 H226 Flammable liquid and vapour. GHS05 corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. 	
Signal word Danger	• Signal word Danger • Hazard-determining components of labelling: Hexafluoroacetylacetone, min. 98% HFAA • Hazard statements H226 Flammable liquid and vapour. H314 Causes severe skin burns and eye damage.	 Classification according to Regulation (EC) No 1272/2008 GHS02 flame Flam. Liq. 3 H226 Flammable liquid and vapour. GHS05 corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 	
Signal word Danger	• Signal word Danger • Hazard-determining components of labelling: Hexafluoroacetylacetone, min. 98% HFAA • Hazard statements H226 Flammable liquid and vapour. H314 Causes severe skin burns and eye damage.	 Classification according to Regulation (EC) No 1272/2008 GHS02 flame Flam. Liq. 3 H226 Flammable liquid and vapour. GHS05 corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. 	
	 Hazard-determining components of labelling: Hexafluoroacetylacetone, min. 98% HFAA Hazard statements H226 Flammable liquid and vapour. H314 Causes severe skin burns and eye damage. 	 Classification according to Regulation (EC) No 1272/2008 GHS02 flame Flam. Liq. 3 H226 Flammable liquid and vapour. GHS05 corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms 	
	Hexafluoroacetylacetone, min. 98% HFAA Hazard statements H226 Flammable liquid and vapour. H314 Causes severe skin burns and eye damage.	 Classification according to Regulation (EC) No 1272/2008 GHS02 flame Flam. Liq. 3 H226 Flammable liquid and vapour. GHS05 corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms 	
	Hazard statements H226 Flammable liquid and vapour. H314 Causes severe skin burns and eye damage.	Classification according to Regulation (EC) No 1272/2008 GHS02 flame Flam. Liq. 3 H226 Flammable liquid and vapour. GHS05 corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms GHS02 GHS05	
	H226 Flammable liquid and vapour. H314 Causes severe skin burns and eye damage.	 Classification according to Regulation (EC) No 1272/2008 GHS02 flame Flam. Liq. 3 H226 Flammable liquid and vapour. GHS05 corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms GHS02 GHS05 Signal word Danger Hazard-determining components of labelling: 	
	H314 Causes severe skin burns and eye damage.	 Classification according to Regulation (EC) No 1272/2008 GHS02 flame Flam. Liq. 3 H226 Flammable liquid and vapour. GHS05 corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms GHS02 GHS05 Signal word Danger Hazard-determining components of labelling: Hexafluoroacetylacetone, min. 98% HFAA 	
		 Classification according to Regulation (EC) No 1272/2008 GHS02 flame Flam. Liq. 3 H226 Flammable liquid and vapour. GHS05 corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms GHS02 GHS05 Signal word Danger Hazard-determining components of labelling: Hexafluoroacetylacetone, min. 98% HFAA Hazard statements 	
IIII I CUMBED BEFETE BRITT DUTID UTULE COMMULE.	(Contd. on pa	 Classification according to Regulation (EC) No 1272/2008 GHS02 flame Flam. Liq. 3 H226 Flammable liquid and vapour. GHS05 corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms GHS02 GHS05 Signal word Danger Hazard-determining components of labelling: Hexafluoroacetylacetone, min. 98% HFAA Hazard statements H226 Flammable liquid and vapour. 	

Printing date 19.07.2021

Revision: 19.07.2021

Trade name: Hexafluoroacetylacetone, min. 98% HFAA

	(Contd. of page 1)
· Precautionary	statements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P231	Handle under inert gas.
P303+P361+P	P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/
	shower.
P305+P351+P	P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P422	Store contents under inert gas.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
22 Other has	rade .

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.1 Chemical characterisation: Substances

· CAS No. Description

1522-22-1 Hexafluoroacetylacetone, min. 98% HFAA

• Identification number(s)

• **EC number:** 216-191-0

SECTION 4: First aid measures

• 4.1 Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · 5.3 Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

(Contd. on page 3)

Printing date 19.07.2021

Revision: 19.07.2021

Trade name: Hexafluoroacetylacetone, min. 98% HFAA

(Contd. of page 2)

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Prevent seepage into sewage system, workpits and cellars.
- \cdot 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.
- Dispose contaminated material as waste according to item 13.
- Ensure adequate ventilation.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.

- Handling: Handle under inert gas.
 Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage: Store contents under inert gas.
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- *Store in cool, dry conditions in well sealed receptacles.*
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

(Contd. on page 4)

GB -

HEMICALS, INC.

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.07.2021

Revision: 19.07.2021

(Contd. of page 3)

GE

Trade name: Hexafluoroacetylacetone, min. 98% HFAA

• Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

 \cdot Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

 9.1 Information on basic physical an General Information 		
· Appearance:		
Form:	Liquid	
Colour:	Colourless	
· Odour:	Pungent	
• Odour threshold:	Not determined.	
· pH-value:	Not determined.	
\cdot Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling ra	nge: 70 °C	
· Flash point:	32 °C	
· Flammability (solid, gas):	Not determined.	
· Ignition temperature:		
Decomposition temperature:	Not determined.	
• Auto-ignition temperature:	Not determined.	
· Explosive properties:	Not determined.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure:	Not determined.	
· Density at 20 •C:	1.47 g/cm ³	
· Relative density	Not determined.	
· Vapour density	Not determined.	

Printing date 19.07.2021

Revision: 19.07.2021

Trade name: Hexafluoroacetylacetone, min. 98% HFAA

		(Contd. of page
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.	
· Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	0.0 %	
VOC (EC)	0.00 %	
• 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- \cdot 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

- Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- · Skin corrosion/irritation
- Causes severe skin burns and eye damage.
- · Serious eye damage/irritation
- Causes severe skin burns and eye damage.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.

(Contd. on page 6)

GB

Printing date 19.07.2021

Revision: 19.07.2021

Trade name: Hexafluoroacetylacetone, min. 98% HFAA

- · Additional ecological information:
- · General notes: Must not reach sewage water or drainage ditch undiluted or unneutralised.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation
- Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

14.1 UN-Number ADR, IMDG, IATA	UN2920
14.2 UN proper shipping name ADR IMDG, IATA	2920 CORROSIVE LIQUID, FLAMMABLE, N.O.S. CORROSIVE LIQUID, FLAMMABLE, N.O.S.
14.3 Transport hazard class(es)	
ADR	
Class	8 Corrosive substances.
Label	8+3
Class	8 Corrosive substances.
Label	8/3
IATA	
Class	8 Corrosive substances.
Label	8 (3)
14.4 Packing group ADR, IMDG, IATA	II



(Contd. of page 5)

Printing date 19.07.2021

Revision: 19.07.2021

Trade name: Hexafluoroacetylacetone, min. 98% HFAA

	(Contd. of page	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Warning: Corrosive substances.	
· Danger code (Kemler):	63	
· EMS Number:	F- E , S - C	
· Stowage Category	E	
· Stowage Code	SW1 Protected from sources of heat.	
	SW2 Clear of living quarters.	
· 14.7 Transport in bulk according to Anno	ex II of	
Marpol and the IBC Code	Not applicable.	
Transport/Additional information:		
· ADR		
· Limited quantities (LQ)	1L	
Excepted quantities $(\widetilde{E}Q)$	Code: E2	
1 1 (2 /	Maximum net quantity per inner packaging: 30 ml	
	Maximum net quantity per outer packaging: 500 ml	
· Transport category	2	
· Tunnel restriction code	D/E	
· UN ''Model Regulation'':	UN 2920 CORROSIVE LIQUID, FLAMMABLE, N.O.S., 8 (3 II	

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Department.
- · Contact: Technical Director
- Abbreviations and acronyms:
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 VOC: Volatile Organic Compounds (USA, EU)
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative
 Flam. Liq. 3: Flammable liquids Category 3
 Skin Corr. 1B: Skin corrosion/irritation Category 1B