HEMICALS, INC

## Safety Data Sheet according to OSHA HCS

Printing date 07/19/2021

Reviewed on 07/19/2021

## **1** Identification

- · Product name
- · Trade name: CALLERY<sup>TM</sup> Sodium hexamethyldisilazane, 40% solution in tetrahydrofuran
- Item number: 11-1275
- · Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Strem Chemicals, Inc. 7 Mulliken Way NEWBURYPORT, MA 01950 USA info@strem.com

· Information department: Technical Department

• *Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600* 

## 2 Hazard(s) identification

· Classification of the substance or mixture

1

GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS08 Health hazard

Carc. 2

11

GHS05 Corrosion

Skin Corr. 1BH314Causes severe skin burns and eye damage.Eye Dam. 1H318Causes serious eye damage.

H351 Suspected of causing cancer.

X

GHS07

Acute Tox. 4H302 Harmful if swallowed.STOT SE 3H335 May cause respiratory irritation.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger

(Contd. on page 2)

US

Printing date 07/19/2021

CHEMICALS, INC.

Reviewed on 07/19/2021

		(Contd. of pag
· Hazard-determi	ining components of labeling:	
	thyldisilazane, min. 95%	
Tetrahydrofuran		
2-methylbut-2-er		
	me methyldisilazane	
· Hazard statemen		
	ummable liquid and vapor.	
H302 Harmful ij		
	vere skin burns and eye damage.	
	of causing cancer.	
	e respiratory irritation.	
· Precautionary s		
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.	
	353 If on skin (or hair): Take off immediately all contaminated clothing. Rin shower.	ese skin with wat
P305+P351+P3	338 If in eyes: Rinse cautiously with water for several minutes. Remove contac and easy to do. Continue rinsing.	ct lenses, if pres
P310	Immediately call a POISON CENTER/doctor.	
P403+P233	Store in a well-ventilated place. Keep container tightly closed.	
P501	Dispose of contents/container in accordance with local/regional/nati regulations.	onal/internatio
• HMIS-ratings (s	Health = *4	
	Fire = 3 $Reactivity = 0$	
· Other hazards · Results of PBT a	and vPvB assessment	
• <b>PBT:</b> Not applic		
• vPvB: Not appli		
<b>Composition</b> /	/information on ingredients	
<i>.</i>		
. Chamical chava	<b>acterization: Mixtures</b> ixture of the substances listed below with nonhazardous additions.	
• <b>Description:</b> Mi	•	
	•	
• Description: Mi. • Dangerous com	ponents:	50.91
• Description: Mi • Dangerous com 109-99-9 Tetro	ahydrofuran [109-99-9]	
• Description: Mis • Dangerous com 109-99-9 Tetro 1070-89-9 Sodi	ponents: ahydrofuran [109-99-9] ium hexamethyldisilazane, min. 95%	50.91
Description:         Mix           Dangerous         comp           109-99-9         Tetra           1070-89-9         Sodia           513-35-9         2-me	ponents: ahydrofuran [109-99-9] ium hexamethyldisilazane, min. 95%	

(Contd. on page 3)

Printing date 07/19/2021

Reviewed on 07/19/2021

#### Trade name: CALLERY<sup>™</sup> Sodium hexamethyldisilazane, 40% solution in tetrahydrofuran

(Contd. of page 2)

### 4 First-aid measures

#### · Description of first aid measures

- · General information:
- Immediately remove any clothing soiled by the product.
- Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:
- Immediately call a doctor.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

### 6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- $\cdot$  Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

- Ensure adequate ventilation.
- Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

• PAC-1:		
109-99-9	Tetrahydrofuran [109-99-9]	100 ppm
1070-89-9	Sodium hexamethyldisilazane, min. 95%	30 mg/m3
513-35-9	2-methylbut-2-ene	4.2 ppm
999-97-3	1,1,1,3,3,3-hexamethyldisilazane	2.5 mg/m3
78-79-5	isoprene (stabilized)	5 ppm
		(Contd. on page 4)

Printing date 07/19/2021

Reviewed on 07/19/2021

### Trade name: CALLERY<sup>TM</sup> Sodium hexamethyldisilazane, 40% solution in tetrahydrofuran

		(Contd. of page
· PAC-2:		
109-99-9	Tetrahydrofuran [109-99-9]	500 ppm
1070-89-9	Sodium hexamethyldisilazane, min. 95%	330 mg/m3
513-35-9	2-methylbut-2-ene	46 ppm
999-97-3	1,1,1,3,3,3-hexamethyldisilazane	28 mg/m3
78-79-5	isoprene (stabilized)	1,000 ppm
· PAC-3:		
109-99-9	Tetrahydrofuran [109-99-9]	5000* ppm
1070-89-9	Sodium hexamethyldisilazane, min. 95%	2,000 mg/m3
513-35-9	2-methylbut-2-ene	280 ppm
999-97-3	1,1,1,3,3,3-hexamethyldisilazane	170 mg/m3
78-79-5	isoprene (stabilized)	4000* ppm

## 7 Handling and storage

· Handling:

- Precautions for safe handling No special precautions are necessary if used correctly.
- *Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.*

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

• Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

### 109-99-9 Tetrahydrofuran [109-99-9]

- PELLong-term value: 590 mg/m³, 200 ppmRELShort-term value: 735 mg/m³, 250 ppm
- Long-term value: 590 mg/m<sup>3</sup>, 200 ppm
- *TLV* Short-term value: 295 mg/m<sup>3</sup>, 100 ppm Long-term value: 147 mg/m<sup>3</sup>, 50 ppm
  - Skin

(Contd. on page 5)



US

Printing date 07/19/2021

CHEMICALS, INC.

Reviewed on 07/19/2021

## Trade name: CALLERY<sup>TM</sup> Sodium hexamethyldisilazane, 40% solution in tetrahydrofuran

	(Contd. of page
-	s with biological limit values:
	Fetrahydrofuran [109-99-9]
BEI 2 mg	
	um: urine
	end of shift
Para	neter: Tetrahydrofuran
Additiona	information: The lists that were valid during the creation were used as basis.
• Exposure	controls
Personal p	rotective equipment: Wear protective clothing
	otective and hygienic measures:
	from foodstuffs, beverages and feed.
	ly remove all soiled and contaminated clothing.
	s before breaks and at the end of work.
	act with the eyes.
	act with the eyes and skin.
· Breathing · Protection	equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134.
Frolection	oj nanas.
~	Protective gloves
Due to mi. chemical n Selection of <b>Material o</b> The select varies from of the glow <b>Penetratio</b>	f the glove material on consideration of the penetration times, rates of diffusion and the degradation f gloves on of the suitable gloves does not only depend on the material, but also on further marks of quality a a manufacturer to manufacturer. As the product is a preparation of several substances, the resistan e material can not be calculated in advance and has therefore to be checked prior to the application. In time of glove material break through time has to be found out by the manufacturer of the protective gloves and has to be
) Physical	and chemical properties
Informati	n on basic physical and chemical properties
General I	
Appearan	
	Liquid
Form:	
Form: Color:	Yellow-brown Ether-like

Not determined.

Not determined.

• Odor threshold:

· pH-value:

(Contd. on page 6)

US

Printing date 07/19/2021

CHEMICALS, INC.

Reviewed on 07/19/2021

### Trade name: CALLERY<sup>TM</sup> Sodium hexamethyldisilazane, 40% solution in tetrahydrofuran

	(Contd. of page
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 65 °C (149 °F)
· Flash point:	-31.1 °C (-24 °F)
· Flammability (solid, gaseous):	Not determined.
· Ignition temperature:	230 °C (446 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits: Lower: Upper:	1.5 Vol % 12.0 Vol %
· Vapor pressure at 20 °C (68 °F):	200 hPa (150 mm Hg)
· Density at 20 °C (68 °F): · Relative density · Vapor density · Evaporation rate	0.889 g/cm <sup>3</sup> (7.41871 lbs/gal) Not determined. Not determined. Not determined.
Solubility in / Miscibility with Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wate	e <b>r):</b> Not determined.
Viscosity: Dynamic: Kinematic:	Not determined. Not determined.
Solvent content: Organic solvents: VOC content:	50.9 % 50.9 % 452.6 g/l / 3.78 lb/gl
Solids content: • Other information	40.0 % No further relevant information available.

## **10 Stability and reactivity**

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 7)

Printing date 07/19/2021

CHEMICALS, INC

### Trade name: CALLERY<sup>™</sup> Sodium hexamethyldisilazane, 40% solution in tetrahydrofuran

(Contd. of page 6)

Information on toxicolo Acute toxicity:	gicui ejjecis	
	e relevant for classification:	
109-99-9 Tetrahydrofu	an [109-99-9]	
Oral LD50 2500 mg/kg	(rat)	
Primary irritant effect:		
	ect on skin and mucous membranes.	
on the eye:		
Strong caustic effect.		
	langer of severe eye injury.	
Sensitization: No sensit	0 11	
Additional toxicologica		
	ollowing dangers according to internally approved calculation method	ls for preparatio
Harmful		
Corrosive		
Irritant		
ē	a strong caustic effect on mouth and throat and to the danger of perfo	oration of esophe
and stomach.		
Carcinogenic categorie	<u>§</u>	
IARC (International Ag	ency for Research on Cancer)	
78-79-5 isoprene (stabi	lized)	
NTP (National Toxicol	ogy Program)	
78-79-5 isoprene (stabi	lized)	

## **12 Ecological information**

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

· Results of PBT and vPvB assessment

· PBT: Not applicable.

- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

(Contd. on page 8)

Printing date 07/19/2021

CHEMICALS, INC.

Reviewed on 07/19/2021

Trade name: CALLERY<sup>TM</sup> Sodium hexamethyldisilazane, 40% solution in tetrahydrofuran

(Contd. of page 7)

## **13 Disposal considerations**

### · Waste treatment methods

### · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

UN-Number	
DOT, IMDG, IATA	UN2924
UN proper shipping name	
DOT	Flammable liquids, corrosive, n.o.s. (Tetrahydrofuran, Sodiu
IMDG, IATA	hexamethyldisilazane, min. 95%) FLAMMABLE LIQUID, CORROSIVE, N.O.
1112 G, 11111	(TETRAHYDROFURAN, Sodium hexamethyldisilazane, min. 95%)
Transport hazard class(es)	
DOT	
Class	3 Flammable liquids
Label	3, 8
IMDG	
<b>1'-</b>	
Class	3 Flammable liquids
Label	3/8
IATA	
_	
Class	3 Flammable liquids
Label	3 (8)
Packing group DOT, IMDG, IATA	Ш
Environmental hazards:	Not applicable.
Special precautions for user Danger code (Kemler):	Warning: Flammable liquids 338
EMS Number:	F-E,S-C
Stowage Category	В

Printing date 07/19/2021

CHEMICALS, INC

Reviewed on 07/19/2021

### Trade name: CALLERY<sup>TM</sup> Sodium hexamethyldisilazane, 40% solution in tetrahydrofuran

	(Contd. of page
· Stowage Code	SW2 Clear of living quarters.
• Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
Transport/Additional information:	
DOT Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 5 L
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 2924 FLAMMABLE LIQUIDS, CORROSIVE, N.O.S (TETRAHYDROFURAN, SODIUM HEXAMETHYLDISILAZANE MIN. 95%), 3 (8), II

### **15 Regulatory information**

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

Section 355 (extremely hazardous substances):

None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings):

78-79-5 *isoprene (stabilized)* 

• TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

• Chemicals known to cause cancer:

78-79-5 isoprene (stabilized)

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

#### · Carcinogenic categories

· EPA (Environmental Protection Agency)

109-99-9 Tetrahydrofuran [109-99-9]

• TLV (Threshold Limit Value established by ACGIH)

109-99-9 Tetrahydrofuran [109-99-9]

·NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 10)

SC

AЗ

<sup>-</sup> US

Printing date 07/19/2021

Reviewed on 07/19/2021

Hazard pi	ictograms				(Contd. of page 9
<b>1</b>	fi	<mark>8</mark>			
GHS02	GHS05 GHS	07 GHS08			
· Signal wo	rd Danger				
Sodium he Tetrahydr 2-methylb 1,1,1,3,3,2 <b>Hazard st</b> H225 Hig H302 Han H314 Cau H351 Susp	examethyldisilaza ofuran [109-99-5 ut-2-ene 8-hexamethyldisil <b>atements</b> hly flammable liq mful if swallowed	] azane uid and vapor. l. urns and eye dama cancer.	2.		
· Precautio	nary statements				
P210 P303+P3		tin (or hair): Take		urfaces. No smoking contaminated cloth	g. iing. Rinse skin with water
P305+P3	51+P338 If in ey			eral minutes. Remo	ve contact lenses, if presen
P310	Immed	ately call a POISC	CENTER/doctor.		
P403+P2			ace. Keep containe		
P501	Disnos	e of contents/con	iner in accordan	o with local/reaid	nal/national/internationa

• Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Technical Department.

- · Date of preparation / last revision 07/19/2021 / -
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- VOC: Volatile Organic Compounds (USA, EU)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent

(Contd. on page 11)

<sup>·</sup> Contact: Technical Director

(Contd. of page 10)

## Safety Data Sheet according to OSHA HCS

Printing date 07/19/2021

Reviewed on 07/19/2021

### Trade name: CALLERY<sup>TM</sup> Sodium hexamethyldisilazane, 40% solution in tetrahydrofuran

PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
BEI: Biological Exposure Limit
Flam. Liq. 2: Flammable liquids – Category 2
Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Carc. 2: Carcinogenicity – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

