

Printing date 15.07.2021 Revision: 15.07.2021

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Magnesium aluminum i-propoxide (99.99%-Mg) PURATREM

• *Item number:* 12-1100

• CAS Number: 69207-83-6

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Strem Chemicals, Inc.

7 Mulliken Way

NEWBURYPORT, MA 01950

USA

info@strem.com

· Further information obtainable from: Technical Department

· 1.4 Emergency telephone number:

EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600

#### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Sol. 1 H228 Flammable solid.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS02

- · Signal word Danger
- · Hazard statements

H228 Flammable solid.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children. P103 Read label before use. P231 Handle under inert gas.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

*P422* Store contents under inert gas.

(Contd. on page 2)



Printing date 15.07.2021 Revision: 15.07.2021

Trade name: Magnesium aluminum i-propoxide (99.99%-Mg) PURATREM

(Contd. of page 1)

P501

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

## SECTION 3: Composition/information on ingredients

- · 3.1 Chemical characterisation: Substances
- · CAS No. Description

69207-83-6 Magnesium aluminum i-propoxide (99.99%-Mg) PURATREM

### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

 $No\ further\ relevant\ information\ available.$ 

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

#### SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures
- Wear protective equipment. Keep unprotected persons away.
- · 6.2 Environmental precautions: No special measures required.
- · 6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

GB



Printing date 15.07.2021 Revision: 15.07.2021

Trade name: Magnesium aluminum i-propoxide (99.99%-Mg) PURATREM

(Contd. of page 2)

### SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

 $\cdot$  7.3 *Specific end use(s) No further relevant information available.* 

### SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

(Contd. on page 4)



Printing date 15.07.2021 Revision: 15.07.2021

Trade name: Magnesium aluminum i-propoxide (99.99%-Mg) PURATREM

	(Contd. of
9.1 Information on basic physical and c	chemical properties
General Information	
Appearance:	
Form:	Crystalline
Colour:	White
Odour: Odour threshold:	Alcohol-like Not determined.
pH-value:	Not applicable.
Change in condition	
Melting point/freezing point:	40 °C
Initial boiling point and boiling range	e: 110 °C
Flash point:	Not applicable.
Flammability (solid, gas):	Flammable.
Ignition temperature:	
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Not determined.
Explosive properties:	Not determined.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	Not applicable.
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
water:	Insoluble.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
Solvent content:	
Organic solvents:	0.0 %
VOC (EC)	0.00 %
Solids content:	100.0 %
9.2 Other information	No further relevant information available.

## SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.

(Contd. on page 5)



Printing date 15.07.2021 Revision: 15.07.2021

Trade name: Magnesium aluminum i-propoxide (99.99%-Mg) PURATREM

(Contd. of page 4)

- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

SECTION	14:	1 rans	port in	tormation
				,

- · 14.1 UN-Number
- · ADR, IMDG, IATA UN1325
- · 14.2 UN proper shipping name
- · ADR 1325 FLAMMABLE SOLID, ORGANIC, N.O.S.
- · IMDG, IATA FLAMMABLE SOLID, ORGANIC, N.O.S.

(Contd. on page 6)



Printing date 15.07.2021 Revision: 15.07.2021

Trade name: Magnesium aluminum i-propoxide (99.99%-Mg) PURATREM

ADR, IMDG  Class		(Contd. of page	
Class 4 Label 4.1  IATA  Class 4.1 Flammable solids, self-reactive substances and sol desensitised explosives.  Label 4.1  14.4 Packing group ADR, IMDG, IATA II  14.5 Environmental hazards: Marine pollutant: No  14.6 Special precautions for user EMS Number: Stowage Category B  14.7 Transport in bulk according to Annex II of Marpol and the IBC Code  Transport/Additional information:  ADR Limited quantities (LQ) Excepted quantities (LQ) Excepted quantities (EQ)  Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g	· 14.3 Transport hazard class(es)		
Label 4.1  Class 4.1 Flammable solids, self-reactive substances and sol desensitised explosives.  Label 4.1  14.4 Packing group ADR, IMDG, IATA II  14.5 Environmental hazards: Marine pollutant: No  14.6 Special precautions for user EMS Number: F-A,S-G Stowage Category B  14.7 Transport in bulk according to Annex II of Marpol and the IBC Code  Transport/Additional information:  ADR Limited quantities (LQ) Excepted quantities (EQ)  Kolapplicable  1 kg Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g	· ADR, IMDG		
Label 4.1  Class 4.1 Flammable solids, self-reactive substances and sol desensitised explosives.  Label 4.1  14.4 Packing group ADR, IMDG, IATA II  14.5 Environmental hazards: Marine pollutant: No  14.6 Special precautions for user EMS Number: F-A,S-G Stowage Category B  14.7 Transport in bulk according to Annex II of Marpol and the IBC Code  Transport/Additional information:  ADR Limited quantities (LQ) Excepted quantities (EQ)  Kolapplicable  1 kg Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g			
Label 4.1 Flammable solids, self-reactive substances and sol desensitised explosives.  Label 4.1  14.4 Packing group ADR, IMDG, IATA II  14.5 Environmental hazards: Marine pollutant: No  14.6 Special precautions for user EMS Number: F-A,S-G Stowage Category B  14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.  Transport/Additional information:  ADR Limited quantities (LQ) 1 kg Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g	· Class	4	
Class  4.1 Flammable solids, self-reactive substances and solidesensitised explosives.  4.1  14.4 Packing group ADR, IMDG, IATA  14.5 Environmental hazards: Marine pollutant:  No  14.6 Special precautions for user EMS Number: F-A,S-G Stowage Category  B  14.7 Transport in bulk according to Annex II of Marpol and the IBC Code  Transport/Additional information:  ADR Limited quantities (LQ) Excepted quantities (EQ)  I kg Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g	· Label	4.1	
Label  14.4 Packing group ADR, IMDG, IATA  II  14.5 Environmental hazards: Marine pollutant: No  14.6 Special precautions for user EMS Number: F-A,S-G Stowage Category B  14.7 Transport in bulk according to Annex II of Marpol and the IBC Code  Transport/Additional information:  ADR Limited quantities (LQ) Excepted quantities (EQ)  Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g	· IATA		
Label  14.4 Packing group ADR, IMDG, IATA  II  14.5 Environmental hazards: Marine pollutant: No  14.6 Special precautions for user EMS Number: F-A,S-G Stowage Category B  14.7 Transport in bulk according to Annex II of Marpol and the IBC Code  Transport/Additional information:  ADR Limited quantities (LQ) Excepted quantities (EQ)  Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g			
Label 4.1  14.4 Packing group ADR, IMDG, IATA II  14.5 Environmental hazards: Marine pollutant: No  14.6 Special precautions for user Not applicable. EMS Number: F-A,S-G Stowage Category B  14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.  Transport/Additional information:  ADR Limited quantities (LQ)	· Class	4.1 Flammable solids, self-reactive substances and sol desensitised explosives.	
ADR, IMDG, IATA  II  14.5 Environmental hazards: Marine pollutant: No  14.6 Special precautions for user EMS Number: F-A,S-G Stowage Category B  14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.  Transport/Additional information:  ADR Limited quantities (LQ) Excepted quantities (EQ)  Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g	· Label		
14.5 Environmental hazards: Marine pollutant: No  14.6 Special precautions for user EMS Number: Stowage Category  14.7 Transport in bulk according to Annex II of Marpol and the IBC Code  Transport/Additional information:  ADR Limited quantities (LQ) Excepted quantities (EQ)  Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g	· 14.4 Packing group		
Marine pollutant:  14.6 Special precautions for user EMS Number: Stowage Category B  14.7 Transport in bulk according to Annex II of Marpol and the IBC Code  Transport/Additional information:  ADR Limited quantities (LQ) Excepted quantities (EQ)  Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g	· ADR, IMDG, IATA	II	
14.6 Special precautions for user EMS Number: F-A,S-G Stowage Category B  14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.  Transport/Additional information:  ADR Limited quantities (LQ) Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g	· 14.5 Environmental hazards:		
EMS Number: F-A,S-G Stowage Category B  14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.  Transport/Additional information:  ADR Limited quantities (LQ) 1 kg Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g	· Marine pollutant:	No	
Stowage Category  14.7 Transport in bulk according to Annex II of Marpol and the IBC Code  Not applicable.  Transport/Additional information:  ADR Limited quantities (LQ) Excepted quantities (EQ)  Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g	· 14.6 Special precautions for user		
14.7 Transport in bulk according to Annex II of Marpol and the IBC Code  Not applicable.  Transport/Additional information:  ADR Limited quantities (LQ) Excepted quantities (EQ)  Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g			
Marpol and the IBC Code  Not applicable.  Transport/Additional information:  ADR  Limited quantities (LQ)  Excepted quantities (EQ)  Code: E2  Maximum net quantity per inner packaging: 30 g  Maximum net quantity per outer packaging: 500 g	· Stowage Category	В	
Transport/Additional information:  ADR Limited quantities (LQ) Excepted quantities (EQ)  Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g			
ADR  Limited quantities (LQ)  Excepted quantities (EQ)  Code: E2  Maximum net quantity per inner packaging: 30 g  Maximum net quantity per outer packaging: 500 g	Marpol and the IBC Code	Not applicable.	
Limited quantities (LQ)  Excepted quantities (EQ)  Code: E2  Maximum net quantity per inner packaging: 30 g  Maximum net quantity per outer packaging: 500 g	Transport/Additional information:		
Excepted quantities (EQ)  Code: E2  Maximum net quantity per inner packaging: 30 g  Maximum net quantity per outer packaging: 500 g	· ADR		
Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g			
Maximum net quantity per outer packaging: 500 g	Excepted quantities (EQ)		
	TIN HA LID L. H		

### SECTION 15: Regulatory information

- $\cdot$  15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Technical Department.

(Contd. on page 7)



Printing date 15.07.2021 Revision: 15.07.2021

Trade name: Magnesium aluminum i-propoxide (99.99%-Mg) PURATREM

(Contd. of page 6)

· Contact: Technical Director

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Sol. 1: Flammable solids – Category 1

CD