Printing date 07/15/2021

Reviewed on 07/15/2021

#### **1** Identification

- · Product name
- Trade name: High Surface area Silica nanoparticles, Large, particle size ~900-1000 nm, surface area ~700 m2/g, (KCC-1 L1)
- Item number: 14-6100
- CAS Number: 112945-52-5
- Details of the supplier of the safety data sheet
  Manufacturer/Supplier: Strem Chemicals, Inc.
  7 Mulliken Way
  NEWBURYPORT, MA 01950
  USA
  info@strem.com
- Information department: Technical Department • Emergency telephone number:
- *EMERGENCY: CHEMTREC:* + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600

#### 2 Hazard(s) identification

· Classification of the substance or mixture

Acute Tox. 4 H332 Harmful if inhaled.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

- · Label elements
- · GHS label elements
- The substance is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms




· Signal word Warning

```
Hazard-determining components of labeling:
Silicon(IV) oxide, 99+%, 0.012 micron (fumed colloidal silica)
Hazard statements
H332 Harmful if inhaled.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
Precautionary statements
P261 Avoid breathing dust/fume/gas/mist/vapors/spray
P280 Wear eye protection / face protection.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present
and easy to do. Continue rinsing.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.
```

US

Printing date 07/15/2021

Reviewed on 07/15/2021



· Chemical characterization: Substances

· CAS No. Description

112945-52-5 Silicon(IV) oxide, 99+%, 0.012 micron (fumed colloidal silica)

## **4** First-aid measures

· Description of first aid measures

```
• General information:
```

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **5** Fire-fighting measures

· Extinguishing media

• Suitable extinguishing agents: Use fire fighting measures that suit the environment.

(Contd. on page 3)

# CHEMICALS, INC

# Safety Data Sheet according to OSHA HCS

Printing date 07/15/2021

Reviewed on 07/15/2021

Trade name: High Surface area Silica nanoparticles, Large, particle size ~900-1000 nm, surface area ~700 m2/g, (KCC-1 L1)

(Contd. of page 2)

- Special hazards arising from the substance or mixture No further relevant information available. • Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

#### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- *Methods and material for containment and cleaning up:* Dispose contaminated material as waste according to item 13.
- *Ensure adequate ventilation.* • *Reference to other sections*
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

#### · Protective Action Criteria for Chemicals

• PAC-1:

18 mg/m3

• PAC-2:

· PAC-3:

100 mg/m3

630 mg/m3

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling
- Thorough dedusting.
- Ensure good ventilation/exhaustion at the workplace.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- Components with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed.

(Contd. on page 4)

Printing date 07/15/2021


· Ignition temperature:

· Danger of explosion:

· Auto igniting:

**Decomposition temperature:** 

Reviewed on 07/15/2021



Not determined.

Not determined.

Product does not present an explosion hazard.

(Contd. on page 5)



Printing date 07/15/2021

Reviewed on 07/15/2021

Trade name: High Surface area Silica nanoparticles, Large, particle size ~900-1000 nm, surface area ~700 m2/g, (KCC-1 L1)

|   |  | (Contd. of page |
|---|--|-----------------|
| • Explosion limits:                     |  |                 |
| <i>Lower:</i>                           | Not determined.                            |                 |
| Upper:                                  | Not determined.                            |                 |
| · Vapor pressure at 20 °C (68 °F):      | 10 hPa (8 mm Hg)                           |                 |
| · Density:                              | Not determined.                            |                 |
| · Relative density                      | Not determined.                            |                 |
| · Vapor density                         | Not applicable.                            |                 |
| · Evaporation rate                      | Not applicable.                            |                 |
| · Solubility in / Miscibility with      |  |                 |
| Water:                                  | Insoluble.                                 |                 |
| · Partition coefficient (n-octanol/wate | <b>r):</b> Not determined.                 |                 |
| · Viscosity:                            |  |                 |
| Dynamic:                                | Not applicable.                            |                 |
| Kinematic:                              | Not applicable.                            |                 |
| · Solvent content:                      |  |                 |
| Organic solvents:                       | 0.0 %                                      |                 |
| VOC content:                            | 0.0 g/l / 0.00 lb/gl                       |                 |
| • Other information                     | No further relevant information available. |                 |

# **10 Stability and reactivity**

• *Reactivity* No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# **11 Toxicological information**

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- $\cdot \textit{Additional toxicological information:}$
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

Substance is not listed.

- · NTP (National Toxicology Program)
- Substance is not listed.

(Contd. on page 6)

<sup>-</sup> US

Printing date 07/15/2021

Reviewed on 07/15/2021

Trade name: High Surface area Silica nanoparticles, Large, particle size ~900-1000 nm, surface area ~700 m2/g, (KCC-1 L1)

(Contd. of page 5)

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

## **12** Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- $\cdot$  Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- $\cdot$  Other adverse effects No further relevant information available.

#### **13 Disposal considerations**

- Waste treatment methods
- *Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

| · UN-Number<br>· DOT, ADN, IMDG, IATA                                    | not regulated                   |  |
|--|---------------------------------|--|
| · UN proper shipping name<br>· DOT, ADN, IMDG, IATA                      | not regulated                   |  |
| · Transport hazard class(es)   |                                 |  |
| · DOT, ADN, IMDG, IATA<br>· Class  | not regulated                   |  |
| · Packing group<br>· DOT, IMDG, IATA                                     | not regulated                   |  |
| · Environmental hazards:   | Not applicable.                 |  |
| · Special precautions for user   | Not applicable.                 |  |
| • Transport in bulk according to Annex .<br>MARPOL73/78 and the IBC Code | <b>II of</b><br>Not applicable. |  |



Printing date 07/15/2021

CHEMICALS

Reviewed on 07/15/2021

Trade name: High Surface area Silica nanoparticles, Large, particle size ~900-1000 nm, surface area ~700 m2/g, (KCC-1 L1)

(Contd. of page 6)

· UN ''Model Regulation'':

not regulated

## **15 Regulatory information**

- $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara
- · Section 355 (extremely hazardous substances):
- Substance is not listed.
- Section 313 (Specific toxic chemical listings):
- Substance is not listed.
- · TSCA (Toxic Substances Control Act):
- Substance is not listed.
- · Proposition 65
- · Chemicals known to cause cancer:
- Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females:
- Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males:
- Substance is not listed.
- · Chemicals known to cause developmental toxicity:
- Substance is not listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency)
- Substance is not listed.
- · TLV (Threshold Limit Value established by ACGIH)
- Substance is not listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health)
- Substance is not listed.
- · GHS label elements
- The substance is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms



- · Signal word Warning
- Hazard-determining components of labeling: Silicon(IV) oxide, 99+%, 0.012 micron (fumed colloidal silica)
  Hazard statements H332 Harmful if inhaled. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

(Contd. on page 8)

US

Printing date 07/15/2021

Reviewed on 07/15/2021

Trade name: High Surface area Silica nanoparticles, Large, particle size ~900-1000 nm, surface area ~700 m2/g, (KCC-1 L1)

|                 | (Contd. of page 7)  |
|-----------------|---|
| · Precautionary | statements  |
| P261            | Avoid breathing dust/fume/gas/mist/vapors/spray   |
| P280            | Wear eye protection / face protection.  |
| P305+P351+P     | 338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present  |
|                 | and easy to do. Continue rinsing.   |
| P403+P233       | Store in a well-ventilated place. Keep container tightly closed.                                    |
| P405            | Store locked up.  |
| P501            | Dispose of contents/container in accordance with local/regional/national/international regulations. |

· National regulations:

• Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Department.
- · Contact: Technical Director
- · Date of preparation / last revision 07/15/2021 / -

· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety **OSHA:** Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Tox. 4: Acute toxicity - Category 4 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

