Printing date 15.07.2021

CHEMICALS, INC.

Revision: 15.07.2021

1 1 Dreader at index of the sec	ce/mixture and of the company/undertaking
· 1.1 Product identifier	
• Trade name: <u>High Surface area silica nanopartic</u> <u>m2/g, (KCC-1 M1)</u>	les, medium, particle size ~400-450 nm, surface area ~400
• Item number: 14-6200	
• CAS Number: 112945-52-5	
• 1.2 Relevant identified uses of the substance or mix No further relevant information available.	cture and uses advised against
$\cdot$ 1.3 Details of the supplier of the safety data sheet	
• <i>Manufacturer/Supplier:</i> Strem Chemicals, Inc.	
7 Mulliken Way	
NEWBURYPORT, MA 01950 USA	
info@strem.com	
• Further information obtainable from: Technical D	epartment
• 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300	
During normal opening times: +1 (978) 499-1600	
SECTION 2. Hazards identification	
SECTION 2: Hazards identification	
· 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 12	72/2008
$\mathbf{\zeta} = \mathbf{\zeta} \mathbf{G} \mathbf{HS07}$	
GHS07	
Acute Tox. 4 H332 Harmful if inhaled.	
Acute Tox. 4 H332 Harmful if inhaled. Eye Irrit. 2 H319 Causes serious eye irritation.	
Acute Tox. 4 H332 Harmful if inhaled.	1
Acute Tox. 4 H332 Harmful if inhaled. Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation • <b>2.2 Label elements</b>	
Acute Tox. 4 H332 Harmful if inhaled. Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation	008
Acute Tox. 4 H332 Harmful if inhaled. Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation • 2.2 Label elements • Labelling according to Regulation (EC) No 1272/2	008
Acute Tox. 4 H332 Harmful if inhaled. Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation • 2.2 Label elements • Labelling according to Regulation (EC) No 1272/2 The substance is classified and labelled according to	008
Acute Tox. 4 H332 Harmful if inhaled. Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation • 2.2 Label elements • Labelling according to Regulation (EC) No 1272/2 The substance is classified and labelled according to	008
Acute Tox. 4 H332 Harmful if inhaled. Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation • 2.2 Label elements • Labelling according to Regulation (EC) No 1272/2 The substance is classified and labelled according to	008
Acute Tox. 4 H332 Harmful if inhaled. Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation • 2.2 Label elements • Labelling according to Regulation (EC) No 1272/2 The substance is classified and labelled according to • Hazard pictograms • GHS07	008
Acute Tox. 4 H332 Harmful if inhaled. Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation • 2.2 Label elements • Labelling according to Regulation (EC) No 1272/2 The substance is classified and labelled according to • Hazard pictograms • GHS07 • Signal word Warning	008
Acute Tox. 4 H332 Harmful if inhaled. Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation • 2.2 Label elements • Labelling according to Regulation (EC) No 1272/2 The substance is classified and labelled according to • Hazard pictograms • Hazard pictograms • Signal word Warning • Hazard-determining components of labelling: Silicon(IV) oxide, 99+%, 0.012 micron (fumed colloc	<b>008</b> the CLP regulation.
Acute Tox. 4 H332 Harmful if inhaled. Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation • 2.2 Label elements • Labelling according to Regulation (EC) No 1272/2 The substance is classified and labelled according to • Hazard pictograms • Hazard pictograms • Signal word Warning • Hazard-determining components of labelling: Silicon(IV) oxide, 99+%, 0.012 micron (fumed colloc	<b>008</b> the CLP regulation.
Acute Tox. 4 H332 Harmful if inhaled. Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation • 2.2 Label elements • Labelling according to Regulation (EC) No 1272/2 The substance is classified and labelled according to • Hazard pictograms • Hazard pictograms • Signal word Warning • Hazard-determining components of labelling: Silicon(IV) oxide, 99+%, 0.012 micron (fumed colloc	<b>008</b> the CLP regulation.
Acute Tox. 4 H332 Harmful if inhaled. Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation • 2.2 Label elements • Labelling according to Regulation (EC) No 1272/2 The substance is classified and labelled according to Hazard pictograms • Hazard pictograms • GHS07 • Signal word Warning • Hazard-determining components of labelling: Silicon(IV) oxide, 99+%, 0.012 micron (fumed colloc • Hazard statements H332 Harmful if inhaled. H319 Causes serious eye irritation. H335 May cause respiratory irritation.	<b>008</b> the CLP regulation.
Acute Tox. 4 H332 Harmful if inhaled. Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation • 2.2 Label elements • Labelling according to Regulation (EC) No 1272/2 The substance is classified and labelled according to Hazard pictograms • Hazard pictograms • GHS07 • Signal word Warning • Hazard-determining components of labelling: Silicon(IV) oxide, 99+%, 0.012 micron (fumed colloc • Hazard statements H332 Harmful if inhaled. H319 Causes serious eye irritation. H335 May cause respiratory irritation. • Precautionary statements	008 o the CLP regulation. idal silica)
Acute Tox. 4 H332 Harmful if inhaled. Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation • <b>2.2 Label elements</b> • <b>Labelling according to Regulation (EC) No 1272/2</b> The substance is classified and labelled according to • <b>Hazard pictograms</b> • <b>Hazard pictograms</b> • <b>Signal word</b> Warning • <b>Hazard-determining components of labelling:</b> Silicon(IV) oxide, 99+%, 0.012 micron (fumed colloc • <b>Hazard statements</b> H332 Harmful if inhaled. H319 Causes serious eye irritation. H335 May cause respiratory irritation. • <b>Precautionary statements</b>	<b>008</b> the CLP regulation.

## HEMICALS, INC.

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.07.2021

Revision: 15.07.2021

Trade name: High Surface area silica nanoparticles, medium, particle size ~400-450 nm, surface area ~400 m2/g, (KCC-1 M1)

	(Contd. of page 1)
P103	Read label before use.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear eye protection / face protection.
P305+P351+P	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· 2.3 Other hazar	rds
· Results of PBT	and vPvB assessment

- **Results of FDI and VF**
- *PBT:* Not applicable.
- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

- · 3.1 Chemical characterisation: Substances
- · CAS No. Description
- 112945-52-5 Silicon(IV) oxide, 99+%, 0.012 micron (fumed colloidal
- silica)

### **SECTION 4: First aid measures**

• 4.1 Description of first aid measures

• General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

### **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

(Contd. on page 3)



Printing date 15.07.2021

Revision: 15.07.2021

Trade name: High Surface area silica nanoparticles, medium, particle size ~400-450 nm, surface area ~400 m2/g, (KCC-1 M1)

(Contd. of page 2)

### **SECTION 6: Accidental release measures**

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- · 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

• 7.1 Precautions for safe handling

Thorough dedusting.

- Ensure good ventilation/exhaustion at the workplace.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.
- · Respiratory protection:
- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 4)

Printing date 15.07.2021

CHEMICALS, INC.

Revision: 15.07.2021

ade name: High Surface area silica nano (KCC-1 M1)	particles, medium, particle size ~400-450 nm, surface area ~400 m2.
Due to missing tests no necommon dation	(Contd. of page) (Contd. of page) (Note the glove material can be given for the product/ the preparation)
chemical mixture.	1 to the glove material can be given for the product/ the preparation/
	leration of the penetration times, rates of diffusion and the degradation
• Material of gloves	
	not only depend on the material, but also on further marks of quality
varies from manufacturer to manufactur	
· Penetration time of glove material	
	e found out by the manufacturer of the protective gloves and has to
observed.	
· Eye protection:	
Tightly sealed goggles	
• 9.1 Information on basic physical and c	hemical properties
· General Information	
· Appearance:	
Form:	Powder
Colour:	White
· Odour:	Characteristic
· Odour threshold:	Not determined.
· pH-value:	Not applicable.
· Change in condition	
Melting point/freezing point:	1.500 °C
Initial boiling point and boiling range	2: Undetermined.
· Flash point:	Not applicable.
· Flammability (solid, gas):	Not determined.
· Ignition temperature:	
Decomposition temperature:	Not determined.
• Auto-ignition temperature:	Not determined.
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
• Vapour pressure at 20 •C:	10 hPa
· Density:	Not determined.
· Relative density	Not determined.
· Vapour density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
water:	Insoluble.
	Not determined.
· Partition coefficient: n-octanol/water:	
Partition coefficient: n-octanol/water: Viscosity: Dynamic:	Not applicable.

(Contd. on page 5)

GB

Printing date 15.07.2021

Revision: 15.07.2021

Trade name: High Surface area silica nanoparticles, medium, particle size ~400-450 nm, surface area ~400 m2/g, (KCC-1 M1)

(Contd. of page 4)

- · Solvent content:
- Organic solvents: VOC (EC)
- 9.2 Other information

0.0 % 0.00 % No further relevant information available.

### **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity
- Harmful if inhaled.
- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation
- Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure
- May cause respiratory irritation.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- $\cdot$  Additional ecological information:
- · General notes:
- Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 6)



GB

Printing date 15.07.2021

Revision: 15.07.2021

Trade name: High Surface area silica nanoparticles, medium, particle size ~400-450 nm, surface area ~400 m2/g, (KCC-1 M1)

(Contd. of page 5)

· 12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

• Uncleaned packaging:

• *Recommendation:* Disposal must be made according to official regulations.

SECTION 14: Transport informat	tion
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	not regulated
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	not regulated
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	not regulated
· 14.4 Packing group · ADR, IMDG, IATA	not regulated
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Not applicable.
· 14.7 Transport in bulk according to Anna Marpol and the IBC Code	<b>ex II of</b> Not applicable.
· UN "Model Regulation":	not regulated

### **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I Substance is not listed.

· National regulations:

• Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Technical Department.

· Contact: Technical Director

(Contd. on page 7)

<sup>-</sup> GB

Printing date 15.07.2021

Revision: 15.07.2021

Trade name: High Surface area silica nanoparticles, medium, particle size ~400-450 nm, surface area ~400 m2/g, (KCC-1 M1)

	(Contd. of page
Abbreviations and acronyms:	
ADR: Accord européen sur le transport des marchandises	dangereuses par Route (European Agreement concerning the Internatio
Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Laber	lling of Chemicals
CAS: Chemical Abstracts Service (division of the American Ch	emical Society)
VOC: Volatile Organic Compounds (USA, EU)	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Acute Tox. 4: Acute toxicity – Category 4	
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2	
STOT SE 3: Specific target organ toxicity (single exposure) – C	Category 3
	•••

