

Reviewed on 07/16/2021

1 Identification

- · Product name
- · Trade name: Di-t-butyl(2-butenyl)phosphine (40% in xylene), 98% Crophos®
- Item number: 15-1725
- CAS Number: 1620882-90-7
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Strem Chemicals, Inc.
 7 Mulliken Way NEWBURYPORT, MA 01950 USA info@strem.com
- Information department: Technical Department
 Emergency telephone number: EMERGENCY: CHEMTREC: +1 (800) 424-9300 During normal opening times: +1 (978) 499-1600

2 Hazard(s) identification

· Classification of the substance or mixture



Flam. Liq. 1 H224 Extremely flammable liquid and vapor.

GHS08 Health hazard

Repr. 2 H361 Suspected of damaging fertility or the unborn child.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

· Label elements

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



Signal word Danger
 Hazard statements
 H224 Extremely flammable liquid and vapor.

(Contd. on page 2)

⁻ ÚS

Printing date 07/16/2021

CHEMICALS, INC

Reviewed on 07/16/2021

| Trade name: Di-t-b | utyl(2-butenyl)phosphine (40% in xylene), 98% Crophos® |
|---|--|
| | (Contd. of page 1) |
| H315 Causes sk | in irritation. |
| | rious eye irritation. |
| | of damaging fertility or the unborn child. |
| | e respiratory irritation. |
| | tal if swallowed and enters airways. |
| • Precautionary s | tatements |
| P231 | Handle under inert gas. |
| P301+P310 | IF SWALLOWED: Immediately call a POISON CENTER/ doctor. |
| P303+P361+P3 | 353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. |
| P305+P351+P3 | 338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P403+P233 | Store in a well-ventilated place. Keep container tightly closed. |
| P422 | Store contents under inert gas. |
| P501 | Dispose of contents/container in accordance with local/regional/national/international regulations. |
| · Classification sy · NFPA ratings (| |
| $\frac{3}{F}$ | $\begin{aligned} ealth &= 1\\ ire &= 3\\ eactivity &= 0 \end{aligned}$ |
| · HMIS-ratings (| scale 0 - 4) |
| FIRE 3 | Health = 1 Fire = 3 Reactivity = 0 |
| • Other hazards • Results of PBT • PBT: Not applia • vPvB: Not appli | |

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description 1620882-90-7 Di-t-butyl(2-butenyl)phosphine (40% in xylene), 98% *Crophos*®

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

Printing date 07/16/2021

Reviewed on 07/16/2021

Trade name: Di-t-butyl(2-butenyl)phosphine (40% in xylene), 98% Crophos®

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- · Environmental precautions:
- Do not allow product to reach sewage system or any water course.
- Inform respective authorities in case of seepage into water course or sewage system.
- Do not allow to enter sewers/ surface or ground water.
- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals
- · PAC-1:

Substance is not listed.

· PAC-2:

Substance is not listed.

• PAC-3:

Substance is not listed.

7 Handling and storage

- · Handling: Handle under inert gas.
- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.
- Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.

(Contd. on page 4)

- ÚS



(Contd. of page 2)

Printing date 07/16/2021

Reviewed on 07/16/2021

Trade name: Di-t-butyl(2-butenyl)phosphine (40% in xylene), 98% Crophos®

(Contd. of page 3)

- · Conditions for safe storage, including any incompatibilities
- Storage: Store contents under inert gas.
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep receptacle tightly sealed.
- Do not gas tight seal receptacle.
- Store in cool, dry conditions in well sealed receptacles.
- Protect from heat and direct sunlight.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin.
- Breathing equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

(Contd. on page 5)

Printing date 07/16/2021

CHEMICALS, INC.

Reviewed on 07/16/2021

Trade name: Di-t-butyl(2-butenyl)phosphine (40% in xylene), 98% Crophos®

(Contd. of page 4)

| 9 Physical and chemical proper | rties |
|--|---|
| · Information on basic physical and | chemical properties |
| · General Information | enemieur propernes |
| · Appearance: | |
| Form: | Liquid |
| Color: | Colorless |
| · Odor: | Petrol-like |
| · Odor threshold: | Not determined. |
| · pH-value: | Not determined. |
| · Change in condition | |
| Melting point/Melting range: | Undetermined. |
| Boiling point/Boiling range: | Undetermined. |
| · Flash point: | Not applicable. |
| · Flammability (solid, gaseous): | Not determined. |
| · Ignition temperature: | |
| Decomposition temperature: | Not determined. |
| · Auto igniting: | Not determined. |
| • Danger of explosion: | Product is not explosive. However, formation of explosive air/vapor mixtures are possible. |
| · Explosion limits: | |
| Lower: | Not determined. |
| Upper: | Not determined. |
| · Vapor pressure: | Not determined. |
| · Density: | Not determined. |
| · Relative density | Not determined. |
| · Vapor density | Not determined. |
| · Evaporation rate | Not determined. |
| · Solubility in / Miscibility with | |
| Water: | Not miscible or difficult to mix. |
| · Partition coefficient (n-octanol/wat | t er): Not determined. |
| · Viscosity: | |
| Dynamic: | Not determined. |
| Kinematic: | Not determined. |
| · Solvent content: | |
| Organic solvents: | 0.0 % |
| VOC content: | $0.0 \ g/l / 0.00 \ lb/gl$ |
| Solids content: | 100.0 % |
| · Other information | No further relevant information available. |

10 Stability and reactivity

· **Reactivity** No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

⁽Contd. on page 6)

Printing date 07/16/2021

Reviewed on 07/16/2021

(Contd. of page 5)

Trade name: Di-t-butyl(2-butenyl)phosphine (40% in xylene), 98% Crophos®

- · Possibility of hazardous reactions No dangerous reactions known.
- \cdot Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- \cdot on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- \cdot Additional toxicological information:
- · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- *Persistence and degradability No further relevant information available.*
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. • Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- **vPvB**: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)

US

Printing date 07/16/2021

CHEMICALS, INC.

Reviewed on 07/16/2021

(Contd. of page 6)

Trade name: Di-t-butyl(2-butenyl)phosphine (40% in xylene), 98% Crophos®

· Uncleaned packagings:

• *Recommendation: Disposal must be made according to official regulations.*

| Transport information | |
|---|---|
| UN-Number DOT, IMDG, IATA | UN1993 |
| UN proper shipping name DOT IMDG, IATA | Flammable liquids, n.o.s. FLAMMABLE LIQUID, N.O.S. |
| Transport hazard class(es) | |
| DOT | |
| T. MMARE LOUID | |
| Class | 3 Flammable liquids |
| Label IMDG, IATA | 3 |
| | |
| Class | 3 Flammable liquids |
| Label | 3 |
| Packing group DOT, IMDG, IATA | Ι |
| Environmental hazards: | |
| Marine pollutant: | No |
| Special precautions for user | Warning: Flammable liquids |
| EMS Number: Stowage Category | <i>F-E,<u>S-E</u> E</i> |
| | |
| Transport in bulk according to Annex MARPOL73/78 and the IBC Code | II of Not applicable. |
| UN ''Model Regulation'': | UN 1993 FLAMMABLE LIQUIDS, N.O.S., 3, I |

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

• Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is not listed.

(Contd. on page 8)

⁻ US

Printing date 07/16/2021

CHEMICALS, INC.

Reviewed on 07/16/2021

(Contd. of page 7)

Trade name: Di-t-butyl(2-butenyl)phosphine (40% in xylene), 98% Crophos®

| Substance is not | listed |
|---|---|
| Proposition 65 | usiea. |
| - | n to cause cancer: |
| Substance is not | |
| | |
| | n to cause reproductive toxicity for females: |
| Substance is not | |
| Chemicals know | n to cause reproductive toxicity for males: |
| Substance is not | listed. |
| Chemicals know | n to cause developmental toxicity: |
| Substance is not | listed. |
| Carcinogenic ca | tegories |
| EPA (Environm | ental Protection Agency) |
| Substance is not | listed. |
| TLV (Threshold | Limit Value established by ACGIH) |
| Substance is not | · · · · · · |
| | ional Institute for Occupational Safety and Health) |
| Substance is not | |
| | |
| GHS02 GHS | 07 GHS08 |
| • | nger |
| Signal word Dar Hazard statemen H224 Extremely | nger its flammable liquid and vapor. |
| Signal word Dar Hazard statemen H224 Extremely H315 Causes ski | nger its flammable liquid and vapor. in irritation. |
| Signal word Dar Hazard statemen H224 Extremely H315 Causes ski H319 Causes ser | nger its flammable liquid and vapor. in irritation. rious eye irritation. |
| Signal word Dar Hazard statemen H224 Extremely H315 Causes ski H319 Causes ser H361 Suspected | nger its flammable liquid and vapor. in irritation. |
| Signal word Dar Hazard statemen H224 Extremely H315 Causes ski H319 Causes ser H361 Suspected H335 May cause H304 May be fat | nger its flammable liquid and vapor. in irritation. rious eye irritation. of damaging fertility or the unborn child. respiratory irritation. ral if swallowed and enters airways. |
| Signal word Dar Hazard statemen H224 Extremely H315 Causes ski H319 Causes ser H361 Suspected H335 May cause H304 May be fat Precautionary st | nger its flammable liquid and vapor. in irritation. rious eye irritation. of damaging fertility or the unborn child. respiratory irritation. ral if swallowed and enters airways. tatements |
| Signal word Dar Hazard statemen H224 Extremely H315 Causes ski H319 Causes ser H361 Suspected H335 May cause H304 May be fat Precautionary st P231 | nger its flammable liquid and vapor. in irritation. rious eye irritation. of damaging fertility or the unborn child. respiratory irritation. tal if swallowed and enters airways. tatements Handle under inert gas. |
| Signal word Dar Hazard statemen H224 Extremely H315 Causes ski H319 Causes ser H361 Suspected H335 May cause H304 May be fat Precautionary st P231 P301+P310 | nger nts flammable liquid and vapor. in irritation. ious eye irritation. of damaging fertility or the unborn child. or espiratory irritation. tal if swallowed and enters airways. tatements Handle under inert gas. IF SWALLOWED: Immediately call a POISON CENTER/ doctor. |
| Signal word Dar Hazard statemen H224 Extremely H315 Causes ski H319 Causes ser H361 Suspected H335 May cause H304 May be fat Precautionary st P231 P301+P310 P303+P361+P3 | nger its flammable liquid and vapor. in irritation. ious eye irritation. of damaging fertility or the unborn child. e respiratory irritation. tal if swallowed and enters airways. tatements Handle under inert gas. IF SWALLOWED: Immediately call a POISON CENTER/ doctor. 53 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with wa shower. 38 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if pres- |
| Signal word Dar Hazard statemen H224 Extremely H315 Causes ski H319 Causes ser H361 Suspected H335 May cause H304 May be fat Precautionary st P231 P301+P310 P303+P361+P3 | nger its flammable liquid and vapor. in irritation. ious eye irritation. of damaging fertility or the unborn child. respiratory irritation. ial if swallowed and enters airways. iatements Handle under inert gas. IF SWALLOWED: Immediately call a POISON CENTER/ doctor. 53 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with wa |
| Signal word Dar Hazard statemen H224 Extremely H315 Causes ski H319 Causes ser H361 Suspected H335 May cause H304 May be fat Precautionary st P231 P301+P310 P303+P361+P3 P305+P351+P3 P403+P233 P422 | nger nts flammable liquid and vapor. in irritation. ious eye irritation. of damaging fertility or the unborn child. respiratory irritation. tal if swallowed and enters airways. tatements Handle under inert gas. IF SWALLOWED: Immediately call a POISON CENTER/ doctor. 53 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with wa shower. 38 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing. Store in a well-ventilated place. Keep container tightly closed. Store contents under inert gas. |
| Signal word Dar Hazard statemen H224 Extremely H315 Causes ski H319 Causes ser H361 Suspected H335 May cause H304 May be fat Precautionary st P231 P301+P310 P303+P361+P3 P305+P351+P3 P403+P233 | nger tts flammable liquid and vapor. in irritation. ious eye irritation. of damaging fertility or the unborn child. respiratory irritation. eal if swallowed and enters airways. tatements Handle under inert gas. IF SWALLOWED: Immediately call a POISON CENTER/ doctor. 53 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with wa shower. 38 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing. Store in a well-ventilated place. Keep container tightly closed. Store contents under inert gas. Dispose of contents/container in accordance with local/regional/national/internation |
| Signal word Dar Hazard statemen H224 Extremely H315 Causes ski H319 Causes ser H361 Suspected H335 May cause H304 May be fat Precautionary st P231 P301+P310 P303+P361+P3 P305+P351+P3 P403+P233 P422 | nger its flammable liquid and vapor. in irritation. ious eye irritation. of damaging fertility or the unborn child. respiratory irritation. ial if swallowed and enters airways. iatements Handle under inert gas. IF SWALLOWED: Immediately call a POISON CENTER/ doctor. 53 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with wa shower. 38 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing. Store in a well-ventilated place. Keep container tightly closed. Store contents under inert gas. Dispose of contents/container in accordance with local/regional/national/internatio regulations. |
| Signal word Dar Hazard statemen H224 Extremely H315 Causes ski H319 Causes ser H361 Suspected H335 May cause H304 May be fat Precautionary st P231 P301+P310 P303+P361+P3 P305+P351+P3 P403+P233 P422 P501 National regulat | nger its flammable liquid and vapor. in irritation. ious eye irritation. of damaging fertility or the unborn child. respiratory irritation. ial if swallowed and enters airways. iatements Handle under inert gas. IF SWALLOWED: Immediately call a POISON CENTER/ doctor. 53 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with wa shower. 38 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing. Store in a well-ventilated place. Keep container tightly closed. Store contents under inert gas. Dispose of contents/container in accordance with local/regional/national/internatio regulations. |

Printing date 07/16/2021

CHEMICALS INC

Reviewed on 07/16/2021

Trade name: Di-t-butyl(2-butenyl)phosphine (40% in xylene), 98% Crophos®

(Contd. of page 8)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Department.
- · Contact: Technical Director

· Date of preparation / last revision 07/16/2021 / -

• Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit Flam. Liq. 1: Flammable liquids - Category 1 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Repr. 2: Reproductive toxicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Asp. Tox. 1: Aspiration hazard - Category 1