Printing date 02/15/2022

Reviewed on 02/15/2022

1 Identification

- · Product name
- Trade name: Phenylphosphine, 99%
- *Item number:* 15-4400
- · CAS Number:
- 638-21-1
- · EC number: 211-325-4
- Details of the supplier of the safety data sheet • Manufacturer/Supplier: Strem Chemicals, Inc. 7 Mulliken Way NEWBURYPORT, MA 01950 USA

info@strem.com

· Information department: Technical Department · Emergency telephone number: EMERGENCY: CHEMTREC: +1 (800) 424-9300 During normal opening times: +1 (978) 499-1600

......

2 Hazard(s) identification
· Classification of the substance or mixture
GHS02 Flame
<i>Pyr. Liq. 1</i> H250 Catches fire spontaneously if exposed to air.
Self-heat. 2 H252 Self-heating in large quantities; may catch fire.
GHS06 Skull and crossbones
Acute Tox. 2 H300 Fatal if swallowed.
Acute Tox. 2 H310 Fatal in contact with skin.
Acute Tox. 2 H330 Fatal if inhaled.
GHS07
Skin Irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2A H319 Causes serious eye irritation.
STOT SE 3 H335 May cause respiratory irritation.
Flam. Liq. 4 H227 Combustible liquid.
 Label elements GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page



Safety Data Sheet according to OSHA HCS

Printing date 02/15/2022

CHEMICALS, INC.

Reviewed on 02/15/2022

	(Contd. of pa
· Hazard pictogra	ims
	$\overline{\mathbf{v}}$
GHS02 GHS	506 GHS07
• Signal word Da	nger
· Hazard-determ	ining components of labeling:
Phenylphosphin	
• Hazard stateme	
H227	Combustible liquid.
H250	Catches fire spontaneously if exposed to air.
H252	Self-heating in large quantities; may catch fire.
	1330 Fatal if swallowed, in contact with skin or if inhaled.
H315	Causes skin irritation.
H319 H335	Causes serious eye irritation. May cause respiratory irritation.
· Precautionary s	
P231	Handle under inert gas.
P284	[In case of inadequate ventilation] wear respiratory protection.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if pre
1000 1001 11	and easy to do. Continue rinsing.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P422	Store contents under inert gas.
P501	Dispose of contents/container in accordance with local/regional/national/internative regulations.
· Classification s	8
· NFPA ratings (
H	Iealth = 4
	ire = 4
4 0 R	eactivity = 0
· HMIS-ratings (<i>(scale 0 - 4)</i>
HEALTH 3	Health = 3
FIRE 4	Fire = 4
REACTIVITY 0	Reactivity = 0
• Other hazards	
	and vPvB assessment
· PBT: Not applie	suble.

3 Composition/information on ingredients

· Chemical characterization: Substances • CAS No. Description 638-21-1 Phenylphosphine, 99%

(Contd. on page 3) US

(Contd. of page 2)

Safety Data Sheet according to OSHA HCS

Printing date 02/15/2022

Reviewed on 02/15/2022

Trade name: Phenylphosphine, 99%

· Identification number(s)

• EC number: 211-325-4

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration.

• After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Do not induce vomiting; immediately call for medical help.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

· Extinguishing media

- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.

· Advice for firefighters

· Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away.
Environmental precautions: Prevent seepage into sewage system, workpits and cellars.
Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
Protective Action Criteria for Chemicals

• **PAC-1:**

0.0045 ppm

(Contd. on page 4)

US

Printing date 02/15/2022

Reviewed on 02/15/2022

Trade name: Phenylp	phine, 99%	
	(Contd. of	f page 3)
· PAC-2:		
	0.05	5 ppm
· PAC-3:		
	1.7	⁷ ppm

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

638-21-1 Phenylphosphine, 99%

REL Ceiling limit value: 0.25 mg/m³, 0.05 ppm

TLV Ceiling limit value: 0.23 mg/m³, 0.05 ppm

• *Additional information:* The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

- Avoid contact with the eyes and skin.
- Breathing equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

 $(Contd. \ on \ page \ 5)$

____US ___

Printing date 02/15/2022

CHEMICALS, INC.

Reviewed on 02/15/2022

Trade name: Phenylphosphine, 99%

(Contd. of page 4)

- Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
- Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*
- The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

General Information		
Appearance: Form: Color: Odor: Odor threshold:	Liquid Colorless Pungent Not determined.	
pH-value:	Not determined.	
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 160 °C (320 °F)	
Flash point:	74 °C (165 °F)	
Flammability (solid, gaseous):	Not determined.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Spontaneously flammable in air.	
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.	
Explosion limits: Lower: Upper:	Not determined. Not determined.	
Vapor pressure:	Not determined.	
Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate	1.001 g/cm³ (8.35335 lbs/gal) Not determined. Not determined. Not determined.	
Solubility in / Miscibility with Water:	Not miscible or difficult to mix.	



Printing date 02/15/2022

CHEMICALS, INC

Reviewed on 02/15/2022

Trade name: Phenylphosphine, 99%

		(Contd. of page
· Partition coefficient (n-octand	ol/water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	0.0 %	
VOC content:	0.0 g/l / 0.00 lb/gl	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

• Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- *General notes:* Not known to be hazardous to water.

(Contd. on page 7)

(Contd. of page 6)

Safety Data Sheet according to OSHA HCS

Printing date 02/15/2022

Reviewed on 02/15/2022

Trade name: Phenylphosphine, 99%

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· **vPvB:** Not applicable.

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

UN-Number DOT, IMDG, IATA	UN2845	
	0//2845	
UN proper shipping name		
DOT IMDG, IATA	Pyrophoric liquids, organic, n.o.s. PYROPHORIC LIQUID, ORGANIC, N.O.S.	
	Т ткої покіс <i>Еідоно</i> , окояміс, м.о.з.	
Transport hazard class(es)		
DOT		
Downersky Consustance		
Class	4.2 Substances liable to spontaneous combustion	
Label	4.2	
IMDG, IATA		
Class	4.2 Substances liable to spontaneous combustion	
Label	4.2	
Packing group		
DOT, IMDG, IATA	Ι	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
EMS Number:	F-G,S-M	
Stowage Category	D	
Handling Code	H1 Keep as dry as reasonably practicable	
Segregation Code	SG26 In addition: from goods of classes 2.1 and 3 when stowed on deck of a containership a minimum distance of two container spaces athwartship shall be maintained, when stowed on ro-ro ships a distance of 6 m athwartship shall be maintained.	

Printing date 02/15/2022

CHEMICALS, INC.

Reviewed on 02/15/2022

Trade name: Phenylphosphine, 99%

	(Contd. of page 7	
	SG63 Stow "separated longitudinally by an intervening complete compartment or hold from" Class 1.	
· Transport in bulk according to Annex.	II of	
MARPOL73/78 and the IBC Code	Not applicable.	
· Transport/Additional information:		
·DOT		
· Quantity limitations	On passenger aircraft/rail: Forbidden	
	On cargo aircraft only: Forbidden	
· IMDG		
· Limited quantities (LQ) 0		
• Excepted quantities (EQ)	Code: E0	
	Not permitted as Excepted Quantity	
· UN "Model Regulation":	UN 2845 PYROPHORIC LIQUIDS, ORGANIC, N.O.S., 4.2, I	

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):
Substance is not listed.
Section 313 (Specific toxic chemical listings):
Substance is not listed.
· TSCA (Toxic Substances Control Act):
Substance is not listed.
• Proposition 65 WARNING. Proposition 65 - https://www.p65warnings.ca.gov/
· Chemicals known to cause cancer:
Substance is not listed.
· Chemicals known to cause reproductive toxicity for females:
Substance is not listed.
· Chemicals known to cause reproductive toxicity for males:
Substance is listed.
· Chemicals known to cause developmental toxicity:
Substance is not listed.
· Carcinogenic categories
· EPA (Environmental Protection Agency)
Substance is not listed.
• TLV (Threshold Limit Value established by ACGIH)
Substance is not listed.
· NIOSH-Ca (National Institute for Occupational Safety and Health)
Substance is not listed.
· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 9)

US •

Printing date 02/15/20	22	Reviewed on 02/15/2022
Trade name: Phenylph	hosphine, 99%	
· Hazard pictogram	s	(Contd. of page 8)
GHS02 GHS06		
• Signal word Dang		
	ng components of labeling:	
Phenylphosphine, • Hazard statements		
H227	, Combustible liquid.	
H250	Catches fire spontaneously if exposed to air.	
H252	Self-heating in large quantities; may catch fire.	
	0 Fatal if swallowed, in contact with skin or if inhaled.	
H315	Causes skin irritation.	
H319	Causes serious eye irritation.	
H335	May cause respiratory irritation.	
• Precautionary stat	tements	
P231	Handle under inert gas.	
P284	[In case of inadequate ventilation] wear respiratory protection.	

IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

Store in a well-ventilated place. Keep container tightly closed.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

Dispose of contents/container in accordance with local/regional/national/international

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Technical Department.

regulations.

· Contact: Technical Director

16 Other information

P301+P310

P403+P233 P422

P501

- · Date of preparation / last revision 02/15/2022 / -
- · Abbreviations and acronvms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- ACGIH: American Conference of Governmental Industrial Hygienists
- EINECS: European Inventory of Existing Commercial Chemical Substances

and easy to do. Continue rinsing.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Store contents under inert gas.

- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- VOC: Volatile Organic Compounds (USA, EU)
- PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative
- NIOSH: National Institute for Occupational Safety
- OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit
- REL: Recommended Exposure Limit
- Flam. Liq. 4: Flammable liquids Category 4

(Contd. on page 10)

Printing date 02/15/2022

Reviewed on 02/15/2022

Trade name: Phenylphosphine, 99%

Pyr. Liq. 1: Pyrophoric liquids – Category 1 Self-heat. 2: Self-heating substances and mixtures – Category 2 Acute Tox. 2: Acute toxicity – Category 2 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 (Contd. of page 9)

