Printing date 07/16/2021

Reviewed on 07/14/2021

1 Identification

- · Product name
- · Trade name: Bis[(2-di-i-propylphosphino)ethyl]amine, min. 97% (10 wt% in tetrahydrofuran)
- Item number: 15-7304
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Strem Chemicals, Inc. 7 Mulliken Way NEWBURYPORT, MA 01950 USA info@strem.com
- Information department: Technical Department
 Emergency telephone number: EMERGENCY: CHEMTREC: +1 (800) 424-9300 During normal opening times: +1 (978) 499-1600


2 Hazard(s) identification

· Classification of the substance or mixture

GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.

H351 Suspected of causing cancer.



GHS07

Carc. 2

Eye Irrit. 2AH319Causes serious eye irritation.STOT SE 3H335May cause respiratory irritation.

· Label elements

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms



· Signal word Danger

• *Hazard-determining components of labeling: Tetrahydrofuran* [109-99-9]

· Hazard statements

H225 Highly flammable liquid and vapor.

- H319 Causes serious eye irritation.
- H351 Suspected of causing cancer.

H335 May cause respiratory irritation.

US

Printing date 07/16/2021

CHEMICALS.

Reviewed on 07/14/2021

	(Contd. of pag
· Precautionary s	
P231	Handle under inert gas.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
<i>P305+P351+P</i> .	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if pres and easy to do. Continue rinsing.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P422	Store contents under inert gas.
P501	Dispose of contents/container in accordance with local/regional/national/internatio regulations.
Classification s	
· NFPA ratings (scale 0 - 4)
HEALTH *1	Hoalth = *I
FIRE 3	Health = *1 $Fire = 3$ $Reactivity = 0$
FIRE 3	Fire = 3
FIRE 3	Fire = 3
FIRE 3	Fire = 3 Reactivity = 0 and vPvB assessment
FIRE 3 REACTIVITY 0 • Other hazards • Results of PBT	Fire = 3 Reactivity = 0 and $vPvB$ assessment cable.
FIRE 3 REACTIVITY 0 • Other hazards • Results of PBT • PBT: Not applie	Fire = 3 Reactivity = 0 and $vPvB$ assessment cable.
FIRE 3 REACTIVITY 0 Other hazards Results of PBT PBT: Not applie vPvB: Not applie	Fire = 3 Reactivity = 0 and vPvB assessment cable. icable.
FIRE 3 REACTIVITY 0 Other hazards Results of PBT PBT: Not applie vPvB: Not applie	Fire = 3 Reactivity = 0 and $vPvB$ assessment cable.
FIRE 3 REACTIVITY 0 Other hazards Results of PBT PBT: Not applie vPvB: Not applie Composition	Fire = 3 Reactivity = 0 and vPvB assessment cable. icable. /information on ingredients
FIRE 3 REACTIVITY 0 Other hazards Results of PBT PBT: Not applie vPvB: Not applie Composition	Fire = 3 Reactivity = 0 and vPvB assessment cable. icable. /information on ingredients ucterization: Mixtures
FIRE 3 REACTIVITY 0 Other hazards Results of PBT PBT: Not applie vPvB: Not applie Composition Chemical chard Description: Ma	Fire = 3 Reactivity = 0 and vPvB assessment cable. icable. /information on ingredients /information: Mixtures ixture of the substances listed below with nonhazardous additions.
FIRE 3 REACTIVITY 0 Other hazards Results of PBT PBT: Not applie vPvB: Not applie Composition Chemical chara Description: Ma Dangerous com	Fire = 3 Reactivity = 0 and vPvB assessment cable. icable. /information on ingredients /information: Mixtures ixture of the substances listed below with nonhazardous additions.

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

(Contd. on page 3)

Printing date 07/16/2021

Reviewed on 07/14/2021

Trade name: Bis[(2-di-i-propylphosphino)ethyl]amine, min. 97% (10 wt% in tetrahydrofuran)

(Contd. of page 2)

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- Environmental precautions: Do not allow product to reach sewage system or any water course.
- Prevent seepage into sewage system, workpits and cellars.
- Inform respective authorities in case of seepage into water course or sewage system.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.
- Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
- Protective Action Criteria for Chemicals
- PAC-1:

109-99-9 Tetrahydrofuran [109-99-9]

· PAC-2:

109-99-9 Tetrahydrofuran [109-99-9]

· PAC-3:

109-99-9 Tetrahydrofuran [109-99-9]

7 Handling and storage

- · Handling: Handle under inert gas.
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store contents under inert gas.
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.

(Contd. on page 4)

100 ppm

500 ppm

5000* ppm

⁻ U

Printing date 07/16/2021

Reviewed on 07/14/2021

Trade name: Bis[(2-di-i-propylphosphino)ethyl]amine, min. 97% (10 wt% in tetrahydrofuran)

(Contd. of page 3)

- Further information about storage conditions: Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:
- The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

109-99-9 Tetrahydrofuran [109-99-9]

- PEL Long-term value: 590 mg/m³, 200 ppm
 REL Short-term value: 735 mg/m³, 250 ppm
 Long-term value: 590 mg/m³, 200 ppm
- TLV Short-term value: 295 mg/m³, 100 ppm Long-term value: 147 mg/m³, 50 ppm Skin

· Ingredients with biological limit values:

109-99-9 Tetrahydrofuran [109-99-9]

BEI 2 mg/L

Medium: urine Time: end of shift Parameter: Tetrahydrofuran

· Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Store protective clothing separately.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.
- Breathing equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Printing date 07/16/2021

Reviewed on 07/14/2021

Trade name: Bis[(2-di-i-propylphosphino)ethyl]amine, min. 97% (10 wt% in tetrahydrofuran)

(Contd. of page 4)

\cdot Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

 \cdot Eye protection:



Tightly sealed goggles

Information on basic physical and o	chemical properties	
General Information		
Appearance:		
Form:	Liquid	
Color:	Light yellow	
Odor:	Ether-like	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	66 °C (151 °F)	
Flash point:	-17 °C (1 °F)	
Flammability (solid, gaseous):	Not determined.	
Ignition temperature:	230 °C (446 °F)	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.	
Explosion limits:		
Lower:	1.5 Vol %	
Upper:	12.0 Vol %	
Vapor pressure at 20 °C (68 °F):	200 hPa (150 mm Hg)	
Density:	Not determined.	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wat	e r): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	

Printing date 07/16/2021

Reviewed on 07/14/2021

Trade name: Bis[(2-di-i-propylphosphino)ethyl]amine, min. 97% (10 wt% in tetrahydrofuran)

(Contd. of page 5)

• Solvent content: Organic solvents: VOC content:

90.0 % 90.0 % 900.0 g/l / 7.51 lb/gl No further relevant information available.

· Other information

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:

109-99-9 Tetrahydrofuran [109-99-9]

Oral LD50 2500 mg/kg (rat)

- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.

(Contd. on page 7)



Printing date 07/16/2021

CHEMICALS, INC

Reviewed on 07/14/2021

Trade name: Bis[(2-di-i-propylphosphino)ethyl]amine, min. 97% (10 wt% in tetrahydrofuran)

(Contd. of page 6)

- $\cdot \textit{Additional ecological information:}$
- \cdot General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

- *Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number	
DOT, IMDG, IATA	UN1993
UN proper shipping name	
DOT	Flammable liquids, n.o.s.
IMDG, IATA	FLAMMABLÊ LIQUID, N.O.S.
Transport hazard class(es)	
DOT	
PLAMMERE COUD	
Class	3 Flammable liquids
Label	3
Class	3 Flammable liquids
Label	3
Packing group	
DOT, IMDG, IATA	Ι
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
EMS Number:	<i>F-E,S-E</i>
Stowage Category	E



Printing date 07/16/2021

CHEMICALS, INC

Reviewed on 07/14/2021

Trade name: Bis[(2-di-i-propylphosphino)ethyl]amine, min. 97% (10 wt% in tetrahydrofuran)

	(Contd. of page 7)
• Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT	On passenger aircraft/rail: 1L
· Quantity limitations	On cargo aircraft only: 30L
· IMDG	0.5L
· Limited quantities (LQ)	Code: E3
· Excepted quantities (EQ)	Maximum net quantity per inner packaging: 30 ml
· UN "Model Regulation":	Maximum net quantity per outer packaging: 300 ml UN 1993 FLAMMABLE LIQUIDS, N.O.S., 3, I

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section	355	(extremely	hazardous	substances):
-----------	-----	------------	-----------	--------------

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

109-99-9 Tetrahydrofuran [109-99-9]

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

109-99-9 Tetrahydrofuran [109-99-9]

• TLV (Threshold Limit Value established by ACGIH) 109-99-9 Tetrahydrofuran [109-99-9]

A3

SC

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 9)

Printing data 07/16/2021

Reviewed on 07/14/2021

ade name: Bis[(2	-di-i-propylphosphino)ethyl]amine, min. 97% (10 wt% in	n tetrahydrofuran)
· Hazard pictogr	ame	(Contd. of pa
GHS02 GHS	S07 GHS08	
· Signal word Da	inger	
· Hazard-determ	ining components of labeling:	
Tetrahydrofura	n [109-99-9]	
· Hazard stateme	ents	
H225 Highly flo	ummable liquid and vapor.	
	erious eye irritation.	
	l of causing cancer.	
	e respiratory irritation.	
· Precautionary		
P231	Handle under inert gas.	
P301+P310	IF SWALLOWED: Immediately call a POISON CENT	TER/ doctor.
P305+P351+P	338 If in eyes: Rinse cautiously with water for several mu and easy to do. Continue rinsing.	
P403+P233	Store in a well-ventilated place. Keep container tightl	ly closed.
P422	Store contents under inert gas.	-
P501	Dispose of contents/container in accordance with regulations.	n local/regional/national/internatio
· Chemical safet	y assessment: A Chemical Safety Assessment has not been	carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Department.
- · Contact: Technical Director
- · Date of preparation / last revision 07/16/2021 / -
- · Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International

Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

(Contd. on page 10)

Printing date 07/16/2021

Reviewed on 07/14/2021

Trade name: Bis[(2-di-i-propylphosphino)ethyl]amine, min. 97% (10 wt% in tetrahydrofuran)

(Contd. of page 9)

US

Carc. 2: Carcinogenicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

