Printing date 16.07.2021

CHEMICALS, INC.

Revision: 16.07.2021

	ice/mixture and of the company/undertaking
1.1 Product identifier	
Trade name: Bis(ethylcyclopentadienyl)chromium	n, min. 98%
Item number: 24-0147 CAS Number: 55940-03-9 1.2 Relevant identified uses of the substance or m No further relevant information available.	ixture and uses advised against
1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Strem Chemicals, Inc. 7 Mulliken Way NEWBURYPORT, MA 01950 USA info@strem.com	
Further information obtainable from: Technical 1 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600	
SECTION 2: Hazards identification	
2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1	272/2008
Pyr. Liq. 1 H250 Catches fire spontaneously if e. Self-heat. 1 H251 Self-heating: may catch fire.	xposed to air.
GHS07	
Skin Irrit. 2 H315 Causes skin irritation.	
\checkmark	
Skin Irrit. 2 H315 Causes skin irritation.	n.
Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation.	2008
Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritatio 2.2 Label elements Labelling according to Regulation (EC) No 1272/ The substance is classified and labelled according	2008
Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritatio 2.2 Label elements Labelling according to Regulation (EC) No 1272/ The substance is classified and labelled according	2008
Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritatio 2.2 Label elements Labelling according to Regulation (EC) No 1272/ The substance is classified and labelled according Hazard pictograms	2008
Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritatio 2.2 Label elements Labelling according to Regulation (EC) No 1272/ The substance is classified and labelled according Hazard pictograms	2008

Printing date 16.07.2021

Revision: 16.07.2021

Trade name: Bis(ethylcyclopentadienyl)chromium, min. 98%

	(Contd. of page 1)
H251 Self-heati	ing: may catch fire.
H315 Causes sh	kin irritation.
H319 Causes se	erious eye irritation.
H335 May caus	e respiratory irritation.
· Precautionary	
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P231	Handle under inert gas.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P305+P351+P	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P422	Store contents under inert gas.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· 2.3 Other hazar	rds
· Results of PBT	and vPvB assessment
DDT. Not annl:	

• *PBT:* Not applicable. • *vPvB:* Not applicable.

SECTION 3: Composition/information on ingredients

· 3.1 Chemical characterisation: Substances

· CAS No. Description

55940-03-9 Bis(ethylcyclopentadienyl)chromium, min. 98%

SECTION 4: First aid measures

• 4.1 Description of first aid measures

- General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

(Contd. on page 3)



Printing date 16.07.2021

Revision: 16.07.2021

Trade name: Bis(ethylcyclopentadienyl)chromium, min. 98%

(Contd. of page 2)

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Prevent seepage into sewage system, workpits and cellars.

• 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

- · 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.

· Handling: Handle under inert gas.

- *Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.*
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage: Store contents under inert gas.
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 4)

GB

Printing date 16.07.2021

CHEMICALS.

Revision: 16.07.2021

(Contd. of page 3)

Trade name: Bis(ethylcyclopentadienyl)chromium, min. 98%

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

General Information		
Appearance:		
Form:	Liquid	
Colour:	Red	
Odour:	Odourless	
Odour threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling range:	95-98 °C	
Flash point:	Not applicable.	
Flammability (solid, gas):	Not determined.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Spontaneously flammable in air.	
Explosive properties:	Not determined.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure:	Not determined.	
Density at 20 °C:	1.15 g/cm ³	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.	

GB

Printing date 16.07.2021

Revision: 16.07.2021

Trade name: Bis(ethylcyclopentadienyl)chromium, min. 98%

		(Contd. of page
· Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	0.0 %	
VOC (EC)	0.00 %	
· 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.

· 10.4 Conditions to avoid No further relevant information available.

- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- · Skin corrosion/irritation
- Causes skin irritation.
- \cdot Serious eye damage/irritation
- Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure
- May cause respiratory irritation.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- \cdot Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.

(Contd. on page 6)

Printing date 16.07.2021

CHEMICALS, INC.

Revision: 16.07.2021

Trade name: Bis(ethylcyclopentadienyl)chromium, min. 98%

- · **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

14.1 UN-Number	
14.1 UN-Number ADR, IMDG, IATA	UN3186
14.2 UN proper shipping name ADR IMDG, IATA	3186 SELF-HEATING LIQUID, INORGANIC, N.O.S. SELF-HEATING LIQUID, INORGANIC, N.O.S.
14.3 Transport hazard class(es)	
ADR	
Class	4
Label	4.2
Class	4.2 Substances liable to spontaneous combustion.
Label	4.2
14.4 Packing group ADR, IMDG, IATA	II
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
EMS Number:	F-A,S-J
Stowage Category	E
14.7 Transport in bulk according to Ann Marpol and the IBC Code	ex II of Not applicable.

(Contd. of page 5)

Printing date 16.07.2021

Revision: 16.07.2021

Trade name: Bis(ethylcyclopentadienyl)chromium, min. 98%

	(Contd. of page
· Transport/Additional information:	
· ADR	
\cdot Limited quantities (LQ)	0
$\cdot Excepted$ quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· IMDG	
· Limited quantities (LQ)	0
\cdot Excepted quantities (\widetilde{EQ})	Code: E2
1 1 (2/	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN ''Model Regulation'':	UN 3186 SELF-HEATING LIQUID, INORGANIC, N.O.S., 4. II

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.
- · Seveso category P7 PYROPHORIC LIQUIDS AND SOLIDS
- \cdot Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 40
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Department.
- · Contact: Technical Director

· Abbreviations and acronvms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Pyr. Liq. 1: Pyrophoric liquids – Category 1 Self-heat. 1: Self-heating substances and mixtures - Category 1 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3