Printing date 16.07.2021

CHEMICALS, INC.

Revision: 16.07.2021

SECTION 1: Identification of the substance/mixture and og	f the company/undertaking
1.1 Product identifier	
Trade name: <u>Manganese(IV) oxide, activated</u>	
<ul> <li>Item number: 25-1360</li> <li>CAS Number: 1313-13-9</li> <li>EC number: 215-202-6</li> <li>Index number: 025-001-00-3</li> <li>1.2 Relevant identified uses of the substance or mixture and uses advise No further relevant information available.</li> </ul>	ed against
1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Strem Chemicals, Inc. 7 Mulliken Way NEWBURYPORT, MA 01950 USA info@strem.com	
Further information obtainable from: Technical Department 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600	
SECTION 2: Hazards identification	
2.1 Classification of the substance or mixture	
2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008	
2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS02 flame	
2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS02 flame Org. Perox. F H242 Heating may cause a fire.	
2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008	
<ul> <li>2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008</li> <li>GHS02 flame</li> <li>Org. Perox. F H242 Heating may cause a fire.</li> <li>GHS07</li> <li>Acute Tox. 4 H302 Harmful if swallowed.</li> <li>Acute Tox. 4 H332 Harmful if inhaled.</li> <li>2.2 Label elements</li> <li>Labelling according to Regulation (EC) No 1272/2008</li> <li>The substance is classified and labelled according to the CLP regulation</li> </ul>	
<ul> <li>2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008</li> <li>GHS02 flame</li> <li>Org. Perox. F H242 Heating may cause a fire.</li> <li>GHS07</li> <li>Acute Tox. 4 H302 Harmful if swallowed.</li> <li>Acute Tox. 4 H332 Harmful if inhaled.</li> <li>2.2 Label elements</li> <li>Labelling according to Regulation (EC) No 1272/2008</li> <li>The substance is classified and labelled according to the CLP regulation</li> </ul>	
<ul> <li>2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008</li> <li>GHS02 flame</li> <li>Org. Perox. F H242 Heating may cause a fire.</li> <li>GHS07</li> <li>Acute Tox. 4 H302 Harmful if swallowed.</li> <li>Acute Tox. 4 H332 Harmful if inhaled.</li> <li>2.2 Label elements</li> <li>Labelling according to Regulation (EC) No 1272/2008</li> <li>The substance is classified and labelled according to the CLP regulation</li> <li>Hazard pictograms</li> </ul>	
<ul> <li>2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008</li> <li>GHS02 flame</li> <li>Org. Perox. F H242 Heating may cause a fire.</li> <li>Org. GHS07</li> <li>Acute Tox. 4 H302 Harmful if swallowed.</li> <li>Acute Tox. 4 H332 Harmful if inhaled.</li> <li>2.2 Label elements</li> <li>Labelling according to Regulation (EC) No 1272/2008</li> <li>The substance is classified and labelled according to the CLP regulation</li> <li>Hazard pictograms</li> <li>GHS02 GHS07</li> </ul>	

# HEMICALS, INC.

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.07.2021

Revision: 16.07.2021

#### Trade name: Manganese(IV) oxide, activated

	(Contd. of page 1)
· Hazard stateme	ents
H242 He	eating may cause a fire.
H302+H332 Ha	armful if swallowed or if inhaled.
· Precautionary	statements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P221	Take any precaution to avoid mixing with combustibles.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· 2.3 Other hazar	rds
· Results of PBT	and vPvB assessment

• *PBT:* Not applicable.

• **vPvB**: Not applicable.

#### SECTION 3: Composition/information on ingredients

- · 3.1 Chemical characterisation: Substances
- · CAS No. Description

1313-13-9 manganese dioxide

- · Identification number(s)
- EC number: 215-202-6
- · Index number: 025-001-00-3

#### **SECTION 4: First aid measures**

- 4.1 Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

#### **SECTION 5: Firefighting measures**

· 5.1 Extinguishing media

• Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

 $(Contd. \ on \ page \ 3)$ 

Printing date 16.07.2021

Revision: 16.07.2021

(Contd. of page 2)

Trade name: Manganese(IV) oxide, activated

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

#### **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: No special measures required.
- 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

- · 7.1 Precautions for safe handling
- Thorough dedusting.
- Ensure good ventilation/exhaustion at the workplace.
- · Information about fire and explosion protection: Keep ignition sources away Do not smoke.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

- Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

#### · Ingredients with limit values that require monitoring at the workplace:

- 1313-13-9 manganese dioxide
- WEL Long-term value: 0.5 mg/m<sup>3</sup>
  - as Mn
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Respiratory protection:
- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 4)

GB

Printing date 16.07.2021

CHEMICALS, INC.

Revision: 16.07.2021

nde name: Manganese(IV) oxide, activated		
Desta d'an a Chan In	(Contd. of page	
· Protection of hands:		
Protective gloves		
	le and resistant to the product/ the substance/ the preparation.	
chemical mixture.	n to the glove material can be given for the product/ the preparation/ t	
· Material of gloves	eration of the penetration times, rates of diffusion and the degradation	
varies from manufacturer to manufacture	not only depend on the material, but also on further marks of quality a er.	
• Penetration time of glove material The exact break through time has to be observed.	e found out by the manufacturer of the protective gloves and has to	
• <b>Eye protection:</b> Safety glasses		
· 9.1 Information on basic physical and c	hemical properties	
· General Information		
· Appearance:	Powder	
Form: Colour:	Powaer Brown	
· Odour:	Odourless	
• Odour threshold:	Not determined.	
· pH-value:	Not applicable.	
· Change in condition		
Melting point/freezing point:	535 °C	
Initial boiling point and boiling range	: Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gas):	May cause fire.	
	Flammable.	
· Ignition temperature:		
Decomposition temperature:	Not determined.	
• Auto-ignition temperature:	Not determined.	
• Explosive properties:	Product does not present an explosion hazard.	
• Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure:	Not applicable.	
· Density at 20 °C: · Relative density	5.026 g/cm <sup>3</sup> Not determined.	
· Kelalive density · Vapour density	Not applicable.	
• Vapour aensity • Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
water:	Insoluble.	
· Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity: Dynamic:	Not applicable.	

(Contd. on page 5) GB

Printing date 16.07.2021

Revision: 16.07.2021

#### Trade name: Manganese(IV) oxide, activated

		(Contd. of page 4)
Kinematic:	Not applicable.	
· Solvent content: Organic solvents: VOC (EC)	0.0 % 0.00 %	
Solids content: • 9.2 Other information	100.0 % No further relevant information available.	

#### **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

#### **SECTION 11: Toxicological information**

· 11.1 Information on toxicological effects

· Acute toxicity

- Harmful if swallowed or if inhaled.
- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

#### **SECTION 12: Ecological information**

#### · 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

(Contd. on page 6)

Printing date 16.07.2021

Revision: 16.07.2021

Trade name: Manganese(IV) oxide, activated

(Contd. of page 5)

#### **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

#### · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.

14.1 UN-Number ADR, IMDG, IATA	UN1479
14.2 UN proper shipping name ADR IMDG, IATA	1479 OXIDIZING SOLID, N.O.S. OXIDIZING SOLID, N.O.S.
14.3 Transport hazard class(es)	
ADR	
Class	5
Label	5.1
Class Label	5.1 Oxidising substances. 5.1
14.4 Packing group ADR, IMDG, IATA	II
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user Danger code (Kemler): EMS Number: Stowage Category Segregation Code	Not applicable. 65 F-A,S-Q B SG38 Stow "separated from" ammonium compounds. SG49 Stow "separated from" cyanides SG60 Stow "separated from" peroxides SG61 Stow "separated from" powdered metals
14.7 Transport in bulk according to Ann Marpol and the IBC Code	ex II of Not applicable.



GE

#### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.07.2021

Revision: 16.07.2021

Trade name: Manganese(IV) oxide, activated

	(Contd. of page 6)
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	1 kg
$\cdot$ Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 500 g
Transport category	3
Tunnel restriction code	E
· IMDG	
Limited quantities (LQ)	1 kg
Excepted quantities $(\widetilde{E}Q)$	Code: E2
	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 500 g
UN ''Model Regulation'':	UN 1479 OXIDIZING SOLID, N.O.S., 5.1, II

#### **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.
- Seveso category P6b SELF-REACTIVE SUBSTANCES AND MIXTURES and ORGANIC PEROXIDES
- $\cdot$  Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Department.
- · Contact: Technical Director
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

- IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- VOC: Volatile Organic Compounds (USA, EU)
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- Org. Perox. F: Organic peroxides Type E/F
- Acute Tox. 4: Acute toxicity Category 4