

CHEMICALS, INC.

Revision: 15.02.2022

$\begin{array}{c} 1.1 \ Product identifier\\ \hline Trade name: Bis/pentamethylcyclopentadienyl)nickel, 98% (Decamethylnickelocene)\\ \hline Hen number: 38-0085\\ \hline C4S Number: 38-0085\\ \hline C4S NumberServer Hallow and the state of the substance or mixture and uses advised against No further relevant information available.\\ \hline 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.\\\hline \hline 1.3 Details of the supplier of the safety data sheet ManufacturerSupplier: Streen Chemicals, Inc. \neg MunificturerSupplier: Streen Chemicals, Inc. \\\neg Multiken Way New WORTORT, MA 01950 USA \\ USA \\ Info@Streen.com \\\hline \hline Further information obtainable from: Technical Department \\\hline 1.4 Emergency telephone number: \\\hline MERGENCY: CHEMTREC: + 1 (800) 424-9300 \\ During normal opening times: +1 (978) 499-1600 \\\hline\hline \hline MERCENCY: CHEMTREC: +1 (800) 424-9300 \\ During normal opening times: +1 (978) 499-1600 \\\hline\hline \hline \hline \\ SECTION 2: Hazards identification \\\hline \hline \hline \\ 2.1 Classification of the substance or mixture \\\hline \hline \\ Classification according to Regulation (EC) No 1272/2008 \\\hline\hline \\ Flam. Sol. 1 H228 Flammable solid. \\\hline\hline \\ 2.1 Lassification according to Regulation (EC) No 1272/2008 \\\hline \\ The substance is classified and labelled according to the CLP regulation. \\\hline Hazard belognames \\\hline\hline \\ 2.1 Lassification components of Iabelling: hstopenamethylcyclopentadienyl pinckel, 98% \\\hline \\ Hazard biograms \\\hline\hline \\ Signal word Danger \\\hline \\ Hazard factorist \\ Hazard statements \\\hline \\ Hazard factorist \\\hline \\ Hazard etternets \\\hline \\ \\ Hazard etternets \\\hline \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\$	SECTION 1	: Identification of the substance/mixture and of the company/undertaking	
$ \begin{array}{llllllllllllllllllllllllllllllllllll$			
Hen number: 28-0085 CAS Number: 74507-63-4 1-12 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. 1-3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Strem Chemicals, Inc. 7 Multiken Way NEWBURYPORT, MA 01950 USA info@strem.com Further information obtainable from: Technical Department 1-4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: + 1 (978) 499-1600 SECTION 2: Hazards identification Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 \widetilde{Q} GHS02 flame Flam. Sol. 1 H228 Flammable solid. \widetilde{Q} GHS02 flame Flam sol. 1 H350 May cause cancer. 2.2 Label elements Labeling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Heard pictograms Gifs02 GHS03 Gifs02 GHS04 Signal word Danger		-	
• Manufacturer/Supplie: Strem Chemicals, Inc. 7 Multiken Way NEWBURYPORT, MA 01950 USA info@strem.com • Further information obtainable from: Technical Department • I A Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600 SECTION 2: Hazards identification • 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008 © GHS02 flame Flam. Sol. 1 H228 Flammable solid. © GHS08 health hazard Care. 1A H350 May cause cancer. • 2.2 Label elements • Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. • Hazard pictograms © GHS02 GHS02 GHS02 GHS08 • Signal word Danger • Hazard-determining components of labelling: Bisfentamethylcyclopentatienylnickel, 98% • Hazard SFlammable solid. • Hazard SFlammable solid. • Hazard SFlammable solid. • Diffentamethylcyclopentatienylnickel, 98% • Hazard SFlammable solid. • Hazard SFlammable solid. • Hazard Jettermining components of labelling: Bisfentamethylcyclopentatienylnickel, 98% • Hazard SFlammable solid. • Diffentamethylcyclopentatienylnickel, 98% • Hazard Statements • Hazard SFlammable solid. • Hazard Statements • Hazard S	 Item number: CAS Number: 74507-63-4 1.2 Relevant ia 	28-0085 lentified uses of the substance or mixture and uses advised against	
$\begin{array}{llllllllllllllllllllllllllllllllllll$	• Manufacturer, Strem Chemica 7 Mulliken Wa NEWBURYPO USA	(Supplier: Is, Inc. V RT, MA 01950	
$\begin{array}{llllllllllllllllllllllllllllllllllll$	• 1.4 Emergency EMERGENCY	<i>telephone number:</i> CHEMTREC: + 1 (800) 424-9300	
• Classification according to Regulation (EC) No 1272/2008 \widetilde{V} $GHS02$ flame Flam. Sol. 1 H228 Flammable solid. \widetilde{V} $GHS08$ health hazard \widetilde{V} $GHS08$ health hazard Carc. 1A H350 May cause cancer. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms \widetilde{V} <td>SECTION 2</td> <td>: Hazards identification</td> <td></td>	SECTION 2	: Hazards identification	
 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms 	Flam. Sol. 1 H	228 Flammable solid.	
 Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms Gipso2 GHS02 GHS08 Signal word Danger Hazard-determining components of labelling: Bis(pentamethylcyclopentadienyl)nickel, 98% Hazard statements H228 Flammable solid. H350 May cause cancer. Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. 	Carc. 1A H	350 May cause cancer.	
 Signal word Danger Hazard-determining components of labelling: Bis(pentamethylcyclopentadienyl)nickel, 98% Hazard statements H228 Flammable solid. H350 May cause cancer. Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. 	• Labelling acco The substance	rding to Regulation (EC) No 1272/2008 is classified and labelled according to the CLP regulation.	
 Hazard-determining components of labelling: Bis(pentamethylcyclopentadienyl)nickel, 98% Hazard statements H228 Flammable solid. H350 May cause cancer. Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. 	GHS02 GH	S08	
Bis(pentamethylcyclopentadienyl)nickel, 98%Hazard statementsH228 Flammable solid.H350 May cause cancer.Precautionary statementsP101If medical advice is needed, have product container or label at hand.P102Keep out of reach of children.	• Signal word D	anger	
P102 Keep out of reach of children.	Bis(pentamethy • Hazard statem H228 Flammal H350 May cau • Precautionary	vlcyclopentadienyl)nickel, 98% ents ble solid. se cancer. statements	
(Contd. on page 2)		Keep out of reach of children.	•

HEMICALS, INC.

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.02.2022

Revision: 15.02.2022

Trade name: Bis(pentamethylcyclopentadienyl)nickel, 98% (Decamethylnickelocene)

(Contd. of page 1)

P103	Read label before use.
P231	Handle under inert gas.
P235	Keep cool.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P305+P351+P3	38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P422	Store contents under inert gas.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
\cdot 2.3 Other hazar	ds

· 2.5 Other nazaras

• Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.1 Chemical characterisation: Substances · CAS No. Description

74507-63-4 Bis(pentamethylcyclopentadienyl)nickel, 98%

SECTION 4: First aid measures

• 4.1 Description of first aid measures

• General information: Immediately remove any clothing soiled by the product.

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

• 5.1 Extinguishing media

- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

- 6.2 Environmental precautions: No special measures required.
- 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- 6.4 Reference to other sections

See Section 7 for information on safe handling.

(Contd. on page 3)

GB -

Printing date 15.02.2022

Revision: 15.02.2022

(Contd. of page 2)

Trade name: Bis(pentamethylcyclopentadienyl)nickel, 98% (Decamethylnickelocene)

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.

- · Handling: Handle under inert gas.
- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Keep cool.
- Store contents under inert gas.
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Keep container tightly sealed.
- Recommended storage temperature: Store at temperatures not exceeding -18 °C. Keep cool.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.
- Store protective clothing separately.
- Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation (Contd. on page 4)

Printing date 15.02.2022

CHEMICALS, INC.

Revision: 15.02.2022

	(Contd. of page
varies from manufacturer to manufactur	not only depend on the material, but also on further marks of quality a er.
Penetration time of glove material	e found out by the manufacturer of the protective gloves and has to
observed.	e jound out by the manujacturer of the protective gloves and has to
Eye protection:	
Tightly sealed goggles	
9.1 Information on basic physical and c	hemical properties
General Information	
Appearance: Form:	Crystalline
Form: Colour:	Dark green
Odour:	Odourless
Odour threshold:	Not determined.
pH-value:	Not applicable.
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range	: Undetermined.
Flash point:	Not applicable.
Flammability (solid, gas):	Flammable.
Ignition temperature:	
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Not determined.
Explosive properties:	Not determined.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	Not applicable.
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with water:	Insoluble.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
Solvent content:	
Organic solvents:	0.0 %
VOC (EC)	0.00 %
Solids content:	100.0 %

Printing date 15.02.2022

Revision: 15.02.2022

Trade name: Bis(pentamethylcyclopentadienyl)nickel, 98% (Decamethylnickelocene)

(Contd. of page 4)

• 9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

- Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity
- May cause cancer.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · 12.5 Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

GB

Revision: 15.02.2022

Trade name: Bis(pentamethylcyclopentadienyl)nickel, 98% (Decamethylnickelocene)

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport informa	tion
	non
14.1 UN-Number ADR, IMDG, IATA	UN1325
	0111525
<i>14.2 UN proper shipping name ADR</i>	1325 FLAMMABLE SOLID, ORGANIC, N.O.S.
IMDG, IATA	FLAMMABLE SOLID, ORGANIC, N.O.S.
14.3 Transport hazard class(es)	
ADR, IMDG	
¥	
Class Label	4 4.1
	7.1
ΙΑΤΑ	
V	
Class	4.1 Flammable solids, self-reactive substances and soli
Label	desensitised explosives. 4.1
	1.1
14.4 Packing group ADR, IMDG, IATA	II
14.5 Environmental hazards:	-
Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
EMS Number:	F-A,S-G
Stowage Category	В
14.7 Transport in bulk according to Ann	ex II of
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	l kg
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g
UN "Model Regulation":	
UN MOUEI REGUIUION :	UN 1325 FLAMMABLE SOLID, ORGANIC, N.O.S., 4.1, II

GB

(Contd. on page 7)



Printing date 15.02.2022

(Contd. of page 5)

Printing date 15.02.2022

Revision: 15.02.2022

Trade name: Bis(pentamethylcyclopentadienyl)nickel, 98% (Decamethylnickelocene)

(Contd. of page 6)

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I Substance is not listed.

- · National regulations:
- Additional classification according to Decree on Hazardous Materials, Annex II: Carcinogenic hazardous material group I (extremely dangerous). Carcinogenic hazardous material group II (very dangerous). Carcinogenic hazardous material group III (dangerous).
- Information about limitation of use:

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Technical Department.

- · Contact: Technical Director
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

- Flam. Sol. 1: Flammable solids Category 1
- Carc. 1A: Carcinogenicity Category 1A