Printing date 02/15/2022

CHEMICALS

Reviewed on 02/03/2016

1 1 1	
llont	fication
1 Iuchu	ncunon

- · Product name
- Trade name: Bis(i-propylcyclopentadienyl)nickel, min. 98%
- Item number: 28-0086
- CAS Number: 57197-55-4
- Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Strem Chemicals, Inc. 7 Mulliken Way NEWBURYPORT, MA 01950 USA info@strem.com
- · Information department: Technical Department
- *Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600*


# 2 Hazard(s) identification

· Classification of the substance or mixture GHS02 Flame Flam. Liq. 2 H225 Highly flammable liquid and vapor. GHS08 Health hazard Carc. 1A H350 May cause cancer. GHS07 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation. · Label elements · GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms GHS02 GHS07 GHS08 · Signal word Danger · Hazard-determining components of labeling: Bis(i-propylcyclopentadienyl)nickel, min. 98% (Contd. on page 2)

- US

Printing date 02/15/2022

Reviewed on 02/03/2016



#### 3 Composition/information on ingredients

- · Chemical characterization: Substances
- CAS No. Description
- 57197-55-4 Bis(i-propylcyclopentadienyl)nickel, min. 98%

### **4 First-aid measures**

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3) US

Printing date 02/15/2022

Reviewed on 02/03/2016

(Contd. of page 2)

Trade name: Bis(i-propylcyclopentadienyl)nickel, min. 98%

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.* 

### **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

### 6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- Environmental precautions: Prevent seepage into sewage system, workpits and cellars.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals
- · PAC-1:

Substance is not listed.

· PAC-2:

Substance is not listed.

· PAC-3:

Substance is not listed.

### 7 Handling and storage

- · Handling: Handle under inert gas.
- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- *Open and handle receptacle with care. Prevent formation of aerosols.*

• Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- Storage:
- Keep cool.
- Store contents under inert gas.
- Requirements to be met by storerooms and receptacles: Store in a cool location.

\_\_\_\_\_



<sup>-</sup> US

Printing date 02/15/2022

Reviewed on 02/03/2016

(Contd. on page 5)

Trade name: Bis(i-propylcyclopentadienyl)nickel, min. 98% (Contd. of page 3) · Information about storage in one common storage facility: Store away from foodstuffs. · Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles. • **Recommended storage temperature:** Store at temperatures not exceeding -18 °C. Keep cool. · Specific end use(s) No further relevant information available. 8 Exposure controls/personal protection • Additional information about design of technical systems: No further data; see item 7. · Control parameters • Components with limit values that require monitoring at the workplace: Not required. • Additional information: The lists that were valid during the creation were used as basis. · Exposure controls · Personal protective equipment: • General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin. • Breathing equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134. • Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. · Eye protection: Tightly sealed goggles 9 Physical and chemical properties · Information on basic physical and chemical properties **General Information** Appearance: Form: Liquid

Printing date 02/15/2022

CHEMICALS, INC.

Reviewed on 02/03/2016

Trade name:	Bis(i-propy	lcyclopentadie	nyl)nickel, min	. 98%
-------------	-------------	----------------	-----------------	-------

	(Contd. of page
Color:	Green
· Odor:	Odorless
· Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not determined.
· Ignition temperature:	
Decomposition temperature:	Not determined.
· Auto igniting:	Not determined.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure:	Not determined.
Density:	Not determined.
Relative density	Not determined.
· Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wat	ter): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	0.0 %
VOC content:	0.0 g/l / 0.00 lb/gl
Other information	No further relevant information available.

# 10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

• Conditions to avoid No further relevant information available.

• *Incompatible materials:* No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)

US

Printing date 02/15/2022

CHEMICALS. INC

Reviewed on 02/03/2016

Trade name: Bis(i-propylcyclopentadienyl)nickel, min. 98%

(Contd. of page 5)

### **11 Toxicological information**

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

### OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

### **12 Ecological information**

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

### **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

UN-Number		
DOT, IMDG, IATA	UN1993	
UN proper shipping name		
DOT	Flammable liquids, n.o.s.	

Printing date 02/15/2022

CHEMICALS, INC.

Reviewed on 02/03/2016

# Trade name: Bis(i-propylcyclopentadienyl)nickel, min. 98%

	(Contd. of page
IMDG, IATA	FLAMMABLE LIQUID, N.O.S.
Transport hazard class(es)	
DOT	
3	
Class	3 Flammable liquids
Label	3 Frammable liquias 3
IMDG, IATA	<sup>1</sup>
<b>W</b>	
Class Label	3 Flammable liquids 3
	3
Packing group DOT, IMDG, IATA	II
	11
Environmental hazards: Marine pollutant:	No
-	
Special precautions for user EMS Number:	Warning: Flammable liquids F-E,S-E
Stowage Category	B
Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1993 FLAMMABLE LIQUIDS, N.O.S., 3, II

# **15 Regulatory information**

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

• Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is not listed.

(Contd. on page 8)

US

Printing date 02/15/2022

Reviewed on 02/03/2016

(Contd. of page 7)

Trade name: Bis(i-propylcyclopentadienyl)nickel, min. 98%

• <b>TSCA (Toxic Su</b> Substance is not	ibstances Control Act):
Substance is not	
	listed.
· Proposition 65	
· Chemicals know	vn to cause cancer:
Substance is not	listed.
· Chemicals know	on to cause reproductive toxicity for females:
Substance is not	
Substance is not	vn to cause reproductive toxicity for males:
	vn to cause developmental toxicity:
Substance is not	listed.
· Carcinogenic ca	itegories
· EPA (Environm	ental Protection Agency)
Substance is not	listed.
• TLV (Threshold	Limit Value established by ACGIH)
Substance is not	• •
· NIOSH-Ca (Nat	tional Institute for Occupational Safety and Health)
Substance is not	
	classified and labeled according to the Globally Harmonized System (GHS).
The substance is	classified and labeled according to the Globally Harmonized System (GHS).
The substance is Hazard pictogra	classified and labeled according to the Globally Harmonized System (GHS). ms 07 GHS08
The substance is Hazard pictogra	classified and labeled according to the Globally Harmonized System (GHS). ms 07 GHS08 nger ning components of labeling: opentadienyl)nickel, min. 98% nts
The substance is Hazard pictogra	classified and labeled according to the Globally Harmonized System (GHS). ms 07 GHS08 nger ning components of labeling: opentadienyl)nickel, min. 98% nts mmable liquid and vapor.
The substance is Hazard pictogra GHS02 GHS Signal word Dar Hazard-determin Bis(i-propylcyclo Hazard statemen H225 Highly flai H315 Causes ski H319 Causes ser	classified and labeled according to the Globally Harmonized System (GHS). ms 07 GHS08 nger ning components of labeling: opentadienyl)nickel, min. 98% nts mmable liquid and vapor. in irritation. rious eye irritation.
The substance is • Hazard pictogra • GHS02 GHS • Signal word Dat • Hazard-determin Bis(i-propylcyclo • Hazard statement H225 Highly flan H315 Causes skit H319 Causes ser H350 May cause	classified and labeled according to the Globally Harmonized System (GHS). (ms) ins ins ing ing ing components of labeling: ing component
The substance is Hazard pictogra GHS02 GHS Signal word Dar Hazard-determin Bis(i-propylcyclo Hazard statement H225 Highly flan H315 Causes skit H319 Causes ser H350 May cause H335 May cause	classified and labeled according to the Globally Harmonized System (GHS). ms 2000 $2000$
The substance is Hazard pictogra GHS02 GHS Signal word Dan Hazard-determin Bis(i-propylcyclo Hazard statement H225 Highly flan H315 Causes seit H319 Causes seit H350 May cause H335 May cause Precautionary set	classified and labeled according to the Globally Harmonized System (GHS). ms $2000  ext{op}$ $2000  ext{o$
The substance is Hazard pictogra GHS02 GHS Signal word Dar Hazard-determin Bis(i-propylcyclo Hazard statement H225 Highly flan H315 Causes skit H319 Causes ser H350 May cause H335 May cause	classified and labeled according to the Globally Harmonized System (GHS). ms v $v$ $v$ $v$ $v$ $v$ $v$ $v$ $v$ $v$
The substance is Hazard pictogra GHS02 GHS Signal word Dar Hazard-determin Bis(i-propylcyclo Hazard statement H225 Highly flan H315 Causes skit H319 Causes seet H350 May cause H355 May cause H35	classified and labeled according to the Globally Harmonized System (GHS). ms
The substance is Hazard pictogra GHS02 GHS Signal word Dar Hazard-determin Bis(i-propylcyclo Hazard statement H225 Highly flan H315 Causes skit H319 Causes seet H350 May cause H355 May cause H35	classified and labeled according to the Globally Harmonized System (GHS). ms V V V OT GHS08 nger ning components of labeling: opentadienyl)nickel, min. 98% nts mmable liquid and vapor. in irritation. rious eye irritation. e cancer. e respiratory irritation. tatements Handle under inert gas. Keep away from heat/sparks/open flames/hot surfaces. No smoking. IF SWALLOWED: Immediately call a POISON CENTER/ doctor. 38 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present
The substance is Hazard pictogra GHS02 GHS Signal word Dar Hazard-determin Bis(i-propylcyclo Hazard statement H225 Highly flan H315 Causes skit H319 Causes ser H350 May cause H335 May cause Precautionary su P231 P210 P301+P310 P305+P351+P3	classified and labeled according to the Globally Harmonized System (GHS). ms V V V OT GHS08 nger ning components of labeling: opentadienyl)nickel, min. 98% nus popentadienyl)nickel, min. 98% nus popentadienyl, min. 98% nus popentadienyl, min. 98% popentadienyl, min. 98% nus popentadienyl, min. 98% popentadienyl, min. 98% popentadieny
The substance is Hazard pictogra GHS02 GHS Signal word Dar Hazard-determin Bis(i-propylcyclo Hazard statement H225 Highly flan H315 Causes skit H319 Causes seet H350 May cause H355 May cause H35	classified and labeled according to the Globally Harmonized System (GHS). ms of GHS08 nger ming components of labeling: opentadienyl)nickel, min. 98% ms mmable liquid and vapor. in irritation. rious eye irritation. e cancer. e respiratory irritation. tatements Handle under inert gas. Keep away from heat/sparks/open flames/hot surfaces. No smoking. IF SWALLOWED: Immediately call a POISON CENTER/ doctor. 138 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store contents under inert gas.
The substance is Hazard pictogra GHS02 GHS Signal word Dar Hazard-determin Bis(i-propylcyclo Hazard statemen H225 Highly flan H315 Causes ski H319 Causes ser H350 May causes H350 May causes Precautionary su P231 P210 P301+P310 P305+P351+P3 P422	classified and labeled according to the Globally Harmonized System (GHS). ms V V V OT GHS08 nger ning components of labeling: opentadienyl)nickel, min. 98% nus popentadienyl)nickel, min. 98% nus popentadienyl, min. 98% nus popentadienyl, min. 98% popentadienyl, min. 98% nus popentadienyl, min. 98% popentadienyl, min. 98% popentadieny



Printing date 02/15/2022

Reviewed on 02/03/2016

Trade name: Bis(i-propylcyclopentadienyl)nickel, min. 98%

(Contd. of page 8)

• National regulations:

- Additional classification according to Decree on Hazardous Materials: Carcinogenic hazardous material group I (extremely dangerous). Carcinogenic hazardous material group II (very dangerous). Carcinogenic hazardous material group III (dangerous).
- Information about limitation of use: Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Department.
- · Contact: Technical Director
- · Date of preparation / last revision 02/15/2022 / -

· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Liq. 2: Flammable liquids - Category 2 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Carc. 1A: Carcinogenicity - Category 1A STOT SE 3: Specific target organ toxicity (single exposure) - Category 3