Printing date 07/17/2021

CHEMICALS, INC.

Reviewed on 07/17/2021

Trade name: Nickel(II) chloride hexahydrate (99.999+%-Ni) PURATREM         Item number: 28-1160         CAS Number:         7291-20-0         EC number:         253-399-0         Details of the supplier of the safety data sheet         Manufacturer/Supplier:         Strem Chemicals, Inc.         Multiken Way         NEWBURYPORT, MA 01950         USA         info@ strem.com         Information department: Technical Department         Emergency telephone number:         EMERGENCY: CHEMTREC: + 1 (800) 424-9300         During normal opening times: +1 (978) 499-1600         Itazard(s) identification         Classification of the substance or mixture         Image:         Image:         GHS06 Skull and crossbones         Acute Tox. 3 H301 Toxic if swallowed.         Image:         Image:         GHS06 Skull and crossbones         Acute Tox. 3 H301 Toxic if swallowed.         Image:         Image:         GHS06 Skull and crossbones         Acute Tox. 3 H301 Toxic if swallowed.         Image:         Image:         GHS06 Skull and crossbones         Acute Tox. 1 H334 May cause allergy or asthma symptoms or breathing dif		ne
CAS Number:         7791-20-0         EC number:         253-399-0         Details of the supplier of the safety data sheet         Manufacture?Supplier:         Strem Chemicals, Inc.         7 Multiken Way         NEWBURYPORT, MA 01950         USA         info@strem.com         Information department: Technical Department         Emergency telephone number:         EMERGENCY: CHEMTREC: + 1 (800) 424-9300         During normal opening times: +1 (978) 499-1600         Mustant         Maxard(s) identification         Classification of the substance or mixture $$ $$ $$ GHS06 Skull and crossbones         Acute Tox. 3         H301 Toxic if swallowed. $$ $$ GHS08 Health hazard         Resp. Sens. 1         H344 May cause allergy or asthma symptoms or breathing difficulties if inhaled.         Mua. 1A       H340 May cause endicefects.         Car: 1A       H350 May cause endice         Skin Irrit. 2       H315 Causes skin irritation.         Eye Irrit. 2A       H319 Causes serious eye irritation.         Skin Sens. 1       H317 May	Trade name	: Nickel(II) chloride hexahydrate (99.999+%-Ni) PURATREM
7791-20-0 EC number: 253-399-0 Details of the supplier of the safety data sheet Manufacturer/Supplier: Strem Chemicals, Inc. 7 Mulliken Way NEWBURYPORT, MA 01950 USA info@strem.com Information department: Technical Department Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600 Hazard(s) identification Classification of the substance or mixture $\overrightarrow{vv}$ GHS06 Skull and crossbones Acute Tox. 3 H301 Toxic if swallowed. $\overrightarrow{vv}$ GHS08 Health hazard Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. Mua. 1A H340 May cause genetic defects. Care. 1A H350 May cause ancer. $\overrightarrow{vv}$ GHS07 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H315 Causes skin irritation. Skin Sens. 1 H374 May cause an allergic skin reaction. Stor SE3 H335 May cause respiratory irritation. Eye Irrit. 2 H315 Causes expiratory irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. Stor SE3 H335 May cause respiratory irritation. Label elements	Item numbe	<b>r:</b> 28-1160
EC number:         233.399-0         Details of the supplier of the safety data sheet         Manufacturer/Supplier:         Strem Chemicals, Inc.         7 Mulliken Way         NEWBURTPORT, MA 01950         USA info@strem.com         Information department: Technical Department         Emergency telephone number:         EMERGENCY: CHEMTREC: + 1 (800) 424-9300         During normal opening times: +1 (978) 499-1600         Hazard(s) identification         Classification of the substance or mixture $$ <td></td> <td>er:</td>		er:
253-399-0 Details of the supplier of the safety data sheet Manufacturer/Supplier: Strem Chemicals, Inc. 7 Multiken Way NEWBURYPORT, MA 01950 USA info@strem.com Information department: Technical Department Emergency telephone number: EMERGENCY: CHEMITREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600 Hazard(s) identification Classification of the substance or mixture		
Manufacturer/Supplier: Strem Chemicals, Inc.Strem Chemicals, Inc. 7 Multikew Way NEWBURYPORT, MA 01950 USA info@strem.comInformation department: Technical Department Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600Hazard(s) identificationClassification of the substance or mixture $\widetilde{vvv}$ $\widetilde{vvv}$ GHS06 Skull and crossbonesAcute Tox. 3H301 Toxic if swallowed. $\widetilde{vvv}$ $\widetilde{vvvv}$ GHS08 Health hazardResp. Sens. 1H34 May cause allergy or asthma symptoms or breathing difficulties if inhaled. Muta. 1A H350 May cause cancer. $vvvvvvvvvvvvvvvvvvvvvvvvvvvvvvvvvvvv$		
Manufacturer/Supplier: Strem Chemicals, Inc.Strem Chemicals, Inc. 7 Multikew Way NEWBURYPORT, MA 01950 USA info@strem.comInformation department: Technical Department Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600Hazard(s) identificationClassification of the substance or mixture $\widetilde{vvv}$ $\widetilde{vvv}$ GHS06 Skull and crossbonesAcute Tox. 3H301 Toxic if swallowed. $\widetilde{vvv}$ $\widetilde{vvvv}$ GHS08 Health hazardResp. Sens. 1H34 May cause allergy or asthma symptoms or breathing difficulties if inhaled. Muta. 1A H350 May cause cancer. $vvvvvvvvvvvvvvvvvvvvvvvvvvvvvvvvvvvv$	Details of th	e supplier of the safety data sheet
7 Mulliken Way NEWBURYPORT, MA 01950 USA info@strem.com Information department: Technical Department Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: + 1 (978) 499-1600 Hazard(s) identification Classification of the substance or mixture	Manufactur	er/Supplier:
NEWBURYPORT, MA 01950 USA info@strem.com Information department: Technical Department Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600 Hazard(s) identification Classification of the substance or mixture of GHS06 Skull and crossbones Acute Tox. 3 H301 Toxic if swallowed.		
USA info@strem.com Information department: Technical Department Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600 Hazard(s) identification Classification of the substance or mixture		
Information department: Technical Department Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600		
Emergency telephone number:         EMERGENCY: CHEMTREC: + 1 (800) 424-9300         During normal opening times: +1 (978) 499-1600         Hazard(s) identification         Classification of the substance or mixture $ifficient ifficient iffication         Classification of the substance or mixture         ifficient ifficie$	info@strem.	com
EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600         Hazard(s) identification         Classification of the substance or mixture         Image: GHS06 Skull and crossbones         Acute Tox. 3       H301 Toxic if swallowed.         Image: GHS08 Health hazard         Resp. Sens. 1       H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.         Muta. 1A       H340 May cause genetic defects.         Carc: 1A       H350 May cause cancer.         Image: GHS07         Skin Irrit. 2       H315 Causes skin irritation.         Eye Irrit. 2A       H319 Causes and lergic skin reaction.         Skin Sens. 1       H317 May cause an allergic skin reaction.         Stort SE 3       H335 May cause respiratory irritation.         Label elements       Label elements		
During normal opening times: +1 (978) 499-1600 Hazard(s) identification Classification of the substance or mixture GHS06 Skull and crossbones Acute Tox. 3 H301 Toxic if swallowed.		
Hazard(s) identification         Classification of the substance or mixture         GHS06 Skull and crossbones         Acute Tox. 3 H301 Toxic if swallowed.         Question of the substance or mixture         Skin Irrit. 2		
Classification of the substance or mixture GHS06 Skull and crossbones Acute Tox. 3 H301 Toxic if swallowed.	0	
Classification of the substance or mixture GHS06 Skull and crossbones Acute Tox. 3 H301 Toxic if swallowed.		بر دم در چه
GHS06 Skull and crossbones         Acute Tox. 3       H301 Toxic if swallowed.         Image: GHS08 Health hazard         Resp. Sens. 1       H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.         Muta. 1A       H340 May cause genetic defects.         Carc. 1A       H350 May cause cancer.         Image: GHS07         Skin Irrit. 2       H315 Causes skin irritation.         Eye Irrit. 2A       H319 Causes serious eye irritation.         Skin Sens. 1       H317 May cause an allergic skin reaction.         STOT SE 3       H335 May cause respiratory irritation.         Label elements       Label set	Hazard(s)	identification
Acute Tox. 3 H301 Toxic if swallowed.	Classificatio	n of the substance or mixture
Acute Tox. 3 H301 Toxic if swallowed.		
GHS08 Health hazardResp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.Muta. 1AH340 May cause genetic defects.Carc. 1AH350 May cause cancer.OutputSkin Irrit. 2H315Causes skin irritation.Eye Irrit. 2AH319Causes serious eye irritation.Skin Sens. 1H317May cause an allergic skin reaction.STOT SE 3H335May cause respiratory irritation.Label elements	George G	HS06 Skull and crossbones
GHS08 Health hazardResp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.Muta. 1AH340 May cause genetic defects.Carc. 1AH350 May cause cancer.Image: Colspan="2">Optimized of the symptom series of the sympt		
Resp. Sens. 1H334May cause allergy or asthma symptoms or breathing difficulties if inhaled.Muta. 1AH340May cause genetic defects.Carc. 1AH350May cause cancer.Image: Carce of the symptoms of the symptom of the sym		
Resp. Sens. 1H334May cause allergy or asthma symptoms or breathing difficulties if inhaled.Muta. 1AH340May cause genetic defects.Carc. 1AH350May cause cancer.Image: Carce of the symptoms of the symptom of the sym	Acute Tox. 3	H301 Toxic if swallowed.
Muta. 1A H340 May cause genetic defects. Carc. 1A H350 May cause cancer. Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. STOT SE 3 H335 May cause respiratory irritation. <b>Label elements</b>		
Muta. 1A H340 May cause genetic defects. Carc. 1A H350 May cause cancer. Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. STOT SE 3 H335 May cause respiratory irritation. <b>Label elements</b>		
Carc. 1A H350 May cause cancer. Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. STOT SE 3 H335 May cause respiratory irritation. Label elements	G C	HS08 Health hazard
Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. STOT SE 3 H335 May cause respiratory irritation. Label elements	Resp. Sens.	HS08 Health hazard 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. STOT SE 3 H335 May cause respiratory irritation. Label elements	Resp. Sens. Muta. 1A	HS08 Health hazard 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H340 May cause genetic defects.
Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. STOT SE 3 H335 May cause respiratory irritation. Label elements	Resp. Sens. Muta. 1A	HS08 Health hazard 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H340 May cause genetic defects.
Eye Irrit. 2AH319Causes serious eye irritation.Skin Sens. 1H317May cause an allergic skin reaction.STOT SE 3H335May cause respiratory irritation.Label elements	Resp. Sens. Muta. 1A Carc. 1A	HS08 Health hazard 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H340 May cause genetic defects. H350 May cause cancer.
Eye Irrit. 2AH319Causes serious eye irritation.Skin Sens. 1H317May cause an allergic skin reaction.STOT SE 3H335May cause respiratory irritation.Label elements	Resp. Sens. Muta. 1A Carc. 1A	HS08 Health hazard 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H340 May cause genetic defects. H350 May cause cancer.
Skin Sens. 1 H317 May cause an allergic skin reaction. STOT SE 3 H335 May cause respiratory irritation. Label elements	Resp. Sens. Muta. 1A Carc. 1A	HS08 Health hazard 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H340 May cause genetic defects. H350 May cause cancer. HS07
STOT SE 3 H335 May cause respiratory irritation. Label elements	Resp. Sens. Muta. 1A Carc. 1A Carc. 1A Skin Irrit. 2	HS08 Health hazard 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H340 May cause genetic defects. H350 May cause cancer. HS07 H315 Causes skin irritation.
Label elements	Resp. Sens. Muta. 1A Carc. 1A Carc. 1A Skin Irrit. 2 Eye Irrit. 2A	HS08 Health hazard 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H340 May cause genetic defects. H350 May cause cancer. HS07 H315 Causes skin irritation. H319 Causes serious eye irritation.
	Resp. Sens. Muta. 1A Carc. 1A Carc. 1A Skin Irrit. 2 Eye Irrit. 2A Skin Sens. 1	HS08 Health hazard 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H340 May cause genetic defects. H350 May cause cancer. HS07 H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction.
	Resp. Sens. Muta. 1A Carc. 1A Carc. 1A Skin Irrit. 2 Eye Irrit. 2A Skin Sens. 1 STOT SE 3	HS08 Health hazard 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H340 May cause genetic defects. H350 May cause cancer. HS07 H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H335 May cause respiratory irritation.

Printing date 07/17/2021

CHEMICALS, INC.

Reviewed on 07/17/2021

Hazard pictogra	(Contd. of pag
GHS06 GHS	07 GHS08
· Signal word Dat	nger
· Hazard-determi	ning components of labeling:
	de hexahydrate (99.999+%-Ni) PURATREM
· Hazard statemen	nts
H301 Toxic if sw	vallowed.
H315 Causes ski	
	rious eye irritation.
	e allergy or asthma symptoms or breathing difficulties if inhaled.
	e an allergic skin reaction.
H340 May cause	
H350 May cause	
	e respiratory irritation.
• Precautionary s	
P284	[In case of inadequate ventilation] wear respiratory protection.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P305+P351+P3	38 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if pres
	and easy to do. Continue rinsing.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local/regional/national/internatio
	regulations.
· Classification sy	
· NFPA ratings (s	(cale 0 - 4)
H	ealth = 2
	re = 0
	eactivity = 0
• HMIS-ratings (s	•
	scale () - 4)
HEALTH *2 H	Health = *2
FIRE 0	Fire = 0
REACTIVITY 0 F	Reactivity = 0
• Other hazards	
	and vPvB assessment
• <b>PBT:</b> Not applic	
• <b>vPvB:</b> Not applied	cadle.

Chemical characterization: Substances
 CAS No. Description
 7791-20-0 Nickel(II) chloride hexahydrate (99.999+%-Ni) PURATREM

(Contd. on page 3)

US –

Printing date 07/17/2021

Reviewed on 07/17/2021

Trade name: Nickel(II) chloride hexahydrate (99.999+%-Ni) PURATREM

(Contd. of page 2)

· Identification number(s)

• EC number: 253-399-0

#### 4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

- In case of irregular breathing or respiratory arrest provide artificial respiration.
- After inhalation:

Supply fresh air and to be sure call for a doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- *After skin contact: Immediately wash with water and soap and rinse thoroughly.*
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- *After swallowing:* Do not induce vomiting; immediately call for medical help.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

#### **5** Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: No special measures required.
- *Methods and material for containment and cleaning up:* Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

#### · Protective Action Criteria for Chemicals

· PAC-1:	
	1.2 mg/m3
· PAC-2:	

5.2 mg/m3

· PAC-3:

(Contd. on page 4)

31 mg/m3

Printing date 07/17/2021

Reviewed on 07/17/2021

#### Trade name: Nickel(II) chloride hexahydrate (99.999+%-Ni) PURATREM

(Contd. of page 3)

#### 7 Handling and storage

- · Handling:
- · Precautions for safe handling
- Thorough dedusting.
- Ensure good ventilation/exhaustion at the workplace.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eves and skin.
- Breathing equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

US

Printing date 07/17/2021

CHEMICALS, INC.

Reviewed on 07/17/2021

· Eye protection:

(Contd. of page 4)



Tightly sealed goggles

# 9 Physical and chemical properties

General Information Appearance:		
Form:	Crystalline	
Color:	Green	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not determined.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	1 hPa (1 mm Hg)	
Density:	Not determined.	
Relative density	Not determined.	
Vapor density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
Water:	Insoluble.	
Partition coefficient (n-octanol/wa	tter): Not determined.	
Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
Solvent content:		
Organic solvents:	0.0 %	
VOC content:	0.0 g/l / 0.00 lb/gl	
Solids content:	100.0 %	

Printing date 07/17/2021

Reviewed on 07/17/2021

Trade name: Nickel(II) chloride hexahydrate (99.999+%-Ni) PURATREM

(Contd. of page 5)

• Other information

No further relevant information available.

#### **10 Stability and reactivity**

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### **11 Toxicological information**

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

Oral LD50 105 mg/kg (rat)

- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization:
- Sensitization possible through inhalation.
- Sensitization possible through skin contact.
- Additional toxicological information:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

· NTP (National Toxicology Program)

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

#### **12** Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

(Contd. on page 7)

1

K

CHEMICALS, IN

Printing date 07/17/2021

Reviewed on 07/17/2021

Trade name: Nickel(II) chloride hexahydrate (99.999+%-Ni) PURATREM

(Contd. of page 6)

• Other adverse effects No further relevant information available.

#### **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

4 Transport information	
· UN-Number · DOT, IMDG, IATA	UN3288
· UN proper shipping name · DOT · IMDG, IATA	Toxic solid, inorganic, n.o.s. TOXIC SOLID, INORGANIC, N.O.S.
· Transport hazard class(es)	
·DOT	
TOXIC 6	
· Class	6.1 Toxic substances
· Label	6.1
·IMDG	
· Class	6
· Label	6.1
·IATA	
· Class	6.1 Toxic substances
· Label	6.1
· Packing group · DOT, IMDG, IATA	111
· Environmental hazards:	
· Marine pollutant:	No
• Special precautions for user • EMS Number:	Not applicable. F-A,S-A
	(Contd. on pa



Printing date 07/17/2021

\_0

CHEMICALS, INC.

Reviewed on 07/17/2021

Trade name: Nickel(II) chloride hexahydrate (99.999+%-Ni) PURATREM

	(Contd. of page
· Stowage Category	A
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT · Quantity limitations	On passenger aircraft/rail: 100 kg On cargo aircraft only: 200 kg
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
· UN "Model Regulation":	UN 3288 TOXIC SOLID, INORGANIC, N.O.S., 6.1, III

#### **15 Regulatory information**

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

· Section 355 (extremely hazardous substances):
Substance is not listed.
· Section 313 (Specific toxic chemical listings):
Substance is listed.
· TSCA (Toxic Substances Control Act):
Substance is not listed.
· Proposition 65
· Chemicals known to cause cancer:
Substance is listed.
· Chemicals known to cause reproductive toxicity for females:
Substance is not listed.
· Chemicals known to cause reproductive toxicity for males:
Substance is not listed.
· Chemicals known to cause developmental toxicity:
Substance is not listed.
· Carcinogenic categories
· EPA (Environmental Protection Agency)
Substance is not listed.
· TLV (Threshold Limit Value established by ACGIH)
Substance is not listed.
· NIOSH-Ca (National Institute for Occupational Safety and Health)
Substance is not listed.
· GHS label elements
The substance is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 9)

US

Printing date 07/17/2021

CHEMICALS, INC.

Reviewed on 07/17/2021

Hazard pictograms	S
GHS06 GHS07	GHS08
· Signal word Dange	er
	ng components of labeling:
Nickel(II) chloride	hexahydrate (99.999+%-Ni) PURATREM
· Hazard statements	
H301 Toxic if swal	
H315 Causes skin	
H319 Causes serio	•
	llergy or asthma symptoms or breathing difficulties if inhaled.
	n allergic skin reaction.
H340 May cause g	
H350 May cause co	
-	espiratory irritation.
· Precautionary stat	
P284	[In case of inadequate ventilation] wear respiratory protection.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if prese and easy to do. Continue rinsing.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local/regional/national/internation regulations.
· National regulatio	ns:
	cation according to Decree on Hazardous Materials:
	rdous material group I (extremely dangerous).
	rdous material group II (very dangerous).
	rdous material group III (dangerous).
· Information about	limitation of use:
	llowed to be exposed to this hazardous material. Exceptions can be made by the authorities
certain cases.	
	ssessment: A Chemical Safety Assessment has not been carried out.
6 Other informat	ion
v	
	is based on our present knowledge. However, this shall not constitute a guarantee for an atures and shall not establish a legally valid contractual relationship.

- Date of preparation / last revision 07/17/2021 / -
- Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 10)

<sup>-</sup> US

Printing date 07/17/2021

Reviewed on 07/17/2021

### Trade name: Nickel(II) chloride hexahydrate (99.999+%-Ni) PURATREM

	(Contd. of page 9)
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Acute Tox. 3: Acute toxicity – Category 3	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	
Resp. Sens. 1: Respiratory sensitisation – Category 1	
Skin Sens, 1: Skin sensitisation – Category 1	
Muta. 1A: Germ cell mutagenicity – Category 1A	
Carc. 1A: Carcinogenicity – Category IA	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
	US
	00

