Printing date 02/15/2022

CHEMICALS, INC.

Reviewed on 07/07/2016

1 1	land.	Co and	
	lentij	1(4))	lon

- · Product name
- · Trade name: Bis(cyclopentadienyl)nickel, 99% (Nickelocene)
- · Item number: 28-1301
- · CAS Number:
- 1271-28-9
- **EC number:** 215-039-0
- Details of the supplier of the safety data sheet
  Manufacturer/Supplier: Strem Chemicals, Inc.
   Mulliken Way
   NEWBURYPORT, MA 01950
   USA

info@strem.com

• Information department: Technical Department • Emergency telephone number: EMERGENCY: CHEMTREC: +1 (800) 424-9300 During normal opening times: +1 (978) 499-1600

# 2 Hazard(s) identification

· Classification of the substance or mixture	
GHS02 Flame	
Flam. Sol. 1 H228 Flammable solid.	
GHS06 Skull and crossbones	
Acute Tox. 3 H301 Toxic if swallowed.	
GHS08 Health hazard	
<i>Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.</i> <i>Carc. 1A H350 May cause cancer.</i>	
GHS07	
Acute Tox. 4 H332 Harmful if inhaled.	
Skin Irrit. 2 H315 Causes skin irritation.	
Eye Irrit. 2A H319 Causes serious eye irritation.	
Skin Sens. 1 H317 May cause an allergic skin reaction.	
STOT SE 3 H335 May cause respiratory irritation.	
· Label elements	
GHS label elements	
The substance is classified and labeled according to the Globally Harmonized System (GHS).	(Contd. on page 2)

Т

# Safety Data Sheet according to OSHA HCS

Printing date 02/15/2022

CHEMICALS, INC.

Reviewed on 07/07/2016

· Hazard pict	Ograms (Contd. of pag
	$\land \land \land$
<u> </u>	
$\mathbf{\nabla}$	$\vee$ $\vee$ $\vee$
GHS02	GHS06 GHS07 GHS08
· Signal word	Danger
	ermining components of labeling:
Nickelocene	
· Hazard stat	
H228 Flam	
	if swallowed. ful if inhalad
	ful if inhaled. es skin irritation.
	es serious eye irritation.
	cause allergy or asthma symptoms or breathing difficulties if inhaled.
	cause an allergic skin reaction.
	cause cancer.
	cause current cause respiratory irritation.
	iry statements
P231	Handle under inert gas.
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P301+P310	
P305+P351	+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if pres
	and easy to do. Continue rinsing.
P422	Store contents under inert gas.
P501	Dispose of contents/container in accordance with local/regional/national/internatio
	regulations.
· Classificatio	
· NFPA ratin	gs (scale 0 - 4)
	Health = 3
2	Fire = 2
	Reactivity = 0
	ngs (scale 0 - 4)
	$\frac{*2}{}$ Health = *2
	$\begin{array}{c} \bullet \\ Fire = 0 \end{array}$
REACTIVITY	$\mathbf{O}  Reactivity = 0$
• Other hazar	<i>i</i> ds
	PBT and vPvB assessment
• <b>PBT:</b> Not ap	
• <b>vPvB:</b> Not a	

- · Chemical characterization: Substances
- CAS No. Description 1271-28-9 Nickelocene

(Contd. on page 3)

US

Printing date 02/15/2022

Reviewed on 07/07/2016

Trade name: Bis(cyclopentadienyl)nickel, 99% (Nickelocene)

(Contd. of page 2)

· Identification number(s)

• EC number: 215-039-0

### 4 First-aid measures

• Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- In case of irregular breathing or respiratory arrest provide artificial respiration.
- After inhalation:
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- *After swallowing:* Do not induce vomiting; immediately call for medical help.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

#### **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

#### 6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- Environmental precautions: No special measures required.
- *Methods and material for containment and cleaning up:* Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

#### • Protective Action Criteria for Chemicals

• PAC-1:

Substance is not listed.

*PAC-2:* 

Substance is not listed.

(Contd. on page 4)



US

Printing date 02/15/2022

Reviewed on 07/07/2016

Trade name: Bis(cyclopentadienyl)nickel, 99% (Nickelocene)

(Contd. of page 3)

• *PAC-3*:

Substance is not listed.

# 7 Handling and storage

• Handling: Handle under inert gas. • Precautions for safe handling

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

• Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

• *Storage: Store contents under inert gas.* 

• Requirements to be met by storerooms and receptacles: No special requirements.

- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

1271-28-9 Nickelocene

PEL Long-term value:  $1 \text{ mg/m}^3$ 

as Ni

REL Long-term value:  $0.015 \text{ mg/m}^3$ 

as Ni; See Pocket Guide App. A

• *Additional information:* The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin.
- Breathing equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 5)

US –

# Printing date 02/15/2022

CHEMICALS, INC.

Reviewed on 07/07/2016

#### Trade name: Bis(cyclopentadienyl)nickel, 99% (Nickelocene)

(Contd. of page 4)

- Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
- Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  *Material of gloves*
- The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### • Eye protection:



Tightly sealed goggles

# 9 Physical and chemical properties

Appearance:		
Form: Color:	Crystalline Dark green	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition		
Melting point/Melting range:	173-174 °C (343-345 °F)	
Boiling point/Boiling range:	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Flammable.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Not determined.	
Danger of explosion:	Not determined.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not applicable.	
Density:	Not determined.	
Relative density	Not determined.	
Vapor density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
Water:	Insoluble.	

US

Printing date 02/15/2022

Reviewed on 07/07/2016

#### Trade name: Bis(cyclopentadienyl)nickel, 99% (Nickelocene)

	(Contd. of p	age :
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
Solvent content:		
<b>Organic</b> solvents:	0.0 %	
VOC content:	0.0 g/l / 0.00 lb/gl	
Solids content:	100.0 %	
• Other information	No further relevant information available.	

# **10 Stability and reactivity**

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### **11 Toxicological information**

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization:
- Sensitization possible through inhalation.
- Sensitization possible through skin contact.
- Additional toxicological information:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

#### · NTP (National Toxicology Program)

#### · OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

# **12 Ecological information**

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.

(Contd. on page 7)

1

Κ

CHEMICALS, INC.

Printing date 02/15/2022

CHEMICALS, INC.

Reviewed on 07/07/2016

Trade name: Bis(cyclopentadienyl)nickel, 99% (Nickelocene)

(Contd. of page 6)

- Additional ecological information:
- General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

# **13 Disposal considerations**

· Waste treatment methods

- · Recommendation:
- Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

UN-Number DOT, IMDG, IATA	UN1325
UN proper shipping name DOT IMDG, IATA	Flammable solids, organic, n.o.s. FLAMMABLE SOLID, ORGANIC, N.O.S.
Transport hazard class(es)	
DOT	
Class Label	4.1 Flammable solids, self-reactive substances and sol desensitised explosives 4.1
IMDG	
Class	4
Label	4.1
Class Label	4.1 Flammable solids, self-reactive substances and sol desensitised explosives 4.1

Printing date 02/15/2022

CHEMICALS, INC

Reviewed on 07/07/2016

Trade name: Bis(cyclopentadienyl)nickel, 99% (Nickelocene)

	(Contd. of page
· Packing group · DOT, IMDG, IATA	11
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Not applicable.
· ÉMS Number:	F-A, S-G
· Stowage Category	В
• Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
·DOT	
• Quantity limitations	On passenger aircraft/rail: 15 kg
	On cargo aircraft only: 50 kg
· UN "Model Regulation":	UN 1325 FLAMMABLE SOLIDS, ORGANIC, N.O.S., 4.1, II

# **15 Regulatory information**

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

• Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is listed.

TSCA (Toxic Substances Control Act):

Substance is listed.

· Proposition 65 WARNING. Proposition 65 - https://www.p65warnings.ca.gov/

• Chemicals known to cause cancer:

Substance is listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

Substance is not listed.

• TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 9)

US

Printing date 02/15/2022

CHEMICALS.

Reviewed on 07/07/2016

	(Contd. of p	ag
• Hazard pictog	rams	
$\wedge$	$\land \land \land$	
$\langle \langle \rangle \rangle$		
GHS02 GH	HS06 GHS07 GHS08	
• Signal word L	Danger	
Hazard-detern	mining components of labeling:	
Nickelocene		
· Hazard staten	<i>rents</i>	
H228 Flamma	ıble solid.	
H301 Toxic if	swallowed.	
H332 Harmfu	l if inhaled.	
H315 Causes	skin irritation.	
H319 Causes	serious eye irritation.	
H334 May cai	use allergy or asthma symptoms or breathing difficulties if inhaled.	
H317 May cai	use an allergic skin reaction.	
H350 May cai	ise cancer.	
H335 May cai	use respiratory irritation.	
Precautionary	<i>i</i> statements	
P231	Handle under inert gas.	
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.	
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.	
P305+P351+	P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if pr and easy to do. Continue rinsing.	es
P422	Store contents under inert gas.	
P501	Dispose of contents/container in accordance with local/regional/national/internat. regulations.	01
National regu	lations:	
	sification according to Decree on Hazardous Materials:	
	hazardous material group I (extremely dangerous).	
	hazardous material group II (very dangerous).	
	hazardous material group III (dangerous).	
Carcinogenic		

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Technical Department.

· Contact: Technical Director

- · Date of preparation / last revision 02/15/2022 / -
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

- DOT: US Department of Transportation
- IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

(Contd. on page 10)

<sup>-</sup> US



Printing date 02/15/2022

Reviewed on 07/07/2016

# Trade name: Bis(cyclopentadienyl)nickel, 99% (Nickelocene)

	(Contd. of page 9)
EINECS: European Inventory of Existing Commercial Chemical Substances	(
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Flam. Sol. 1: Flammable solids – Category 1	
Acute Tox. 3: Acute toxicity – Category 3	
Acute Tox. 4: Acute toxicity – Category 4	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
<i>Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A</i>	
Resp. Sens. 1: Respiratory sensitisation – Category 1	
Skin Sens. 1: Skin sensitisation – Category 1	
Carc. 1A: Carcinogenicity – Category 1A	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
	US