

Printing date 30.07.2016 Revision: 30.07.2016

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Nickel (skeletal), unpromoted (supplied under water) (Actimet® M)

· Item number: 28-1916

• CAS Number: 7440-02-0 • EC number: 231-111-4

• Index number: 028-002-00-7

· 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Strem Chemicals, Inc.

7 Mulliken Way

NEWBURYPORT, MA 01950

USA

info@strem.com

· Further information obtainable from: Technical Department

· 1.4 Emergency telephone number:

EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600

## SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Self-heat. 2 H252 Self-heating in large quantities; may catch fire.



GHS08 health hazard

Carc. 2 H351 Suspected of causing cancer.

STOT RE 1 H372 Causes damage to organs through prolonged or repeated exposure.



GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

 ${\it The substance is classified and labelled according to the CLP regulation.}$ 

(Contd. on page 2)



Printing date 30.07.2016 Revision: 30.07.2016

Trade name: Nickel (skeletal), unpromoted (supplied under water) (Actimet® M)

(Contd. of page 1)

#### · Hazard pictograms







GHS02

02 GHS07 GF

- · Signal word Danger
- · Hazard-determining components of labelling:

Nickel foil, 201 annealed, (.005 x 1 inches)

· Hazard statements

H252 Self-heating in large quantities; may catch fire.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

H372 Causes damage to organs through prolonged or repeated exposure.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P312 Call a POISON CENTER or doctor/physician if you feel unwell. P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

### SECTION 3: Composition/information on ingredients

- · 3.1 Chemical characterisation: Substances
- · CAS No. Description

7440-02-0 Nickel foil, 201 annealed, (.005 x 1 inches)

- $\cdot \textit{Identification number}(s)$
- · EC number: 231-111-4
- · Index number: 028-002-00-7

### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)



Printing date 30.07.2016 Revision: 30.07.2016

Trade name: Nickel (skeletal), unpromoted (supplied under water) (Actimet® M)

(Contd. of page 2)

- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- · 6.2 Environmental precautions: No special measures required.
- · 6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Keep respiratory protective device available.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)



Printing date 30.07.2016 Revision: 30.07.2016

Trade name: Nickel (skeletal), unpromoted (supplied under water) (Actimet® M)

(Contd. of page 3)

### · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

7440-02-0 Nickel foil, 201 annealed, (.005 x 1 inches)

WEL Long-term value: 0.5 mg/m³

as Ni; Sk; Carc

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



#### Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Not applicable.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

· pH-value:

Form: Powder
Colour: Black
Odour: Odourless
Odour threshold: Not determined.

· Change in condition

Melting point/Melting range:Undetermined.Boiling point/Boiling range:Undetermined.

· Flash point: Not applicable.

· Flammability (solid, gaseous): Flammable.

(Contd. on page 5)



Printing date 30.07.2016 Revision: 30.07.2016

Trade name: Nickel (skeletal), unpromoted (supplied under water) (Actimet® M)

|                                     |  | (Contd. of page |
|-------------------------------------|--|-----------------|
| Ignition temperature:               |  |                 |
| Decomposition temperature:          | Not determined.                            |                 |
| Self-igniting:                      | Not determined.                            |                 |
| Danger of explosion:                | Not determined.                            |                 |
| Explosion limits:                   |  |                 |
| Lower:                              | Not determined.                            |                 |
| Upper:                              | Not determined.                            |                 |
| Vapour pressure:                    | Not applicable.                            |                 |
| Density:                            | Not determined.                            |                 |
| Relative density                    | Not determined.                            |                 |
| Vapour density                      | Not applicable.                            |                 |
| Evaporation rate                    | Not applicable.                            |                 |
| Solubility in / Miscibility with    |  |                 |
| water:                              | Insoluble.                                 |                 |
| Partition coefficient (n-octanol/wa | <b>ter</b> ): Not determined.              |                 |
| Viscosity:                          |  |                 |
| Dynamic:                            | Not applicable.                            |                 |
| Kinematic:                          | Not applicable.                            |                 |
| Solvent content:                    |  |                 |
| Organic solvents:                   | 0.0 %                                      |                 |
| VÕC (EC)                            | 0.00 %                                     |                 |
| Solids content:                     | 100.0 %                                    |                 |
| 9.2 Other information               | No further relevant information available. |                 |

## SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

#### SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation
- May cause an allergic skin reaction.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.

(Contd. on page 6)



Printing date 30.07.2016 Revision: 30.07.2016

Trade name: Nickel (skeletal), unpromoted (supplied under water) (Actimet® M)

(Contd. of page 5)

- · Carcinogenicity
- Suspected of causing cancer.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure
- Causes damage to organs through prolonged or repeated exposure.
- · Aspiration hazard Based on available data, the classification criteria are not met.

#### SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

## SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.

## SECTION 14: Transport information

- · 14.1 UN-Number
- · ADR, IMDG, IATA UN1378
- · 14.2 UN proper shipping name
- · ADR

  1378 METAL CATALYST, WETTED

  · IMDG

  · IATA

  1378 METAL CATALYST, WETTED

  METAL CATALYST, WETTED

  Metal catalyst, wetted
- · 14.3 Transport hazard class(es)
- · ADR, IMDG



· Class

(Contd. on page 7)



Printing date 30.07.2016 Revision: 30.07.2016

Trade name: Nickel (skeletal), unpromoted (supplied under water) (Actimet® M)

|  | (Contd. of page                                  |
|--|--|
| · Label                                    | 4.2  |
| · IATA                                     |  |
|  |  |
| · Class                                    | 4.2 Substances liable to spontaneous combustion. |
| · Label                                    | 4.2  |
| · 14.4 Packing group                       |  |
| · ADR, IMDG, IATA                          | II   |
| · 14.5 Environmental hazards:              |  |
| · Marine pollutant:                        | No   |
| · 14.6 Special precautions for user        | Not applicable.                                  |
| · EMS Number:                              | F- $H$ , $S$ - $M$                               |
| · Stowage Category                         | E  |
| · 14.7 Transport in bulk according to Anne | ex II of   |
| Marpol and the IBC Code                    | Not applicable.                                  |
| Transport/Additional information:          |  |
| · ADR                                      |  |
| · Limited quantities (LQ)                  | 0  |
| $\cdot$ Excepted quantities (EQ)           | Code: E2   |
|  | Maximum net quantity per inner packaging: 30 g   |
|  | Maximum net quantity per outer packaging: 500 g  |
| · UN ''Model Regulation'':                 | UN 1378 METAL CATALYST, WETTED, 4.2, II          |

### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing MSDS: Technical Department.
- · Contact: Technical Director
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

(Contd. on page 8)





Printing date 30.07.2016 Revision: 30.07.2016

Trade name: Nickel (skeletal), unpromoted (supplied under water) (Actimet® M)

(Contd. of page 7)

vPvB: very Persistent and very Bioaccumulative Self-heat. 2: Self-Heating Substances and Mixtures, Hazard Category 2

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 Carc. 2: Carcinogenicity, Hazard Category 2

STOT RE 1: Specific target organ toxicity - Repeated exposure, Hazard Category 1