# Safety data sheet

SECTION 1: Identification of the substance/mixtur	e and of the company/undertaking
1.1 Product identifier	
Trade name: <u>Trimethylgallium, 99+%</u>	
<ul> <li>Item number: 31-2000</li> <li>CAS Number: 1445-79-0</li> <li>EC number: 215-897-6</li> <li>I.2 Relevant identified uses of the substance or mixture and us No further relevant information available.</li> </ul>	ses advised against
• 1.3 Details of the supplier of the safety data sheet • Manufacturer/Supplier: Strem Chemicals, Inc. 7 Mulliken Way NEWBURYPORT, MA 01950 USA info@strem.com	
Further information obtainable from: Technical Department 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600	

GHS02 flame

CHEMIC

Pyr. Liq. 1 H250 Catches fire spontaneously if exposed to air. Water-react. 1 H260 In contact with water releases flammable gases which may ignite spontaneously.

GHS07

Acute Tox. 4 H302 Harmful if swallowed. Acute Tox. 4 H312 Harmful in contact with skin. Acute Tox. 4 H332 Harmful if inhaled.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. · Hazard pictograms



· Signal word Danger

· Hazard-determining components of labelling: Trimethylgallium, 99+%

(Contd. on page 2)

GB

Printing date 17.07.2021

Revision: 17.07.2021

Trade name: Trimethylgallium, 99+%

	(Contd. of page 1)
• Hazard stateme	nts
H250	<i>Catches fire spontaneously if exposed to air.</i>
H260	In contact with water releases flammable gases which may ignite spontaneously.
H302+H312+H	1332 Harmful if swallowed, in contact with skin or if inhaled.
· Precautionary s	statements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P231+P232	Handle under inert gas. Protect from moisture.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
<i>P305+P351+P</i> .	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P422	Store contents under inert gas.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· Additional info	rmation:
EUH014 Reacts	violently with water.
· 2.3 Other hazar	rds -
. Results of PRT	and vPvR assessment

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

**SECTION 3: Composition/information on ingredients** 

- 3.1 Chemical characterisation: Substances
- CAS No. Description 1445-79-0 Trimethylgallium, 99+%
- · Identification number(s)
- *EC number*: 215-897-6

# **SECTION 4: First aid measures**

#### • 4.1 Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Call for a doctor immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- $\cdot$  4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

(Contd. on page 3)



Printing date 17.07.2021

Revision: 17.07.2021

Trade name: Trimethylgallium, 99+%

(Contd. of page 2)

#### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents:
- Sand. Do not use water.
- CO2, sand, extinguishing powder. Do not use water.
- Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents: Water
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

#### **SECTION 6:** Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Prevent seepage into sewage system, workpits and cellars.
- $\cdot$  6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.
- Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

- · 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.

- *Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.*
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Keep container tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- 7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

· Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)

<sup>-</sup> GB

Printing date 17.07.2021

CHEMICALS, INC.

Revision: 17.07.2021

Trade name: Trimethylgallium, 99+%

	(Contd. of page
	e monitoring at the workplace: Not required.
Additional information: The lists valid da	uring the making were used as basis.
8.2 Exposure controls	
Personal protective equipment: General protective and hygienic measure	051
Keep away from foodstuffs, beverages and	
Immediately remove all soiled and contar	
Wash hands before breaks and at the end	
Store protective clothing separately.	
Avoid contact with the eyes and skin.	
<b>Respiratory protection:</b> In case of brief exposure or low pollution	n use respiratory filter device. In case of intensive or longer exposure u
self-contained respiratory protective devi	
Protection of hands:	
(Th	
Protective gloves	
Trolective gloves	
	e and resistant to the product/ the substance/ the preparation.
chemical mixture.	to the glove material can be given for the product/ the preparation/ t
	eration of the penetration times, rates of diffusion and the degradation
Material of gloves	
The selection of the suitable gloves does	not only depend on the material, but also on further marks of quality a
varies from manufacturer to manufacture	? <b>г</b> .
Penetration time of glove material	
<b>Penetration time of glove material</b> The exact break through time has to be	
<b>Penetration time of glove material</b> The exact break through time has to be observed.	found out by the manufacturer of the protective gloves and has to l
<ul> <li>Penetration time of glove material The exact break through time has to be observed.</li> <li>Eye protection: Goggles recommended days</li> </ul>	found out by the manufacturer of the protective gloves and has to b uring refilling
<ul> <li>Penetration time of glove material The exact break through time has to be observed.</li> <li>Eye protection: Goggles recommended d.</li> <li>9.1 Information on basic physical and closed of the General Information</li> </ul>	found out by the manufacturer of the protective gloves and has to b uring refilling
<ul> <li>Penetration time of glove material The exact break through time has to be observed.</li> <li>Eye protection: Goggles recommended de 9.1 Information on basic physical and ch General Information Appearance:</li> </ul>	found out by the manufacturer of the protective gloves and has to a furing refilling hemical properties
Penetration time of glove material The exact break through time has to be observed. Eye protection: Goggles recommended du 9.1 Information on basic physical and cl General Information Appearance: Form:	found out by the manufacturer of the protective gloves and has to b furing refilling <b>hemical properties</b> Liquid
Penetration time of glove material The exact break through time has to be observed. Eye protection: Goggles recommended d 9.1 Information on basic physical and cl General Information Appearance: Form: Colour:	found out by the manufacturer of the protective gloves and has to b furing refilling <b>hemical properties</b> Liquid Colourless
Penetration time of glove material The exact break through time has to be observed. Eye protection: Goggles recommended d. 9.1 Information on basic physical and cl General Information Appearance: Form: Colour: Odour:	found out by the manufacturer of the protective gloves and has to b furing refilling <b>hemical properties</b> Liquid
Penetration time of glove material The exact break through time has to be observed. Eye protection: Goggles recommended du 9.1 Information on basic physical and ch General Information Appearance: Form: Colour: Odour: Odour threshold:	found out by the manufacturer of the protective gloves and has to b furing refilling <b>hemical properties</b> Liquid Colourless Undistinguishable.
Penetration time of glove material The exact break through time has to be observed. Eye protection: Goggles recommended de 9.1 Information on basic physical and ch General Information Appearance: Form: Colour: Odour: Odour: pH-value:	found out by the manufacturer of the protective gloves and has to b uring refilling <b>hemical properties</b> Liquid Colourless Undistinguishable. Not determined.
Penetration time of glove material The exact break through time has to be observed. Eye protection: Goggles recommended d 9.1 Information on basic physical and cl General Information Appearance: Form: Colour:	found out by the manufacturer of the protective gloves and has to b uring refilling <b>hemical properties</b> Liquid Colourless Undistinguishable. Not determined.
Penetration time of glove material The exact break through time has to be observed. Eye protection: Goggles recommended de 9.1 Information on basic physical and ch General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value: Change in condition	found out by the manufacturer of the protective gloves and has to b furing refilling hemical properties Liquid Colourless Undistinguishable. Not determined. Not determined.
Penetration time of glove material The exact break through time has to be observed. Eye protection: Goggles recommended de 9.1 Information on basic physical and ch General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value: Change in condition Melting point/freezing point: Initial boiling point and boiling range:	found out by the manufacturer of the protective gloves and has to b furing refilling hemical properties Liquid Colourless Undistinguishable. Not determined. Not determined.
Penetration time of glove material The exact break through time has to be observed. Eye protection: Goggles recommended de 9.1 Information on basic physical and cl General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value: Change in condition Melting point/freezing point: Initial boiling point and boiling range: Flash point:	found out by the manufacturer of the protective gloves and has to b uring refilling hemical properties Liquid Colourless Undistinguishable. Not determined. Not determined. Undetermined.
Penetration time of glove material The exact break through time has to be observed. Eye protection: Goggles recommended de 9.1 Information on basic physical and ch General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value: Change in condition Melting point/freezing point:	found out by the manufacturer of the protective gloves and has to b furing refilling hemical properties Liquid Colourless Undistinguishable. Not determined. Not determined. Undetermined. : 55.7 °C -18 °C
Penetration time of glove material         The exact break through time has to be observed.         Eye protection: Goggles recommended d.         9.1 Information on basic physical and clogeneral Information         Appearance:         Form:         Colour:         Odour threshold:         pH-value:         Change in condition         Melting point/freezing point:         Initial boiling point and boiling range:         Flash point:         Flammability (solid, gas):	found out by the manufacturer of the protective gloves and has to b furing refilling hemical properties Liquid Colourless Undistinguishable. Not determined. Not determined. Undetermined. : 55.7 °C -18 °C
Penetration time of glove materialThe exact break through time has to be observed.Eye protection: Goggles recommended de9.1 Information on basic physical and cl General InformationAppearance: Form: Colour:Odour: Odour threshold:pH-value:Change in condition Melting point/freezing point: Initial boiling point and boiling range:Flash point: Flammability (solid, gas):Ignition temperature:	found out by the manufacturer of the protective gloves and has to b uring refilling hemical properties Liquid Colourless Undistinguishable. Not determined. Not determined. Undetermined. : 55.7 °C -18 °C Not determined.

GB

Printing date 17.07.2021

Revision: 17.07.2021

Trade name: Trimethylgallium, 99+%

	(Contd. of pa	age
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure:	226 hPa	
Density at 20 °C:	1.151 g/cm <sup>3</sup>	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	0.0 %	
VOC(EC)	0.00 %	
9.2 Other information	No further relevant information available.	

# **SECTION 10: Stability and reactivity**

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions Contact with water releases flammable gases.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity
- Harmful if swallowed, in contact with skin or if inhaled.
- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- $\cdot \textit{Reproductive toxicity Based on available data, the classification criteria are not met.}$
- $\cdot$  STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 6)

Printing date 17.07.2021

CHEMICALS, INC

Revision: 17.07.2021

Trade name: Trimethylgallium, 99+%

(Contd. of page 5)

### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- $\cdot$  Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · 12.5 Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

• 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

• Uncleaned packaging:

• **Recommendation:** Disposal must be made according to official regulations.

· 14.1 UN-Number · ADR, IMDG, IATA	UN3394
• 14.2 UN proper shipping name • ADR	3394 ORGANOMETALLIC SUBSTANCE, LIQUI PYROPHORIC, WATER- REACTIVE
· IMDG, IATA	ORGANOMETALLIC SUBSTANCE, LIQUID, PYROPHORI WATER- REACTIVE
· 14.3 Transport hazard class(es)	
·ADR	
· Class	4.2 Substances liable to spontaneous combustion.
· Label	4.2+4.3
· IMDG	

Printing date 17.07.2021

CHEMICALS, INC.

Revision: 17.07.2021

Trade na	me: Trim	ethylgallium	, <b>99</b> +%
----------	----------	--------------	----------------

	(Contd. of page
Label	4.2/4.3
IATA	
Class	4.2 Substances liable to spontaneous combustion.
Label	4.2 (4.3)
14.4 Packing group	
ADR, IMDG, IATA	Ι
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Substances liable to spontaneous combustion.
EMS Number:	F-G,S-M
Stowage Category	
Handling Code	H1 Keep as dry as reasonably practicable
Segregation Code	SG26 In addition: from goods of classes 2.1 and 3 wh stowed on deck of a containership a minimum distance of tw
	container spaces athwartship shall be maintained, wh
	stowed on ro-ro ships a distance of 6 m athwartship shall
	maintained.
	SG35 Stow "separated from" acids.
	SG63 Stow "separated longitudinally by an interveni
	complete compartment or hold from" Class 1.
14.7 Transport in bulk according to Anne	
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	0
Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
IMDG	
Limited quantities (LQ)	0
Excepted quantities $(EQ)$	Code: E0
	Not permitted as Excepted Quantity
UN "Model Regulation":	UN 3394 ORGANOMETALLIC SUBSTANCE, LIQUI
	PYROPHORIC, WATER- REACTIVE, 4.2 (4.3), I

# SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.
- · Seveso category
- P7 PYROPHORIC LIQUIDS AND SOLIDS
- O1 Substances or mixtures with hazard statement EUH014
- $\cdot$  Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t

(Contd. on page 8)

GB

Printing date 17.07.2021

CHEMICALS INC

Revision: 17.07.2021

(Contd. of page 7)

GF

Trade name: Trimethylgallium, 99+%

- Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 40
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Department.
- · Contact: Technical Director

Abbreviations and acronyms:
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Pyr. Liq. 1: Pyrophoric liquids – Category 1
Water-react. 1: Substances and mixtures which in contact with water emit flammable gases – Category 1
Acute Tox. 4: Acute toxicity – Category 4