Printing date 07/17/2021

Reviewed on 07/14/2021

1 Identification

- · Product name
- · Trade name: Bis(mu-dimethylamino)tetrakis(dimethylamino)digallium, 98%
- Item number: 31-2030
- CAS Number: 57731-40-5
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Strem Chemicals, Inc.
 7 Mulliken Way NEWBURYPORT, MA 01950 USA info@strem.com
- Information department: Technical Department
 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600

2 Hazard(s) identification

· Classification of the substance or mixture



Flam. Sol. 1 H228 Flammable solid.



Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

· Label elements

- · GHS label elements
- *The substance is classified and labeled according to the Globally Harmonized System (GHS).* • *Hazard pictograms*



· Signal word Danger


Hazard-determining components of labeling: Bis(mu-dimethylamino)tetrakis(dimethylamino)digallium, 98%
Hazard statements H228 Flammable solid. H314 Causes severe skin burns and eye damage.
Precautionary statements P231 Handle under inert gas.

(Contd. on page 2)

US

Printing date 07/17/2021

Reviewed on 07/14/2021



· Chemical characterization: Substances

· CAS No. Description

57731-40-5 Bis(mu-dimethylamino)tetrakis(dimethylamino)digallium, 98%

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.

(Contd. on page 3)

Printing date 07/17/2021

Reviewed on 07/14/2021

Trade name: Bis(mu-dimethylamino)tetrakis(dimethylamino)digallium, 98%

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away.*
- Environmental precautions: No special measures required.
- Methods and material for containment and cleaning up:
- Use neutralizing agent. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

• Protective Action Criteria for Chemicals

· PAC-1:

Substance is not listed.

· PAC-2:

Substance is not listed.

· PAC-3:

Substance is not listed.

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Thorough dedusting. Ensure good ventilation/exhaustion at the workplace.
- Open and handle receptacle with care.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- Keep respiratory protective device available.
- \cdot Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- *Store in cool, dry conditions in well sealed receptacles.*
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)

(Contd. of page 2)



Printing date 07/17/2021

Reviewed on 07/14/2021

Trade name: Bis(mu-dimethylamino)tetrakis(dimethylamino)digallium, 98%

(Contd. of page 3)

- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment: Wear protective clothing
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes.
- Avoid contact with the eyes and skin.
- Breathing equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

| Information on basic physical and General Information | chemical properties | |
|--|---------------------|--|
| Appearance: Form: | Crystalline | |
| Color: | White | |
| Odor: | Odorless | |
| Odor threshold: | Not determined. | |
| pH-value: | Not applicable. | |
| Change in condition | | |
| Melting point/Melting range: | Undetermined. | |
| Boiling point/Boiling range: | Undetermined. | |
| Flash point: | Not applicable. | |
| · Flammability (solid, gaseous): | Flammable. | |

Printing date 07/17/2021

CHEMICALS, INC

Reviewed on 07/14/2021

Trade name: Bis(mu-dimethylamino)tetrakis(dimethylamino)digallium, 98%

| | | (Contd. of page |
|-------------------------------------|--|-----------------|
| Ignition temperature: | | |
| Decomposition temperature: | Not determined. | |
| Auto igniting: | Not determined. | |
| Danger of explosion: | Not determined. | |
| Explosion limits: | | |
| Lower: | Not determined. | |
| Upper: | Not determined. | |
| Vapor pressure: | Not applicable. | |
| Density: | Not determined. | |
| Relative density | Not determined. | |
| Vapor density | Not applicable. | |
| Evaporation rate | Not applicable. | |
| Solubility in / Miscibility with | | |
| Water: | Insoluble. | |
| Partition coefficient (n-octanol/wa | ter): Not determined. | |
| Viscosity: | | |
| Dynamic: | Not applicable. | |
| Kinematic: | Not applicable. | |
| Solvent content: | | |
| Organic solvents: | 0.0 % | |
| VOC content: | 0.0 g/l / 0.00 lb/gl | |
| Solids content: | 100.0 % | |
| Other information | No further relevant information available. | |

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · Primary irritant effect:
- on the skin: Caustic effect on skin and mucous membranes.
- on the eye:
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- · Sensitization: No sensitizing effects known.

(Contd. on page 6)

US

Printing date 07/17/2021

Reviewed on 07/14/2021

Trade name: Bis(mu-dimethylamino)tetrakis(dimethylamino)digallium, 98%

(Contd. of page 5)

• Additional toxicological information: Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

 \cdot NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- · General notes: Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

| 4 Transport information | | |
|---------------------------------|--|--|
| · UN-Number | | |
| · DOT, IMDG, IATA | UN2925 | |
| \cdot UN proper shipping name | | |
| $\cdot DOT$ | Flammable solids, corrosive, organic, n.o.s. | |
| · IMDG, IATA | FLAMMABLE SOLID, CORROSIVE, ORGANIC, N.O.S. | |
| | (Contd. on pag | |

US



Printing date 07/17/2021

CHEMICALS, INC.

Reviewed on 07/14/2021

| (Cond. of page 6) • Transport hazard class(es) • DOT • OT • Class 4.1 Flammable solids, self-reactive substances and solid desensitised explosives • Label 4.1.8 • IMDG • • • • • • • • • • • • • • • • • • • | Trade name: Bis(mu-dimethylamino)tetrakis(dimethylamino)digallium, 98% | | |
|---|--|-------------------------|--|
| • DOT • Class • Class • Label • Label • MDG • • • • • • • • • • • • • • • | | (Contd. of page 6) | |
| • Class 4.1 Flammable solids, self-reactive substances and solid desensitised explosives • Label 4.1.8 • IMDG • • • • • • • • • • • • • • • • • • • | · Transport hazard class(es) | | |
| desensitised explosives 4.1,8 IMDG IMDG Implementation Class Label Stowage Gategory D Stowage Code SW2 Clear of living quarters. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg VIN "Model Regulation": UN 2925 FLAMMABLE SOLIDS, CORROSIVE, | ·DOT | | |
| desensitised explosives 4.1,8 IMDG IMDG Implementation Class Label Stowage Gategory D Stowage Code SW2 Clear of living quarters. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg VIN "Model Regulation": UN 2925 FLAMMABLE SOLIDS, CORROSIVE, | | | |
| IMDG IMDG Image: Class Class Label IATA IATA IATA Image: Class Class Class I Flammable solids, self-reactive substances and solid desensitised explosives Label Vacking group DOT, IMDG, IATA II Environmental hazards: Marine pollutant: No Special precautions for user Special precautions for user Special precautions for user Stowage Code SW2 Clear of living quarters. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg UN ''Model Regulation'': UN 2925 FLAMMABLE SOLIDS, CORROSIVE, ORGANIC, N.O.S., | | | |
| Class Label IATA IABel 4.1 Flammable solids, self-reactive substances and solid desensitised explosives I.abel 4.1 (8) Packing group DOT, IMDG, IATA II Environmental hazards: Marine pollutant: No Special precautions for user Not applicable. Stowage Code SW2 Clear of living quarters. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg VN ''Model Regulation'': UN 2925 FLAMMABLE SOLIDS, CORROSIVE, ORGANIC, N.O.S., | · Label | 4.1, 8 | |
| · Label 4.1/8 · IATA • IATA • IATA • IATA • IATA • IATA • IATA • Iata • Class 4.1 Flammable solids, self-reactive substances and solid desensitised explosives • Label 4.1 (8) • Packing group 4.1 (8) • DOT, IMDG, IATA II • Environmental hazards: No • Marine pollutant: No • Special precautions for user Not applicable. • EMS Number: F-A,S-G • Stowage Category D • Stowage Code SW2 Clear of living quarters. • Transport in bulk according to Annex II of Not applicable. • Transport/Additional information: DOT • DOT On passenger aircraft/rail: 15 kg • On cargo aircraft only: 50 kg On cargo aircraft only: 50 kg • UN ''Model Regulation'': UN 2925 FLAMMABLE SOLIDS, CORROSIVE, ORGANIC, N.O.S., | ·IMDG | | |
| · Label 4.1/8 · IATA • IATA • IATA • IATA • IATA • IATA • IATA • Iata • Class 4.1 Flammable solids, self-reactive substances and solid desensitised explosives • Label 4.1 (8) • Packing group 4.1 (8) • DOT, IMDG, IATA II • Environmental hazards: No • Marine pollutant: No • Special precautions for user Not applicable. • EMS Number: F-A,S-G • Stowage Category D • Stowage Code SW2 Clear of living quarters. • Transport in bulk according to Annex II of Not applicable. • Transport/Additional information: DOT • DOT On passenger aircraft/rail: 15 kg • On cargo aircraft only: 50 kg On cargo aircraft only: 50 kg • UN ''Model Regulation'': UN 2925 FLAMMABLE SOLIDS, CORROSIVE, ORGANIC, N.O.S., | | | |
| IATA IATA IATA IATA IATA IATA Class Label Label Packing group DOT, IMDG, IATA II Environmental hazards: Marine pollutant: No Special precautions for user Not applicable. EMS Number: F-A,S-G Stowage Category Stowage Code SW2 Clear of living quarters. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg UN ''Model Regulation': UN 2925 FLAMMABLE SOLIDS, CORROSIVE, ORGANIC, N.O.S., | | | |
| • Class 4.1 Flammable solids, self-reactive substances and solid desensitised explosives • Label 4.1 (8) • Packing group 11 • DoT, IMDG, IATA II • Environmental hazards: No • Marine pollutant: No • Special precautions for user Not applicable. • EMS Number: F-A,S-G • Stowage Category D • Stowage Code SW2 Clear of living quarters. • Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. • Transport/Additional information: DOT • DOT On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg • UN "Model Regulation": UN 2925 FLAMMABLE SOLIDS, CORROSIVE, ORGANIC, N.O.S., | · Label | 4.1/8 | |
| · Label 4.1 (8) · Packing group | ·IATA | | |
| Packing group II DOT, IMDG, IATA II Environmental hazards: No Marine pollutant: No Special precautions for user Not applicable. EMS Number: F-A,S-G Stowage Category D Stowage Code SW2 Clear of living quarters. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg UN ''Model Regulation'': UN 2925 FLAMMABLE SOLIDS, CORROSIVE, ORGANIC, N.O.S., | | desensitised explosives | |
| · DOT, IMDG, IATA II · Environmental hazards: No · Marine pollutant: No · Special precautions for user Not applicable. · EMS Number: F-A,S-G · Stowage Category D · Stowage Code SW2 Clear of living quarters. · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: . · DOT On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg · UN ''Model Regulation'': UN 2925 FLAMMABLE SOLIDS, CORROSIVE, ORGANIC, N.O.S., | | 4.1 (8) | |
| Marine pollutant:NoSpecial precautions for userNot applicable.EMS Number:F-A,S-GStowage CategoryDStowage CodeSW2 Clear of living quarters.Transport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:Not applicable.DOTOn passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kgUN ''Model Regulation'':UN 2925 FLAMMABLE SOLIDS, CORROSIVE, ORGANIC, N.O.S., | | II | |
| Special precautions for user Special precautions for user Not applicable. EMS Number: F-A,S-G Stowage Category D Stowage Code SW2 Clear of living quarters. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg UN ''Model Regulation'': UN 2925 FLAMMABLE SOLIDS, CORROSIVE, ORGANIC, N.O.S., | - | | |
| EMS Number: F-A,S-G Stowage Category D Stowage Code SW2 Clear of living quarters. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg UN "Model Regulation": UN 2925 FLAMMABLE SOLIDS, CORROSIVE, ORGANIC, N.O.S., | • Marine pollutant: | No | |
| Stowage Category D Stowage Code SW2 Clear of living quarters. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: Not applicable. DOT On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg UN ''Model Regulation'': UN 2925 FLAMMABLE SOLIDS, CORROSIVE, ORGANIC, N.O.S., | | | |
| Stowage Code SW2 Clear of living quarters. • Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. • Transport/Additional information: • Not applicable. • DOT • Quantity limitations • UN ''Model Regulation'': UN 2925 FLAMMABLE SOLIDS, CORROSIVE, ORGANIC, N.O.S., | | | |
| Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg UN ''Model Regulation'': UN 2925 FLAMMABLE SOLIDS, CORROSIVE, ORGANIC, N.O.S., | | | |
| DOT Quantity limitations On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg UN ''Model Regulation'': UN 2925 FLAMMABLE SOLIDS, CORROSIVE, ORGANIC, N.O.S., | • Transport in bulk according to Annex | II of | |
| DOT Quantity limitations On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg UN ''Model Regulation'': UN 2925 FLAMMABLE SOLIDS, CORROSIVE, ORGANIC, N.O.S., | · Transport/Additional information: | | |
| • Quantity limitations On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg • UN ''Model Regulation'': UN 2925 FLAMMABLE SOLIDS, CORROSIVE, ORGANIC, N.O.S., | | | |
| | | | |
| | · UN "Model Regulation": | | |

(Contd. on page 8)

Printing date 07/17/2021

Reviewed on 07/14/2021

Trade name: Bis(mu-dimethylamino)tetrakis(dimethylamino)digallium, 98%

(Contd. of page 7)

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

• Section 355 (extremely hazardous substances):

Substance is not listed.

• Section 313 (Specific toxic chemical listings):

Substance is not listed.

• TSCA (Toxic Substances Control Act):

Substance is not listed.

· Proposition 65

· Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

Substance is not listed.

· TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

 \cdot NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

Hazard-determining components of labeling: Bis(mu-dimethylamino)tetrakis(dimethylamino)digallium, 98%
Hazard statements H228 Flammable solid. H314 Causes severe skin burns and eye damage.
Precautionary statements P231 Handle under inert gas. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 9)

US

Printing date 07/17/2021

Reviewed on 07/14/2021

Trade name: Bis(mu-dimethylamino)tetrakis(dimethylamino)digallium, 98%

| | (Contd. of page 8) |
|-----------|--|
| P310 | Immediately call a POISON CENTER/doctor. |
| P403+P233 | Store in a well-ventilated place. Keep container tightly closed. |
| P422 | Store contents under inert gas. |
| P501 | Dispose of contents/container in accordance with local/regional/national/international |
| | regulations. |
| ~ | |

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Technical Department.

- · Contact: Technical Director
- · Date of preparation / last revision 07/17/2021 / -

• Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Sol. 1: Flammable solids – Category 1

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

