CHEMICALS, INC.

SECTION	1: Identification of the substance/mixture and of the company/unde	ertaking
1.1 Product i	identifier	
Trade name:	Zirconium(IV) dichloride oxide hydrate (99.99+%-Zr) PURATREM	
Item number	:: 40-2500	
CAS Number	r:	
15461-27-5		
EC number:		
231-717-9 1 	identified uses of the substance or mixture and uses advised against	
	levant information available.	
	f the supplier of the safety data sheet	
Manufacture		
Strem Chemi		
7 Mulliken W	'ay ORT, MA 01950	
USA	OK1; MA 01950	
info@strem.c	com	
Further info	rmation obtainable from: Technical Department	
1.4 Emergen	cy telephone number:	
	<i>CY: CHEMTREC:</i> + 1 (800) 424-9300 al opening times: +1 (978) 499-1600	
During norm	ai opening times. +1 (978) 499-1000	
SECTION	2: Hazards identification	
2.1 Classifica	ation of the substance or mixture	
2.1 Classifica		
2.1 Classifica	ation of the substance or mixture	
2.1 Classifica	ation of the substance or mixture n according to Regulation (EC) No 1272/2008	
2.1 Classification	ation of the substance or mixture n according to Regulation (EC) No 1272/2008	
2.1 Classifica Classification E E Gl Skin Corr. 10	ation of the substance or mixture n according to Regulation (EC) No 1272/2008 HS05 corrosion C H314 Causes severe skin burns and eye damage.	
2.1 Classifica Classification Glassi	ation of the substance or mixture n according to Regulation (EC) No 1272/2008 HS05 corrosion C H314 Causes severe skin burns and eye damage. ments	
2.1 Classifica Classification Gl Gl Skin Corr. 10 2.2 Label ele Labelling acc	ation of the substance or mixture n according to Regulation (EC) No 1272/2008 HS05 corrosion C H314 Causes severe skin burns and eye damage. ments cording to Regulation (EC) No 1272/2008	
2.1 Classifica Classification Gl Gl Skin Corr. 10 2.2 Label ele Labelling acc	ation of the substance or mixture n according to Regulation (EC) No 1272/2008 HS05 corrosion C H314 Causes severe skin burns and eye damage. ments cording to Regulation (EC) No 1272/2008 e is classified and labelled according to the CLP regulation.	
2.1 Classification Classification Gline Corr. 10 2.2 Label ele Labelling act The substanc	ation of the substance or mixture n according to Regulation (EC) No 1272/2008 HS05 corrosion C H314 Causes severe skin burns and eye damage. ments cording to Regulation (EC) No 1272/2008 e is classified and labelled according to the CLP regulation.	
2.1 Classification Classification Gline Corr. 10 2.2 Label ele Labelling act The substanc	ation of the substance or mixture n according to Regulation (EC) No 1272/2008 HS05 corrosion C H314 Causes severe skin burns and eye damage. ments cording to Regulation (EC) No 1272/2008 e is classified and labelled according to the CLP regulation.	
2.1 Classification Classification Gline Corr. 10 2.2 Label ele Labelling act The substanc	ation of the substance or mixture n according to Regulation (EC) No 1272/2008 HS05 corrosion C H314 Causes severe skin burns and eye damage. ments cording to Regulation (EC) No 1272/2008 e is classified and labelled according to the CLP regulation.	
2.1 Classification Classification Gline Corr. 10 2.2 Label ele Labelling act The substanc	ation of the substance or mixture n according to Regulation (EC) No 1272/2008 HS05 corrosion C H314 Causes severe skin burns and eye damage. ments cording to Regulation (EC) No 1272/2008 e is classified and labelled according to the CLP regulation.	
2.1 Classification Classification Gl Skin Corr. 10 2.2 Label ele Labelling ac The substance Hazard picto	ation of the substance or mixture n according to Regulation (EC) No 1272/2008 HS05 corrosion C H314 Causes severe skin burns and eye damage. ments cording to Regulation (EC) No 1272/2008 e is classified and labelled according to the CLP regulation. grams	
2.1 Classification Classification Glassification Glassification Glassification GHS05 Signal word	ation of the substance or mixture n according to Regulation (EC) No 1272/2008 HS05 corrosion C H314 Causes severe skin burns and eye damage. ments cording to Regulation (EC) No 1272/2008 e is classified and labelled according to the CLP regulation. ograms	
2.1 Classification Classification Skin Corr. 10 2.2 Label ele Labelling act The substanc Hazard picto GHS05 Signal word Hazard-deter	ation of the substance or mixture n according to Regulation (EC) No 1272/2008 HS05 corrosion C H314 Causes severe skin burns and eye damage. ments cording to Regulation (EC) No 1272/2008 e is classified and labelled according to the CLP regulation. grams	
2.1 Classification Classification Skin Corr. 10 2.2 Label ele Labelling act The substance Hazard picto GHS05 Signal word Hazard-deten Zirconium(IV Hazard state	ation of the substance or mixture n according to Regulation (EC) No 1272/2008 HS05 corrosion C H314 Causes severe skin burns and eye damage. ments cording to Regulation (EC) No 1272/2008 e is classified and labelled according to the CLP regulation. grams Danger mining components of labelling: /) dichloride oxide hydrate (99.99+%-Zr) PURATREM ments	
2.1 Classification Classification Skin Corr. 10 2.2 Label ele Labelling ac The substance Hazard picto GHS05 Signal word Hazard-deten Zirconium(IV Hazard state H314 Causes	ation of the substance or mixture n according to Regulation (EC) No 1272/2008 HS05 corrosion C H314 Causes severe skin burns and eye damage. ments cording to Regulation (EC) No 1272/2008 e is classified and labelled according to the CLP regulation. grams Danger mining components of labelling: /) dichloride oxide hydrate (99.99+%-Zr) PURATREM ments s severe skin burns and eye damage.	
2.1 Classifica Classification Classification Gli Skin Corr. 10 2.2 Label ele Labelling act The substanc Hazard picto GHS05 Signal word Hazard-deten Zirconium(IV Hazard state H314 Causes Precautionan	Ation of the substance or mixture n according to Regulation (EC) No 1272/2008 HS05 corrosion C H314 Causes severe skin burns and eye damage. ments cording to Regulation (EC) No 1272/2008 e is classified and labelled according to the CLP regulation. grams Danger rmining components of labelling: // dichloride oxide hydrate (99.99+%-Zr) PURATREM ments s severe skin burns and eye damage. ry statements	
2.1 Classifica Classification Classification Gline Skin Corr. 10 2.2 Label ele Labelling act The substanc Hazard picto GHS05 Signal word Hazard-deten Zirconium(IV Hazard state H314 Causes Precautionan P101	ation of the substance or mixture n according to Regulation (EC) No 1272/2008 HS05 corrosion C H314 Causes severe skin burns and eye damage. ments cording to Regulation (EC) No 1272/2008 e is classified and labelled according to the CLP regulation. grams Danger rmining components of labelling: // dichloride oxide hydrate (99.99+%-Zr) PURATREM ments s severe skin burns and eye damage. ry statements If medical advice is needed, have product container or label at hand.	
2.1 Classifica Classification Classification Gl Skin Corr. 10 2.2 Label ele Labelling act The substanc Hazard picto GHS05 Signal word Hazard-deten Zirconium(IV Hazard state H314 Causes Precautionan P101 P102	ation of the substance or mixture n according to Regulation (EC) No 1272/2008 HS05 corrosion C H314 Causes severe skin burns and eye damage. ments cording to Regulation (EC) No 1272/2008 te is classified and labelled according to the CLP regulation. grams Danger rmining components of labelling: /) dichloride oxide hydrate (99.99+%-Zr) PURATREM ments s severe skin burns and eye damage. ry statements If medical advice is needed, have product container or label at hand. Keep out of reach of children.	
2.1 Classifica Classification Classification Gl Skin Corr. 10 2.2 Label ele Labelling act The substanc Hazard picto GHS05 Signal word Hazard-deten Zirconium(IV Hazard state H314 Causes Precautionan P101 P102 P103	<pre>ation of the substance or mixture n according to Regulation (EC) No 1272/2008 HS05 corrosion C H314 Causes severe skin burns and eye damage. ments cording to Regulation (EC) No 1272/2008 e is classified and labelled according to the CLP regulation. grams Danger mining components of labelling: // dichloride oxide hydrate (99.99+%-Zr) PURATREM ments s severe skin burns and eye damage. ry statements If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use.</pre>	
2.1 Classifica Classification Classification Gl Skin Corr. 10 2.2 Label ele Labelling act The substanc Hazard picto GHS05 Signal word Hazard-deten Zirconium(IV Hazard state H314 Causes Precautionan P101 P102	ation of the substance or mixture in according to Regulation (EC) No 1272/2008 HS05 corrosion C H314 Causes severe skin burns and eye damage. ments cording to Regulation (EC) No 1272/2008 e is classified and labelled according to the CLP regulation. orgams Danger mining components of labelling: /) dichloride oxide hydrate (99.99+%-Zr) PURATREM ments s severe skin burns and eye damage. ry statements If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Do not breathe dusts or mists.	
2.1 Classifica Classification Classification Gl Skin Corr. 10 2.2 Label ele Labelling act The substanc Hazard picto GHS05 Signal word Hazard-deten Zirconium(IV Hazard state H314 Causes Precautionan P101 P102 P103 P260	<pre>ation of the substance or mixture n according to Regulation (EC) No 1272/2008 HS05 corrosion C H314 Causes severe skin burns and eye damage. ments cording to Regulation (EC) No 1272/2008 e is classified and labelled according to the CLP regulation. grams Danger mining components of labelling: // dichloride oxide hydrate (99.99+%-Zr) PURATREM ments s severe skin burns and eye damage. ry statements If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use.</pre>	(Contd. on p

HEMICALS, INC.

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.07.2021

Revision: 17.07.2021

Trade name: Zirconium(IV) dichloride oxide hydrate (99.99+%-Zr) PURATREM

(Contd. of page 1)

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- P310 Immediately call a POISON CENTER/doctor.
- *P501 Dispose of contents/container in accordance with local/regional/national/international regulations.*

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable.

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- 3.1 Chemical characterisation: Substances
 CAS No. Description
 15461-27-5 Zirconium(IV) dichloride oxide hydrate (99.99+%-Zr) PURATREM
 Identification number(s)
- EC number: 231-717-9

SECTION 4: First aid measures

• 4.1 Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- · 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: No special measures required.
- 6.3 Methods and material for containment and cleaning up: Use neutralising agent.

(Contd. on page 3)

GB

Printing date 17.07.2021

Revision: 17.07.2021

Trade name: Zirconium(IV) dichloride oxide hydrate (99.99+%-Zr) PURATREM

(Contd. of page 2)

Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. • 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

• Information about fire - and explosion protection: Keep respiratory protective device available.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles: No special requirements.

• Information about storage in one common storage facility: Not required.

· Further information about storage conditions: Keep container tightly sealed.

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace: Not required.

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment:

• General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

(Contd. on page 4)

GB



Trade name: Zirconium(IV) dichloride oxide hydrate (99.99+%-Zr) PURATREM · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. • Eye protection: Tightly sealed goggles · 9.1 Information on basic physical and chemical properties · General Information · Appearance: Crystalline Form: White Colour: · Odour: Pungent · Odour threshold: Not determined. · pH-value: Not applicable. · Change in condition *Melting point/freezing point:* Undetermined. Initial boiling point and boiling range: Undetermined. · Flash point: Not applicable. · Flammability (solid, gas): Not determined. · Ignition temperature: Not determined. Decomposition temperature: Not determined. · Auto-ignition temperature: · Explosive properties: Product does not present an explosion hazard. · Explosion limits: Lower: Not determined. Upper: Not determined. · Vapour pressure: Not applicable. • Density at 20 •C: 1.91 g/cm³ · Relative density Not determined. · Vapour density Not applicable. Not applicable. · Evaporation rate · Solubility in / Miscibility with Insoluble. water:

Not determined.

Not applicable.

Not applicable.

0.0 %

0.00 % 100.0 % Revision: 17.07.2021

(Contd. of page 3)

(Contd. on page 5)



Printing date 17.07.2021

· Partition coefficient: n-octanol/water:

· Viscosity:

Dvnamic: Kinematic:

· Solvent content:

Organic solvents: VOC (EC)

Solids content:

GR

Printing date 17.07.2021

Revision: 17.07.2021

Trade name: Zirconium(IV) dichloride oxide hydrate (99.99+%-Zr) PURATREM

(Contd. of page 4)

• 9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

- Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- · Skin corrosion/irritation
- Causes severe skin burns and eye damage.
- · Serious eye damage/irritation
- Causes severe skin burns and eye damage.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Must not reach sewage water or drainage ditch undiluted or unneutralised.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 6)

GB



Trade name: Zirconium(IV) dichloride oxide hydrate (99.99+%-Zr) PURATREM (Contd. of page 5) · Uncleaned packaging: · Recommendation: Disposal must be made according to official regulations. **SECTION 14: Transport information** · 14.1 UN-Number UN1759 · ADR, IMDG, IATA · 14.2 UN proper shipping name 1759 CORROSIVE SOLID, N.O.S. $\cdot ADR$ CORROSIVE SOLID, N.O.S. · IMDG, IATA • 14.3 Transport hazard class(es) · ADR, IMDG, IATA · Class 8 Corrosive substances. · Label 8 · 14.4 Packing group Ш · ADR, IMDG, IATA · 14.5 Environmental hazards: · Marine pollutant: No · 14.6 Special precautions for user Warning: Corrosive substances. · EMS Number: F-A, S-B· Stowage Category Α · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. · Transport/Additional information: $\cdot ADR$ · Limited quantities (LQ) 5 kg · Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g · UN ''Model Regulation'': UN 1759 CORROSIVE SOLID, N.O.S., 8, III

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I Substance is not listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 7)



Printing date 17.07.2021

Revision: 17.07.2021

Printing date 17.07.2021

Revision: 17.07.2021

Trade name: Zirconium(IV) dichloride oxide hydrate (99.99+%-Zr) PURATREM

(Contd. of page 6)

GB

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Technical Department.

· Contact: Technical Director

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Skin Corr. 1C: Skin corrosion/irritation – Category 1C

