SECTION 1: Identification of the substance/mixture and of the company/undertaking

Printing date 17.07.2021

-10

CHEMICALS, INC.

Revision: 17.07.2021

• Trade name: Diacetato((R)-(+)-2,2'-bis(diphenylphosphino)-1,1'-binaphthyl]ruthenium(II) Ru(OAc)_d(R binag) Irem number: 44-0152 • CAS Number: 325140-81-4 • 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. • 1.3 Details of the supplier of the safety data sheet • Manufacturer/Supplier: Strem Chemiculs, Inc. 7 Multike Way NEWEURYPORT, MA 01950 USA info@strem.com • Further information obtainable from: Technical Department • 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: + 1 (978) 499-1600 SECTION 2: Hazards identification • 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes skin irritation. Eye Irrit. 2 H319 Causes skin irritation. STOT SE 3 H335 May cause respiratory irritation. 52 Label elements • Labelling according to Regulation (EC) No 1272/2008 • The substance is classified and labelled according to the CLP regulation. • Hazard determining components of labelling: Thesatostance is classified and labelled according to the CLP regulation. • Hazard statements • Labelling according to Regulation (EC) No 1272/2008 • Mistor • Signal word Warning • Hazard determining components of labelling: Thiceastotal((R)(+)+2.2-2-bis(diphenylphosphino)-1,1-binaphthyl]ruthenium(II) Ru(OAc)2[(R)-binap] • Hazard statements H319 Causes skin irritation. H339 May cause seriptory britation. H339 May cause seriptory britation. H339 May cause seriptory britation. • Precutionary statements H335 May cause seriptory britation. H335 May cause seriptory britat	· 1.1 Product identifier	
 CAS Number: 325146-81-4 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Strem Chemicals, Inc. 7 Multiken Way NEWBURYPORT, MA 01950 USA info@ strem.com Further information obtainable from: Technical Department I.4 Emergency telphone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification of the substance or mixture Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Mor Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation. STOT FS 1 H335 May cause respiratory irritation. 2.1 Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms Apelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms According to Regulation (FC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms Signal word Warning Hazard-determining components of labelling: Diacetacie(R)(+1-22-bis(diphenylphosphino)-1,1-binaphthyl]ruthenium(II) Ru(OAc)2[(R)-binap] Hazard statements H335 May cause respiratory tritation. H335 May cause respiratory tritation. Freeautionary statements 		$Ru(OAc)_{\mathbf{Z}}(R)$ -
• Manufacturer/Supfier: Strem Chemicals, Inc. 7 Multiken Way NEWBURYPORT, MA 01950 USA info@strem.com • Further information obtainable from: Technical Department • 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: + 1 (978) 499-1600 SECTION 2: Hazards identification • 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008 \widehat{Vov} GHS07 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H315 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation. • 2.1 Label elements • Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms • Signal word Warning • Incard-determining components of labelling: Diacetato[(R):(+)-2.2-bis(diphenylphosphino)-1,1'-binaphthyl]ruthenium(II) Ru(OAc)2[(R)-binap] • Hazard statements H315 Causes skin irritation. H319 Causes skerious eye irritation. H335 May cause respiratory irritation. • Precaudionary statements	 CAS Number: 325146-81-4 1.2 Relevant identified uses of the substance or mixture and uses advised against 	
• 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: + 1 (978) 499-1600 SECTION 2: Hazards identification • 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008 $\widehat{\psi}$ GHS07 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation. • 2.2 Label elements • Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. • Hazard pictograms • Signal word Warning • Hazard-determining components of labelling: Diacetato[(R)+(+)-2,2'-bis(diphenylphosphino)-1,1'-binaphthyl]ruthenium(II) Ru(OAc)2[(R)-binap] • Hazard statements H315 Causes serious eye irritation. H319 Causes serious eye irritation. H319 Causes serious eye irritation. H325 May cause respiratory irritation.	• Manufacturer/Supplier: Strem Chemicals, Inc. 7 Mulliken Way NEWBURYPORT, MA 01950 USA	
 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Image: Classification according to Regulation (EC) No 1272/2008 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation. Stor SE 3 H335 May cause respiratory irritation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms GHS07 Signal word Warning Hazard-determining components of labelling: Diacetato[(R)-(+)-2,2'-bis(diphenylphosphino)-1,1'-binaphthyl]ruthenium(II) Ru(OAc)2[(R)-binap] Hazard statements H315 Causes skin irritation. H315 Causes skin irritation. H315 Causes skin irritation. H335 May cause respiratory irritation. Frecautionary statements 	· 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300	
 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Image: Provide the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Irrit. 2 H315 Causes serious eye irritation. Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms GHS07 Signal word Warning Hazard-determining components of labelling: Diacetato[(R)-(+)-2,2'-bis(diphenylphosphino)-1,1'-binaphthyl]ruthenium(II) Ru(OAc)2[(R)-binap] Hazard statements H315 Causes skin irritation. H315 Causes skin irritation. H315 Causes serious eye irritation. H335 May cause respiratory irritation. H335 May cause respiratory irritation. Precautionary statements 		
 Classification according to Regulation (EC) No 1272/2008 GHS07 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms GHS07 Signal word Warning Hazard-determining components of labelling: Diacetato[(R)-(+)-2,2'-bis(diphenylphosphino)-1,1'-binaphthyl]ruthenium(II) Ru(OAc)2[(R)-binap] Hazard statements H315 Causes skin irritation. H315 Causes respiratory irritation. Precautionary statements 	· · · · · · · · · · · · · · · · · · ·	
 Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms if is the substance is classified and labelled according to the CLP regulation. Hazard pictograms Gitso7 Signal word Warning Hazard-determining components of labelling: Diacetato[(R)-(+)-2,2'-bis(diphenylphosphino)-1,1'-binaphthyl]ruthenium(II) Ru(OAc)2[(R)-binap] Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. Precautionary statements 	<i>GHS07</i> Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation.	
 Signal word Warning Hazard-determining components of labelling: Diacetato[(R)-(+)-2,2'-bis(diphenylphosphino)-1,1'-binaphthyl]ruthenium(II) Ru(OAc)2[(R)-binap] Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. Precautionary statements 	• <i>Labelling according to Regulation (EC) No 1272/2008</i> The substance is classified and labelled according to the CLP regulation.	
 Hazard-determining components of labelling: Diacetato[(R)-(+)-2,2'-bis(diphenylphosphino)-1,1'-binaphthyl]ruthenium(II) Ru(OAc)2[(R)-binap] Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. Precautionary statements 	GHS07	
Diacetato[(R)-(+)-2,2'-bis(diphenylphosphino)-1,1'-binaphthyl]ruthenium(II) Ru(OAc)2[(R)-binap] • Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. • Precautionary statements	· Signal word Warning	
•	Diacetato[(R)-(+)-2,2'-bis(diphenylphosphino)-1,1'-binaphthyl]ruthenium(II) Ru(OAc)2[(R)-binaphthyl]ruthenium(II) Ru(OAc)2[(R)-binaphthyl] ruthenium(II) Ruthaphthyl] ruthenium(II) Ruthaphthyl] ruthenium(II) Ruthaphthyl] ruthenium(II) Ruthaphthyl] ruthenium(II) Ruthaphthyl] ruthaphthyl] ruthaphthyl] ruthaphthyl] ruthaphthyl] ruthaphthyl] ruthaphthyl] ruthaphthyl] ruth	p]
J / 1	P101 If medical advice is needed, have product container or label at hand.	
1 5 5	P102 Keep out of reach of children.	(Contd. on page 2)
		• Trade name: Diacetatof(R)-(+)-2,2'-bis(diphenylphosphino)-1,1'-binaphthyl]ruthenium(II) binap] • Item number: 44-0152 • CAS Number: 325146-81-4 • 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. • 1.3 Details of the supplier of the safety data sheet • Manufacturer/Supplier: Strem Chemicals, Inc. • 7 Mulliken Way NEWBURYPORT, MA 01950 USA info [®] strem.com • Further information obtainable from: Technical Department • 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600 SECTION 2: Hazards identification • 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008 • Output: Stim Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H315 Causes respiratory irritation. 5.2 Label elements • Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. • Hazard pictograms • Signal word Warning • Hazard-determining components of labelling: Diacetatol((R)-(+)-2,2'-bis(diphenylphosphino)-1,1'-binaphthyl]ruthenium(II) Ru(OAc)2]((R)-binaphthyl] Causes serious eye irritation. H315 Causes skin irritation. H319 Causes serious eye irritation. H315 Causes skin irritation. H315 Ca

HEMICALS, INC.

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.07.2021

Revision: 17.07.2021

Trade name: Diacetato[(R)-(+)-2,2'-bis(diphenylphosphino)-1,1'-binaphthyl]ruthenium(II) Ru(OAc)₂(R)-binap]

	(Contd. of page 1)
P103	Read label before use.
P231	Handle under inert gas.
P222	Do not allow contact with air.
P305+P351+P3	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P422	Store contents under inert gas.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
\cdot 2.3 Other hazar	ds

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.1 Chemical characterisation: Substances

• CAS No. Description 325146-81-4 Diacetato[(R)-(+)-2,2'-bis(diphenylphosphino)-1,1'binaphthyl]ruthenium(II) Ru(OAc)2[(R)-binap]

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

 $No\ further\ relevant\ information\ available.$

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Not required.

- · 6.2 Environmental precautions: No special measures required.
- 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- 6.4 Reference to other sections

See Section 7 for information on safe handling.

(Contd. on page 3)

HEMICALS, INC.

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.07.2021

Revision: 17.07.2021

(Contd. of page 2)

Trade name: Diacetato[(R)-(+)-2,2'-bis(diphenylphosphino)-1,1'-binaphthyl]ruthenium(II) Ru(OAc) [(R)-binap]

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Open and handle receptacle with care.
- · Handling: Handle under inert gas.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage: Store contents under inert gas.
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eves and skin.
- · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

GB

Printing date 17.07.2021

ШK

CHEMICALS, INC.

Revision: 17.07.2021

• Eye protection:	(Contd. of page
Tightly sealed goggles	
• 9.1 Information on basic physical and c. • General Information	hemical properties
· Appearance:	
Form:	Powder
Colour:	Green
· Odour:	Characteristic
· Odour threshold:	Not determined.
· pH-value:	Not applicable.
· Change in condition	
Melting point/freezing point:	>100 °C
Initial boiling point and boiling range	: Undetermined.
· Flash point:	Not applicable.
· Flammability (solid, gas):	Not determined.
· Ignition temperature:	
Decomposition temperature:	Not determined.
• Auto-ignition temperature:	Not determined.
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure:	Not applicable.
· Density:	Not determined.
· Relative density	Not determined.
· Vapour density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
water:	Insoluble.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· Solvent content:	
Organic solvents:	0.0 %
VOC (EC)	0.00 %
Solids content:	100.0 %
• 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

GB

Printing date 17.07.2021

Revision: 17.07.2021

(Contd. of page 4)

 $Trade\ name:\ Diacetato[(R)-(+)-2,2'-bis(diphenylphosphino)-1,1'-binaphthyl]ruthenium(II)\ Ru(OAc) _ [(R)-binap]$

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation
- Causes skin irritation.
- · Serious eye damage/irritation
- Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure
- May cause respiratory irritation.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

(Contd. on page 6)

GF



Printing date 17.07.2021

Revision: 17.07.2021

Trade name: Diacetato[(R)-(+)-2,2'-bis(diphenylphosphino)-1,1'-binaphthyl]ruthenium(II) Ru(OAc)₄(R)-binap]

(Contd. of page 5)

SECTION 14: Transport information	tion
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	not regulated
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	not regulated
· 14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	not regulated
· 14.4 Packing group · ADR, IMDG, IATA	not regulated
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
· 14.7 Transport in bulk according to Ann Marpol and the IBC Code	nex II of Not applicable.
UN ''Model Regulation'':	not regulated

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Department.
- · Contact: Technical Director

Abbreviations and acronyms:
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3