

Printing date 07/18/2021

Reviewed on 07/14/2021

## 1 Identification

- **Product name**
- **Trade name:** Cadmium selenide/cadmium sulfide StremDots™ quantum rod (CdSe/CdS elongated core/shell), 5 mg/ml in hexanes, 620nm peak emission
- **Item number:** 48-1059
- **CAS Number:**  
1306-24-7
- **EC number:**  
215-148-3
- **Index number:**  
034-002-00-8
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Strem Chemicals, Inc.  
7 Mulliken Way  
NEWBURYPORT, MA 01950  
USA  
info@strem.com
- **Information department:** Technical Department
- **Emergency telephone number:**  
EMERGENCY: CHEMTREC: + 1 (800) 424-9300  
During normal opening times: +1 (978) 499-1600

## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS02 Flame

Flam. Liq. 1 H224 Extremely flammable liquid and vapor.



GHS06 Skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed.

Acute Tox. 3 H331 Toxic if inhaled.



GHS08 Health hazard

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

- **Label elements**

- **GHS label elements**

The substance is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS02



GHS06



GHS08

(Contd. on page 2)

**Safety Data Sheet**  
according to OSHA HCS

Printing date 07/18/2021

Reviewed on 07/14/2021

**Trade name: Cadmium selenide/cadmium sulfide StremDots™ quantum rod (CdSe/CdS elongated core/shell), 5 mg/ml in hexanes, 620nm peak emission**

(Contd. of page 1)

· **Signal word** *Danger*

· **Hazard-determining components of labeling:**

*cadmium selenide*

· **Hazard statements**

*H224 Extremely flammable liquid and vapor.*

*H301+H331 Toxic if swallowed or if inhaled.*

*H373 May cause damage to organs through prolonged or repeated exposure.*

· **Precautionary statements**

*P231 Handle under inert gas.*

*P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.*

*P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*

*P403+P233 Store in a well-ventilated place. Keep container tightly closed.*

*P411+P235 Store at temperatures not exceeding 4°C. Keep cool.*

*P422 Store contents under inert gas.*

*P501 Dispose of contents/container in accordance with local/regional/national/international regulations.*

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



*Health = 2*

*Fire = 0*

*Reactivity = 0*

· **HMIS-ratings (scale 0 - 4)**



*Health = 2*

*Fire = 0*

*Reactivity = 0*

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** *Not applicable.*

· **vPvB:** *Not applicable.*

### 3 Composition/information on ingredients

· **Chemical characterization: Substances**

· **CAS No. Description**

*1306-24-7 cadmium selenide*

· **Identification number(s)**

· **EC number:** *215-148-3*

· **Index number:** *034-002-00-8*

### 4 First-aid measures

· **Description of first aid measures**

· **General information:**

*Immediately remove any clothing soiled by the product.*

*Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.*

*Remove breathing apparatus only after contaminated clothing have been completely removed.*

(Contd. on page 3)

**Safety Data Sheet**  
according to OSHA HCS

Printing date 07/18/2021

Reviewed on 07/14/2021

**Trade name: Cadmium selenide/cadmium sulfide StremDots™ quantum rod (CdSe/CdS elongated core/shell), 5 mg/ml in hexanes, 620nm peak emission**

(Contd. of page 2)

- In case of irregular breathing or respiratory arrest provide artificial respiration.*
- **After inhalation:**  
*Supply fresh air or oxygen; call for doctor.*
- In case of unconsciousness place patient stably in side position for transportation.*
- **After skin contact:** *Immediately wash with water and soap and rinse thoroughly.*
- **After eye contact:** *Rinse opened eye for several minutes under running water. Then consult a doctor.*
- **After swallowing:** *Do not induce vomiting; immediately call for medical help.*
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** *No further relevant information available.*
- **Indication of any immediate medical attention and special treatment needed**  
*No further relevant information available.*

**5 Fire-fighting measures**

- **Extinguishing media**
- **Suitable extinguishing agents:**  
*CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.*
- **For safety reasons unsuitable extinguishing agents:** *Water with full jet*
- **Special hazards arising from the substance or mixture** *No further relevant information available.*
- **Advice for firefighters**
- **Protective equipment:** *Mouth respiratory protective device.*

**6 Accidental release measures**

- **Personal precautions, protective equipment and emergency procedures**  
*Wear protective equipment. Keep unprotected persons away.*
- **Environmental precautions:**  
*Do not allow product to reach sewage system or any water course.*  
*Prevent seepage into sewage system, workpits and cellars.*  
*Inform respective authorities in case of seepage into water course or sewage system.*
- **Methods and material for containment and cleaning up:**  
*Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).*  
*Dispose contaminated material as waste according to item 13.*  
*Ensure adequate ventilation.*
- **Reference to other sections**  
*See Section 7 for information on safe handling.*  
*See Section 8 for information on personal protection equipment.*  
*See Section 13 for disposal information.*
- **Protective Action Criteria for Chemicals**

· **PAC-1:**

*Substance is not listed.*

· **PAC-2:**

*Substance is not listed.*

· **PAC-3:**

*Substance is not listed.*

US

(Contd. on page 4)

**Safety Data Sheet**  
according to OSHA HCS

Printing date 07/18/2021

Reviewed on 07/14/2021

**Trade name: Cadmium selenide/cadmium sulfide StremDots™ quantum rod (CdSe/CdS elongated core/shell), 5 mg/ml in hexanes, 620nm peak emission**

(Contd. of page 3)

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Open and handle receptacle with care.  
Prevent formation of aerosols.
- **Information about protection against explosions and fires:**  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.  
Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:** Keep cool.
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Keep receptacle tightly sealed.  
Do not gas tight seal receptacle.  
Store in cool, dry conditions in well sealed receptacles.  
Protect from heat and direct sunlight.  
**DO NOT FREEZE**
- **Recommended storage temperature:** Store at temperatures not exceeding 4 °C. Keep cool.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:** Not required.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Store protective clothing separately.
- **Breathing equipment:** A NIOSH approved respirator in accordance with 29 CFR 1910.134.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

(Contd. on page 5)

**Safety Data Sheet**  
according to OSHA HCS

Printing date 07/18/2021

Reviewed on 07/14/2021

**Trade name: Cadmium selenide/cadmium sulfide StremDots™ quantum rod (CdSe/CdS elongated core/shell), 5 mg/ml in hexanes, 620nm peak emission**

(Contd. of page 4)

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

**9 Physical and chemical properties**

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Dispersion

Color: Red

· **Odor:** Pungent

· **Odor threshold:** Not determined.

· **pH-value:** Not determined.

· **Change in condition**

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: 60 °C (140 °F)

· **Flash point:** -7 °C (19 °F)

· **Flammability (solid, gaseous):** Not determined.

· **Ignition temperature:** 234 °C (453 °F)

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Not determined.

· **Danger of explosion:** Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

· **Explosion limits:**

Lower: 1.7 Vol %

Upper: 7.7 Vol %

· **Vapor pressure at 37 °C (99 °F):** 341.3 hPa (256 mm Hg)

· **Density:** Not determined.

· **Relative density** Not determined.

· **Vapor density** Not determined.

· **Evaporation rate** Not determined.

· **Solubility in / Miscibility with**

Water: Not miscible or difficult to mix.

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**

Dynamic: Not determined.

Kinematic: Not determined.

(Contd. on page 6)

**Safety Data Sheet**  
according to OSHA HCS

Printing date 07/18/2021

Reviewed on 07/14/2021

**Trade name: Cadmium selenide/cadmium sulfide StremDots™ quantum rod (CdSe/CdS elongated core/shell), 5 mg/ml in hexanes, 620nm peak emission**

(Contd. of page 5)

- **Solvent content:**
- Organic solvents:** 0.0 %
- VOC content:** 0.0 g/l / 0.00 lb/gl
- **Other information** No further relevant information available.

**10 Stability and reactivity**

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

**11 Toxicological information**

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- on the skin:** No irritant effect.
- on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
- **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

I

· **NTP (National Toxicology Program)**

K

· **OSHA-Ca (Occupational Safety & Health Administration)**

Substance is not listed.

**12 Ecological information**

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Not known to be hazardous to water.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 7)

**Safety Data Sheet**  
according to OSHA HCS

Printing date 07/18/2021

Reviewed on 07/14/2021

**Trade name: Cadmium selenide/cadmium sulfide StremDots™ quantum rod (CdSe/CdS elongated core/shell), 5 mg/ml in hexanes, 620nm peak emission**



· **Other adverse effects** No further relevant information available.

(Contd. of page 6)

**13 Disposal considerations**

- **Waste treatment methods**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

**14 Transport information**

- **UN-Number**
- **DOT, IMDG, IATA** UN1993
- **UN proper shipping name**
- **DOT** Flammable liquids, n.o.s.
- **IMDG, IATA** FLAMMABLE LIQUID, N.O.S.
- **Transport hazard class(es)**
- **DOT**
- 
- **Class** 3 Flammable liquids
- **Label** 3
- **IMDG, IATA**
- 
- **Class** 3 Flammable liquids
- **Label** 3
- **Packing group**
- **DOT, IMDG, IATA** I
- **Environmental hazards:**
- **Marine pollutant:** No
- **Special precautions for user** Warning: Flammable liquids
- **EMS Number:** F-E,S-E
- **Stowage Category** E
- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.

(Contd. on page 8)

**Safety Data Sheet**  
according to OSHA HCS

Printing date 07/18/2021

Reviewed on 07/14/2021

**Trade name: Cadmium selenide/cadmium sulfide StremDots™ quantum rod (CdSe/CdS elongated core/shell), 5 mg/ml in hexanes, 620nm peak emission**

(Contd. of page 7)

**· Transport/Additional information:**

**· DOT**

**· Quantity limitations**

On passenger aircraft/rail: 1L

On cargo aircraft only: 30L

**· IMDG**

**· Limited quantities (LQ)**

0.5L

**· Excepted quantities (EQ)**

Code: E3

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 300 ml

**· UN "Model Regulation":**

UN 1993 FLAMMABLE LIQUIDS, N.O.S., 3, I

**15 Regulatory information**

**· Safety, health and environmental regulations/legislation specific for the substance or mixture**

**· Sara**

**· Section 355 (extremely hazardous substances):**

Substance is not listed.

**· Section 313 (Specific toxic chemical listings):**

Substance is listed.

**· TSCA (Toxic Substances Control Act):**

Substance is listed.

**· Proposition 65**

**· Chemicals known to cause cancer:**

Substance is listed.

**· Chemicals known to cause reproductive toxicity for females:**

Substance is not listed.

**· Chemicals known to cause reproductive toxicity for males:**

Substance is not listed.

**· Chemicals known to cause developmental toxicity:**

Substance is not listed.

**· Carcinogenic categories**

**· EPA (Environmental Protection Agency)**

D

**· TLV (Threshold Limit Value established by ACGIH)**

Substance is not listed.

**· NIOSH-Ca (National Institute for Occupational Safety and Health)**

Substance is not listed.

**· GHS label elements**

The substance is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 9)



**Safety Data Sheet**  
according to OSHA HCS

Printing date 07/18/2021

Reviewed on 07/14/2021

**Trade name: Cadmium selenide/cadmium sulfide StremDots™ quantum rod (CdSe/CdS elongated core/shell), 5 mg/ml in hexanes, 620nm peak emission**

(Contd. of page 8)

· **Hazard pictograms**



GHS02 GHS06 GHS08

· **Signal word** *Danger*

· **Hazard-determining components of labeling:**

*cadmium selenide*

· **Hazard statements**

H224 *Extremely flammable liquid and vapor.*

H301+H331 *Toxic if swallowed or if inhaled.*

H373 *May cause damage to organs through prolonged or repeated exposure.*

· **Precautionary statements**

P231 *Handle under inert gas.*

P301+P310 *IF SWALLOWED: Immediately call a POISON CENTER/ doctor.*

P305+P351+P338 *If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*

P403+P233 *Store in a well-ventilated place. Keep container tightly closed.*

P411+P235 *Store at temperatures not exceeding 4°C. Keep cool.*

P422 *Store contents under inert gas.*

P501 *Dispose of contents/container in accordance with local/regional/national/international regulations.*

· **Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

**16 Other information**

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

· **Department issuing SDS:** *Technical Department.*

· **Contact:** *Technical Director*

· **Date of preparation / last revision** *07/18/2021 / -*

· **Abbreviations and acronyms:**

ADR: *Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)*

IMDG: *International Maritime Code for Dangerous Goods*

DOT: *US Department of Transportation*

IATA: *International Air Transport Association*

ACGIH: *American Conference of Governmental Industrial Hygienists*

EINECS: *European Inventory of Existing Commercial Chemical Substances*

CAS: *Chemical Abstracts Service (division of the American Chemical Society)*

NFPA: *National Fire Protection Association (USA)*

HMIS: *Hazardous Materials Identification System (USA)*

VOC: *Volatile Organic Compounds (USA, EU)*

PBT: *Persistent, Bioaccumulative and Toxic*

vPvB: *very Persistent and very Bioaccumulative*

NIOSH: *National Institute for Occupational Safety*

OSHA: *Occupational Safety & Health*

TLV: *Threshold Limit Value*

PEL: *Permissible Exposure Limit*

REL: *Recommended Exposure Limit*

Flam. Liq. 1: *Flammable liquids – Category 1*

Acute Tox. 3: *Acute toxicity – Category 3*

STOT RE 2: *Specific target organ toxicity (repeated exposure) – Category 2*