Printing date 19.07.2021

CHEMICALS, INC.

Revision: 19.07.2021

Printing date 19.07.2021	Revision: 19.07.2021
SECTION 1: Identification of the substance/mix	ture and of the company/undertaking
· 1.1 Product identifier	
· Trade name: Osmium(VIII) oxide (99.99+%-Os), 4% in w	ater PURATREM
 Item number: 76-2955 CAS Number: 20816-12-0 EC number: 244-058-7 Index number: 076-001-00-5 1.2 Relevant identified uses of the substance or mixture an No further relevant information available. 	nd uses advised against
 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Strem Chemicals, Inc. 7 Mulliken Way NEWBURYPORT, MA 01950 USA info@strem.com 	
• Further information obtainable from: Technical Departme • 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600	ent
SECTION 2: Hazards identification	
• 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008 GHS06 skull and crossbones	8
Acute Tox. 2 H300 Fatal if swallowed. Acute Tox. 1 H310 Fatal in contact with skin. Acute Tox. 2 H330 Fatal if inhaled.	
GHS05 corrosion	
Skin Corr. 1B H314 Causes severe skin burns and eye dan	nage.
 • 2.2 Label elements • Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the Cl • Hazard pictograms 	LP regulation.
GHS05 GHS06	
· Signal word Danger	(Contd. on page 2)
	(Contd. on page 2)

Printing date 19.07.2021

CHEMICALS.

Revision: 19.07.2021

Trade name: Osmium(VIII) oxide (99.99+%-Os), 4% in water PURATREM

	ining components of labelling:
osmium tetraoxi	
Hazard stateme	
	1330 Fatal if swallowed, in contact with skin or if inhaled.
H314	Causes severe skin burns and eye damage.
Precautionary s	
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P284	[In case of inadequate ventilation] wear respiratory protection.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P303+P361+P3	353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with wate shower.
P305+P351+P3	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, present and easy to do. Continue rinsing.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local/regional/national/internation regulations.
2.3 Other hazar	ds
Results of PBT	and vPvB assessment

SECTION 3: Composition/information on ingredients

- · 3.1 Chemical characterisation: Substances
- · CAS No. Description
- 20816-12-0 osmium tetraoxide
- · Identification number(s)
- EC number: 244-058-7
- Index number: 076-001-00-5

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

- Remove breathing equipment only after contaminated clothing have been completely removed.
- In case of irregular breathing or respiratory arrest provide artificial respiration.
- After inhalation:

Supply fresh air or oxygen; call for doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:
- Do not induce vomiting; call for medical help immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

Printing date 19.07.2021

Revision: 19.07.2021

Trade name: Osmium(VIII) oxide (99.99+%-Os), 4% in water PURATREM

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- \cdot 5.2 Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: No special measures required.
- **6.3 Methods and material for containment and cleaning up:** Use neutralising agent. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- **6.4 Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Thorough dedusting.
 Ensure good ventilation/exhaustion at the workplace.
 Open and handle receptacle with care.
- · Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- \cdot **7.3** *Specific end use(s) No further relevant information available.*

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)

GB –



(Contd. of page 2)

Printing date 19.07.2021

Revision: 19.07.2021

Trade name: Osmium(VIII) oxide (99.99+%-Os), 4% in water PURATREM

(Contd. of page 3)

•	8.1	Control	parameters
---	-----	---------	------------

· Ingredients with limit values that require monitoring at the workplace:

20816-12-0 osmium tetraoxide

- WEL Short-term value: 0.006 mg/m³, 0.0006 ppm Long-term value: 0.002 mg/m³, 0.0002 ppm (as Os)
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin.
- · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

- Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*
- The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- · Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eye protection:



Tightly sealed goggles

General Information		
Appearance:	~	
Form:	Crystalline	
Colour:	Light yellow	
Odour:	Like chlorine	
Odour threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition		
Melting point/freezing point:	41-42 °C	
Initial boiling point and boiling ra	noe. 130 °C	

Printing date 19.07.2021

Revision: 19.07.2021

Trade name: Osmium(VIII) oxide (99.99+%-Os), 4% in water PURATREM

	(Contd. of pag
· Flash point:	Not applicable.
· Flammability (solid, gas):	Not determined.
· Ignition temperature:	
Decomposition temperature:	Not determined.
• Auto-ignition temperature:	Not determined.
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure:	Not applicable.
· Density at 20 °C:	4.906 g/cm ³
· Relative density	Not determined.
· Vapour density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
water:	Insoluble.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· Solvent content:	
Organic solvents:	0.0 %
VOC (EC)	0.00 %
Solids content:	100.0 %
• 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity
- Fatal if swallowed, in contact with skin or if inhaled.
- · Primary irritant effect:
- · Skin corrosion/irritation

Causes severe skin burns and eye damage.

(Contd. on page 6)



⁻ GB

Printing date 19.07.2021

Revision: 19.07.2021

(Contd. of page 5)

Trade name: Osmium(VIII) oxide (99.99+%-Os), 4% in water PURATREM

- · Serious eye damage/irritation
- Causes severe skin burns and eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- \cdot Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- \cdot **STOT-single exposure** Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- \cdot Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Must not reach sewage water or drainage ditch undiluted or unneutralised.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information		
· 14.1 UN-Number · ADR, IMDG, IATA	UN2471	
· 14.2 UN proper shipping name · ADR · IMDG, IATA	2471 OSMIUM TETROXIDE OSMIUM TETROXIDE	
· 14.3 Transport hazard class(es)		
·ADR		
· Class	6	
		(Contd. on page 7

Printing date 19.07.2021

CHEMICALS, INC

Revision: 19.07.2021

	(Contd. of pa
Label	6.1
IMDG, IATA	
Class	6.1 Toxic substances.
Label	6.1
14.4 Packing group	
ADR, IMDĞ, IATA	Ι
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
Danger code (Kemler):	66
Stowage Category	В
Stowage Code	SW2 Clear of living quarters.
14.7 Transport in bulk according to Anna Marpol and the IBC Code	ex II of Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	0
Excepted quantities (EQ)	Code: E5
	Maximum net quantity per inner packaging: 1 g
The second se	Maximum net quantity per outer packaging: 300 g
Transport category	1
Tunnel restriction code	<i>C/E</i>
IMDG	
Limited quantities (LQ)	0
Excepted quantities (EQ)	Code: E5
	Maximum net quantity per inner packaging: 1 g
	Maximum net quantity per outer packaging: 300 g
UN "Model Regulation":	UN 2471 OSMIUM TETROXIDE, 6.1, I

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I Substance is not listed.

· Seveso category H1 ACUTE TOXIC

 \cdot Qualifying quantity (tonnes) for the application of lower-tier requirements 5 t

• Qualifying quantity (tonnes) for the application of upper-tier requirements 20 t

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 8)

GE

Printing date 19.07.2021

CHEMICALS, INC

Revision: 19.07.2021

Trade name: Osmium(VIII) oxide (99.99+%-Os), 4% in water PURATREM

(Contd. of page 7)

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Technical Department.

· Contact: Technical Director

Abbreviations and acronyms:
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Acute Tox. 2: Acute toxicity – Category 2
Acute Tox. 1: Acute toxicity – Category 1
Skin Corr. 1B: Skin corrosion/irritation – Category 1B