

Printing date 07/19/2021 Reviewed on 07/19/2021

1 Identification

· Product name

· Trade name: Mercury(II) iodide, anhydrous (99.999%-Hg) PURATREM

· *Item number:* 80-8008

• CAS Number: 7774-29-0 • EC number: 231-873-8

• Index number: 080-002-00-6

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Strem Chemicals, Inc.

7 Mulliken Way

NEWBURYPORT, MA 01950

USA

info@strem.com

· Information department: Technical Department

· Emergency telephone number:

EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600

2 Hazard(s) identification

· Classification of the substance or mixture



GHS06 Skull and crossbones

Acute Tox. 2 H300 Fatal if swallowed.

Acute Tox. 2 H310 Fatal in contact with skin.

Acute Tox. 2 H330 Fatal if inhaled.



GHS08 Health hazard

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

- · Label elements
- · GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms





GHS06

GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:
- mercury diiodide
 · Hazard statements

H300+H310+H330 Fatal if swallowed, in contact with skin or if inhaled.

(Contd. on page 2)



Printing date 07/19/2021 Reviewed on 07/19/2021

Trade name: Mercury(II) iodide, anhydrous (99.999%-Hg) PURATREM

(Contd. of page 1)

H373 May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements

P284 [In case of inadequate ventilation] wear respiratory protection.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 4 Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 3 Fire = 0 Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description

7774-29-0 mercury diiodide

- · Identification number(s)
- · EC number: 231-873-8
- · Index number: 080-002-00-6

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Do not induce vomiting; immediately call for medical help.

(Contd. on page 3)



Printing date 07/19/2021 Reviewed on 07/19/2021

Trade name: Mercury(II) iodide, anhydrous (99.999%-Hg) PURATREM

(Contd. of page 2)

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- · Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

· Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:

 $0.17 \, mg/m3$

· PAC-2:

 $0.23 \, mg/m3$

· PAC-3:

63 mg/m3

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 4)



Printing date 07/19/2021 Reviewed on 07/19/2021

Trade name: Mercury(II) iodide, anhydrous (99.999%-Hg) PURATREM

(Contd. of page 3)

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

7774-29-0 mercury diiodide

PEL Long-term value: 0.1 mg/m³

as Hg; see OSHA standard interpretation memo

REL Long-term value: 0.05* mg/m³

Ceiling limit value: 0.1 mg/m³

as Hg; *Vapor; Skin

TLV Long-term value: 0.025 mg/m³

as Hg; Skin; BEI

· Ingredients with biological limit values:

7774-29-0 mercury diiodide

BEI 35 μg/L

Medium: urine Time: prior to shift

Parameter: Total inorganic mercury (background)

15 μg/L

Medium: blood

Time: end of shift at end of workweek

Parameter: Total inorganic mercury (background)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

- · Breathing equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

(Contd. on page 5)



Printing date 07/19/2021 Reviewed on 07/19/2021

Trade name: Mercury(II) iodide, anhydrous (99.999%-Hg) PURATREM

(Contd. of page 4)

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

Physical and chemical proper	ties	
Information on basic physical and a General Information Appearance:	chemical properties	
Form:	Powder	
Color:	Orange	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition		
Melting point/Melting range:	259 °C (498 °F)	
Boiling point/Boiling range:	354 °C (669 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not determined.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits: Lower: Upper:	Not determined. Not determined.	
Vapor pressure:	Not applicable.	
Density at 20 °C (68 °F):	6.271 g/cm³ (52.3315 lbs/gal)	
Bulk density at 20 °C (68 °F):	1.350kg/m^3	
Relative density	Not determined.	
Vapor density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
Water:	Insoluble.	
Partition coefficient (n-octanol/wat	er): Not determined.	
Viscosity:	N	
Dynamic: Kinematic:	Not applicable. Not applicable.	

(Contd. on page 6)



Printing date 07/19/2021 Reviewed on 07/19/2021

Trade name: Mercury(II) iodide, anhydrous (99.999%-Hg) PURATREM

 Solvent content:
 0.0 %

 Organic solvents:
 0.0 %

 VOC content:
 0.0 g/l / 0.00 lb/gl

 Solids content:
 100.0 %

 Other information
 No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

		es that are relevant for classification:
Oral	LD50	18 mg/kg (rat)

7774-29-0 mercury diiodide			
Oral	LD50	18 mg/kg (rat)	
Dermal	LD50	18 mg/kg (rat) 75 mg/kg (rat)	

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories

· IARC	(International	l Agency j	for I	Researci	n on (Cancer)	
--------	----------------	------------	-------	----------	--------	---------	--

3

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.

(Contd. on page 7)



Printing date 07/19/2021 Reviewed on 07/19/2021

Trade name: Mercury(II) iodide, anhydrous (99.999%-Hg) PURATREM

(Contd. of page 6)

- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

· Label

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number DOT, IMDG, IATA	UN1638
UN proper shipping name	011030
DOT	Mercury iodide
IMDG	MERCURY IODIDE, MARINE POLLUTANT
IATA	MERCURY IODIDE
Transport hazard class(es)	
DOT	
TOXIC 8	
Class	6.1 Toxic substances
Label	6.1
IMDG	

Class	6.1 Toxic substances
Label	6.1
IATA	
6	

6.1



Printing date 07/19/2021 Reviewed on 07/19/2021

Trade name: Mercury(II) iodide, anhydrous (99.999%-Hg) PURATREM

	(Contd. of page
Packing group	
DOT, IMDG, IATA	II
Environmental hazards:	
· Marine pollutant:	No
	Yes (DOT)
	Symbol (fish and tree)
Special precautions for user	Not applicable.
Danger code (Kemler):	60
Segregation groups	Heavy metals and their salts (including their organometalli compounds), mercury and mercury compounds
Stowage Category	A
Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
· DOT	
Quantity limitations	On passenger aircraft/rail: 25 kg
	On cargo aircraft only: 100 kg
· IMDG	
· Limited quantities (LQ)	.5kg
\cdot Excepted quantities $(\widetilde{E}Q)$	Code: E4
- · · · · · · · ·	Maximum net quantity per inner packaging: 1 g
	Maximum net quantity per outer packaging: 500 g
· UN ''Model Regulation'':	UN 1638 MERCURY IODIDE, 6.1, II

15 Regulatory information

- $\cdot \textit{Safety, health and environmental regulations/legislation specific for the substance or \textit{mixture} \\$
- · Sara
- · Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is listed.

· TSCA (Toxic Substances Control Act):

Substance is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is listed.

(Contd. on page 9)



Printing date 07/19/2021 Reviewed on 07/19/2021

Trade name: Mercury(II) iodide, anhydrous (99.999%-Hg) PURATREM

(Contd. of page 8)

· Carcinogenic categories

· EPA (Environmental Protection Agency)

D

· TLV (Threshold Limit Value established by ACGIH)

A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms





GHS06

GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

mercury diiodide

· Hazard statements

H300+H310+H330 Fatal if swallowed, in contact with skin or if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements

P284 [In case of inadequate ventilation] wear respiratory protection.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Department.
- · Contact: Technical Director
- · Date of preparation / last revision 07/19/2021 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

(Contd. on page 10)



Printing date 07/19/2021 Reviewed on 07/19/2021

Trade name: Mercury(II) iodide, anhydrous (99.999%-Hg) PURATREM

(Contd. of page 9)

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
BEI: Biological Exposure Limit
Acute Tox 2: Acute toxicity – Category

Acute Tox. 2: Acute toxicity – Category 2 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

US-