Printing date 07/20/2021

Reviewed on 07/20/2021

1 Identification

- · Product name
- · Trade name: <u>Tetraethoxysilane, min. 98% TEOS</u>
- *Item number:* 93-1454
- · CAS Number:
- 78-10-4 • **EC number:**
- 201-083-8
- Index number: 014-005-00-0
- Details of the supplier of the safety data sheet • Manufacturer/Supplier:
- Strem Chemicals, Inc. 7 Mulliken Way NEWBURYPORT, MA 01950 USA info@strem.com
- · Information department: Technical Department
- Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600

2 Hazard(s) identification

· Classification of the substance or mixture



Flam. Liq. 3 H226 Flammable liquid and vapor.

GHS07

Acute Tox. 4H332Harmful if inhaled.Eye Irrit. 2AH319Causes serious eye irritation.STOT SE 3H335May cause respiratory irritation.

· Label elements

 • GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).
 • Hazard pictograms



· Signal word Warning


- *Hazard-determining components of labeling: tetraethyl silicate*
- *Hazard statements* H226 Flammable liquid and vapor.

(Contd. on page 2)

⁻ US

Printing date 07/20/2021

Reviewed on 07/20/2021



Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Immediately rinse with water.

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing: If symptoms persist consult doctor.

(Contd. on page 3)

Printing date 07/20/2021

Reviewed on 07/20/2021

(Contd. of page 2)

Trade name: Tetraethoxysilane, min. 98% TEOS

· Information for doctor:

- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Prevent seepage into sewage system, workpits and cellars.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

- Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

, , , , , , , , , ,	
• PAC-1:	
	25 ppm

· PAC-3:

· PAC-2:

300 ppm

100 ppm

7 Handling and storage

· Handling:

- *Precautions for safe handling* Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

· Information about storage in one common storage facility: Not required.

(Contd. on page 4)

⁻ US

Printing date 07/20/2021

Reviewed on 07/20/2021

Trade name: Tetraethoxysilane, min. 98% TEOS

(Contd. of page 3)

- Further information about storage conditions: Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:

- 78-10-4 tetraethyl silicate
- PEL Long-term value: 850 mg/m³, 100 ppm
- *REL* Long-term value: 85 mg/m³, 10 ppm

TLV Long-term value: 85 mg/m³, 10 ppm

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.
- Breathing equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

(Contd. on page 5)

Printing date 07/20/2021

_0

CHEMICALS, INC.

Reviewed on 07/20/2021

Trade name: Tetraethoxysilane, min. 98% TEOS

(Contd. of page 4)

9 Physical and chemical proper	rties
· Information on basic physical and	
• Information on basic physical and • General Information	chemical properties
· Appearance:	
Form:	Liquid
Color:	Colorless
· Odor:	Alcohol-like
· Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	165.8 °C (330 °F)
· Flash point:	47 °C (117 °F)
	Not determined.
• Flammability (solid, gaseous):	Noi delerminea.
· Ignition temperature:	
Decomposition temperature:	Not determined.
· Auto igniting:	Not determined.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
· Explosion limits:	
Lower:	1.3 Vol %
Upper:	23 Vol %
· Vapor pressure at 20 °C (68 °F):	1 hPa (1 mm Hg)
• Density at 20 •C (68 •F):	0.934 g/cm ³ (7.79423 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water at 20 °C (68 °F):	2 g/l
· Partition coefficient (n-octanol/wat	er): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	0.0 %
VOC content:	0.0 g/l / 0.00 lb/gl
• Other information	No further relevant information available.

10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

(Contd. on page 6)

US

Printing date 07/20/2021

Reviewed on 07/20/2021

Trade name: Tetraethoxysilane, min. 98% TEOS

- · Conditions to avoid No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

78-10-4 tetraethyl silicate

Oral LD50 6270 mg/kg (rat)

Dermal LD50 5878 mg/kg (rabbit)

- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- \cdot Additional toxicological information:
- · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)





CHEMICALS.

(Contd. of page 5)

(Contd. of page 6)

Safety Data Sheet according to OSHA HCS

Reviewed on 07/20/2021

Trade name: Tetraethoxysilane, min. 98% TEOS

· Uncleaned packagings:

Printing date 07/20/2021

CHEMICALS, INC.

• Recommendation: Disposal must be made according to official regulations.

Transport information	
UN-Number	
DOT, IMDG, IATA	UN1292
UN proper shipping name	
DOT	Tetraethyl silicate
IMDG, IATA	TETRAETHYL SILICATE
Transport hazard class(es)	
DOT	
PLANAMEE LOCIO	
Class	3 Flammable liquids
Label	3
IMDG, IATA	
Class Label	3 Flammable liquids 3
	3
Packing group DOT, IMDG, IATA	111
	111
Environmental hazards: Marine pollutant:	No
-	
Special precautions for user Danger code (Kemler):	Warning: Flammable liquids 30
EMS Number:	50 F-E,S-D
Stowage Category	A
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 60 L
~~~~~	On cargo aircraft only: 220 L
IMDG	
Limited quantities (LQ)	5L
Excepted quantities $(EQ)$	Code: E1
- • • ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml

Printing date 07/20/2021

CHEMICALS.

Reviewed on 07/20/2021

(Contd. of page 7)

Trade name: Tetraethoxysilane, min. 98% TEOS

· UN "Model Regulation":

UN 1292 TETRAETHYL SILICATE, 3, III

### **15 Regulatory information**

- $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara
- · Section 355 (extremely hazardous substances):
- Substance is not listed.
- · Section 313 (Specific toxic chemical listings):
- Substance is not listed.
- · TSCA (Toxic Substances Control Act):
- Substance is listed.
- · Proposition 65
- $\cdot$  Chemicals known to cause cancer:
- Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females:
- Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males:
- Substance is not listed.
- · Chemicals known to cause developmental toxicity:
- Substance is not listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency)
- Substance is not listed.
- TLV (Threshold Limit Value established by ACGIH)
- Substance is not listed.
- $\cdot$  NIOSH-Ca (National Institute for Occupational Safety and Health)
- Substance is not listed.
- · GHS label elements
- *The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms*



- · Signal word Warning
- Hazard-determining components of labeling: tetraethyl silicate
   Hazard statements
- H226 Flammable liquid and vapor. H332 Harmful if inhaled. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

US

Printing date 07/20/2021

Reviewed on 07/20/2021

#### Trade name: Tetraethoxysilane, min. 98% TEOS

	(Contd. of page 8)
· Precautionary s	tatements
P231	Handle under inert gas.
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P305+P351+P3	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Technical Department.

· Date of preparation / last revision 07/20/2021 / -

· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A STOT SE 3: Specific target organ toxicity (single exposure) - Category 3



[·] Contact: Technical Director