Printing date 07/20/2021

Reviewed on 07/20/2021

1 Identification

- · Product name
- Trade name: Vanadium(V) trichloride oxide, min. 99%
- Item number: 93-2305
- · CAS Number:
- 7727-18-6
- *EC number:* 231-780-2
- Details of the supplier of the safety data sheet • Manufacturer/Supplier: Strem Chemicals, Inc.
- 7 Mulliken Way NEWBURYPORT, MA 01950 USA info@strem.com
- · Information department: Technical Department
- Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600

2 Hazard(s) identification

 \cdot Classification of the substance or mixture

GHS06 Skull and crossbones

Acute Tox. 2 H300 Fatal if swallowed.



Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · Label elements
- · GHS label elements
- *The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms*



· Signal word Danger


- *Hazard-determining components of labeling:* vanadium trichloride oxide
- Hazard statements
 H300 Fatal if swallowed.
 H314 Causes severe skin burns and eye damage.

(Contd. on page 2)

US

Printing date 07/20/2021

Reviewed on 07/20/2021



- 7727-18-6 vanadium trichloride oxide
- · Identification number(s)
- EC number: 231-780-2

4 First-aid measures

- · Description of first aid measures
- · General information:
- Immediately remove any clothing soiled by the product.
- In case of irregular breathing or respiratory arrest provide artificial respiration.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:
- Do not induce vomiting; immediately call for medical help.
- Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.

 $(Contd. \ on \ page \ 3)$

Printing date 07/20/2021

Reviewed on 07/20/2021

(Contd. of page 2)

Trade name: Vanadium(V) trichloride oxide, min. 99%

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away.*
- Environmental precautions: No special measures required.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
 Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

· PAC-1:	
	0.015 ppm
· PAC-2:	
	0.17 ppm
· PAC-3:	

7 Handling and storage

· Handling:

- Precautions for safe handling
 Ensure good ventilation/exhaustion at the workplace.
 Open and handle receptacle with care.
 Prevent formation of aerosols.
- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

120 ppm



Printing date 07/20/2021

Reviewed on 07/20/2021

Trade name: Vanadium(V) trichloride oxide, min. 99%

Store in cool, dry conditions in well sealed receptacles.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment: Wear protective clothing
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin. • Breathing equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

- Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot **Material of gloves**
- The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- · Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- General Information
- Appearance:
- Form:LiquidColor:Orange• Odor:Pungen• Odor threshold:Not det
 - Orange Pungent Not determined.

(Contd. on page 5)

(Contd. of page 3)

US

Printing date 07/20/2021

Reviewed on 07/20/2021

	(Contd. c	of page
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	126.7 °C (260 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not determined.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not determined.	
Density at 20 •C (68 •F):	1.829 g/cm ³ (15.26301 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wat	t er): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	0.0 %	
VOC content:	0.0 g/l / 0.00 lb/gl	
Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)



Printing date 07/20/2021

Reviewed on 07/20/2021

Trade name: Vanadium(V) trichloride oxide, min. 99%

(Contd. of page 5)

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- on the skin: Caustic effect on skin and mucous membranes.
- \cdot on the eye:
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

- · OSHA-Ca (Occupational Safety & Health Administration)
- Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

(Contd. on page 7)

Printing date 07/20/2021

CHEMICALS, INC.

Reviewed on 07/20/2021

Trade name: Vanadium(V) trichloride oxide, min. 99%

(Contd. of page 6)

UN-Number DOT, IMDG, IATA	UN2443
UN proper shipping name	
DOT DOT	Vanadium oxytrichloride
IMDG, IATA	VANADIUM OXYTRICHLORIDE
Transport hazard class(es)	
DOT	
~	
A Real Provide State	
CORROSIVE	
•	
Class	8 Corrosive substances
Label	8
IMDG, IATA	
8	
Class	8 Corrosive substances
Label	8
Packing group	
DOT, IMDG, IATA	II
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Corrosive substances
Danger code (Kemler):	80
EMS Number:	F-A,S-B
Segregation groups Stowage Category	Acids E
Stowage Code	E SW2 Clear of living quarters.
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	**
DOT Quantity limitations	On passenger aircraft/rail: Forbidden
Quantuy unuuuons	On cargo aircraft only: 30 L
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 2443 VANADIUM OXYTRICHLORIDE, 8, II

(Contd. on page 8)

Printing date 07/20/2021

Reviewed on 07/20/2021

Trade name: Vanadium(V) trichloride oxide, min. 99%

(Contd. of page 7)

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

• Section 355 (extremely hazardous substances):

Substance is not listed.

• Section 313 (Specific toxic chemical listings):

Substance is listed.

• TSCA (Toxic Substances Control Act):

Substance is listed.

· Proposition 65

· Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

Substance is not listed.

· TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

 \cdot NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

Hazard-determining components of labeling: vanadium trichloride oxide
Hazard statements H300 Fatal if swallowed. H314 Causes severe skin burns and eye damage.
Precautionary statements P231 Handle under inert gas. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 9)

US

Safety Data Sheet according to OSHA HCS

Printing date 07/20/2021

10

CHEMICALS, INC.

Reviewed on 07/20/2021

aat numet i unut	lium(V) trichloride oxide, min. 99%
	(Contd. of page 8
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P422	Store contents under inert gas.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· Chemical safety	assessment: A Chemical Safety Assessment has not been carried out.
6 Other inform	ation
This informatio	on is based on our present browledge. However, this shall not constitute a sugrantee for an
	on is based on our present knowledge. However, this shall not constitute a guarantee for an features and shall not establish a legally valid contractual relationship.
· Department iss	uing SDS: Technical Department.
· Contact: Techn	
	tion / last revision 07/20/2021 / -
· Abbreviations a	na acronyms: péen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internationa
	peen sur le transport des marchanaises aangereuses par Route (European Agreement concerning the Internationa ous Goods by Road)
	Il Maritime Code for Dangerous Goods
	nt of Transportation
	Air Transport Association
	Conference of Governmental Industrial Hygienists
EINECS: European	Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abs	tracts Service (division of the American Chemical Society)
	re Protection Association (USA)
HMIS: Hazardous N	Aaterials Identification System (USA)
VOC: Volatile Orga	nic Compounds (USA, EU)
PBT: Persistent, Bio	paccumulative and Toxic
•	nt and very Bioaccumulative
MOGUNE 11	activity for Occupational Safety

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Acute Tox. 2: Acute toxicity – Category 2 Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation - Category 1