Printing date 07/20/2021

CHEMICALS, INC.

Reviewed on 07/20/2021

1 Identification	
-------------------------	--

- · Product name
- · Trade name: Nickel(II) chloride, dimethoxyethane adduct, min. 97%
- Item number: 93-2801
- · CAS Number:
- 29046-78-4
- · EC number:
- 231-589-4
- · Details of the supplier of the safety data sheet · Manufacturer/Supplier: Strem Chemicals, Inc. 7 Mulliken Way
- NEWBURYPORT, MA 01950 USA info@strem.com
- · Information department: Technical Department
- Emergency telephone number: EMERGENCY: CHEMTREC: +1 (800) 424-9300 During normal opening times: +1 (978) 499-1600

2 Hazard(s) identification			
· Classification of the substance or mixture			
GHS06 Skull and crossbones			
Acute Tox. 3 H301 Toxic if swallowed.			
GHS08 Health hazard			
Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.			
Muta. 1A H340 May cause genetic defects.			
Carc. 1A H350 May cause cancer.			
GHS07			
Skin Irrit. 2 H315 Causes skin irritation.			
Eye Irrit. 2A H319 Causes serious eye irritation.			
Skin Sens. 1 H317 May cause an allergic skin reaction.			
STOT SE 3 H335 May cause respiratory irritation.			
 Label elements GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). 			
(conta. on page 2) US			

Printing date 07/20/2021

CHEMICALS, INC.

Reviewed on 07/20/2021

· Hazard pictogra	(Contd. of page
\wedge	\mathbf{A}
GHS06 GHS	607 GHS08
· Signal word Da	nger
· Hazard-determi	ning components of labeling:
	de, dimethoxyethane adduct, min. 97%
· Hazard stateme	
H301 Toxic if sw	
H315 Causes sk	
	rious eye irritation.
	e allergy or asthma symptoms or breathing difficulties if inhaled.
•	e an allergic skin reaction.
H340 May cause	
H350 May cause	
	e respiratory irritation.
• Precautionary s	
P231	Handle under inert gas.
P284	[In case of inadequate ventilation] wear respiratory protection.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
F303+F331+F3	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local/regional/national/internation
1501	regulations.
· Classification sy	
· NFPÅ ratings (s	
Н	ealth = 2
	ire = 0
	eactivity = 0
· HMIS-ratings (scale 0 - 4)
HEALTH *2	Health = *2
	$\begin{aligned} \text{Health} &= *2 \\ \text{Fire} &= 0 \end{aligned}$
	Reactivity = 0
	Reactivity = 0
• Other hazards	
	and vPvB assessment
• PBT: Not applic	
· vPvB: Not appli	

Chemical characterization: Substances
 CAS No. Description
 29046-78-4 Nickel(II) chloride, dimethoxyethane adduct, min. 97%

(Contd. on page 3)

US

Printing date 07/20/2021

Reviewed on 07/20/2021

Trade name: Nickel(II) chloride, dimethoxyethane adduct, min. 97%

(Contd. of page 2)

• Identification number(s)

• EC number: 231-589-4

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

- In case of irregular breathing or respiratory arrest provide artificial respiration.
- After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• *After swallowing:* Do not induce vomiting; immediately call for medical help.

• Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

• Environmental precautions:

Do not allow product to reach sewage system or any water course.

- Inform respective authorities in case of seepage into water course or sewage system.
- · Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

• **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

· PAC-1:

Substance is not listed.

· PAC-2:

Substance is not listed.

(Contd. on page 4)

US

Printing date 07/20/2021

Reviewed on 07/20/2021

Trade name: Nickel(II) chloride, dimethoxyethane adduct, min. 97%

(Contd. of page 3)

• PAC-3: Substance is not listed.

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Thorough dedusting.
- Ensure good ventilation/exhaustion at the workplace.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- *Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.*
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Store protective clothing separately.
- Avoid contact with the eyes and skin.
- · Breathing equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

• **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

Printing date 07/20/2021

Ъ

CHEMICALS, INC.

Reviewed on 07/20/2021

Trade name: Nickel(II) chloride, dimethoxyethane adduct, min. 97%

• Eye protection:

(Contd. of page 4)



Tightly sealed goggles

9 Physical and chemical properties

General Information Appearance:		
Appearance: Form:	Powder	
Color:	Yellow	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not determined.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not applicable.	
Density:	Not determined.	
Relative density	Not determined.	
Vapor density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
Water:	Insoluble.	
Partition coefficient (n-octanol/wa	tter): Not determined.	
Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
Solvent content:		
Organic solvents:	0.0 %	
VOC content:	0.0 g/l / 0.00 lb/gl	
Solids content:	100.0 %	

Printing date 07/20/2021

Reviewed on 07/20/2021

Trade name: Nickel(II) chloride, dimethoxyethane adduct, min. 97%

(Contd. of page 5)

· Other information

No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization:
- Sensitization possible through inhalation.
- Sensitization possible through skin contact.
- Additional toxicological information:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

(Contd. on page 7)



Printing date 07/20/2021

10

CHEMICALS, INC.

Reviewed on 07/20/2021

Trade name: Nickel(II) chloride, dimethoxyethane adduct, min. 97%

(Contd. of page 6)

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

UN-Number DOT, IMDG, IATA	UN3288
UN proper shipping name	
DOT	Toxic solid, inorganic, n.o.s.
IMDG, IATA	TOXIC SOLID, INORGANIC, N.O.S.
Transport hazard class(es)	
DOT	
TOXIC 6	
Class	6.1 Toxic substances
Label	6.1
IMDG	
6	
Class	6
Label	6.1
IATA	
Class	6.1 Toxic substances
Label	6.1
Packing group	
DOT, IMDG, IATA	III
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Not applicable.
EMS Number: Stowage Category	F-A,Ŝ-A A

Printing date 07/20/2021

CHEMICALS, INC.

Reviewed on 07/20/2021

Trade name: Nickel(II) chloride, dimethoxyethane adduct, min. 97%

	(Contd. of page 7)
• Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
· Transport/Additional information:	
• DOT • Quantity limitations	On passenger aircraft/rail: 100 kg On cargo aircraft only: 200 kg
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
· UN "Model Regulation":	UN 3288 TOXIC SOLID, INORGANIC, N.O.S., 6.1, III

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Sura
· Section 355 (extremely hazardous substances):
Substance is not listed.
· Section 313 (Specific toxic chemical listings):
Substance is not listed.
· TSCA (Toxic Substances Control Act):
Substance is not listed.
· Proposition 65
· Chemicals known to cause cancer:
Substance is not listed.
· Chemicals known to cause reproductive toxicity for females:
Substance is not listed.
· Chemicals known to cause reproductive toxicity for males:
Substance is not listed.
· Chemicals known to cause developmental toxicity:
Substance is not listed.
· Carcinogenic categories
· EPA (Environmental Protection Agency)
Substance is not listed.

· TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 9)

US

Printing date 07/20/2021

CHEMICALS, INC

Reviewed on 07/20/2021

	(Contd. of pag
• Hazard pictogra	ums
GHS06 GHS	507 GHS08
· Signal word Da	nger
· Hazard-determi	ning components of labeling:
	de, dimethoxyethane adduct, min. 97%
· Hazard stateme	
H301 Toxic if sw	
H315 Causes sk	
	rious eye irritation.
	e allergy or asthma symptoms or breathing difficulties if inhaled.
H317 May cause H340 May cause	e an allergic skin reaction.
H350 May cause	
	e respiratory irritation.
· Precautionary s	
P231	Handle under inert gas.
P284	[In case of inadequate ventilation] wear respiratory protection.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P305+P351+P3	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if pres
P403+P233	and easy to do. Continue rinsing. Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local/regional/national/internation
1001	regulations.
· National regula	tions:
· Additional class	ification according to Decree on Hazardous Materials:
	izardous material group I (extremely dangerous).
	izardous material group II (very dangerous).
Carcinogenic ha	nzardous material group III (dangerous).
	out limitation of use:
	t allowed to be exposed to this hazardous material. Exceptions can be made by the authorities
certain cases.	assassment: A Chamical Safety Assassment has not been earnied out
• Cnemical sajely	assessment: A Chemical Safety Assessment has not been carried out.
6 Other inform	ation

- · Department issuing SDS: Technical Department.
- · Contact: Technical Director
- · Date of preparation / last revision 07/20/2021 / -
- Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation IATA: International Air Transport Association
- ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 10)



Printing date 07/20/2021

Reviewed on 07/20/2021

Trade name: Nickel(II) chloride, dimethoxyethane adduct, min. 97%

	(Contd. of page 9)
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Acute Tox. 3: Acute toxicity – Category 3	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	
Resp. Sens. 1: Respiratory sensitisation – Category 1	
Skin Sens. 1: Skin sensitisation – Category 1	
Muta. 1A: Germ cell mutagenicity – Category 1A	
Carc. 1A: Carcinogenicity – Category 1A	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	

