

Printing date 20.07.2021 Revision: 20.07.2021

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Gallium(III) chloride, anhydrous, granular (99.999%-Ga) PURATREM

· Item number: 93-3140

• CAS Number: 13450-90-3 • EC number:

236-610-0

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Strem Chemicals, Inc.

7 Mulliken Way

NEWBURYPORT, MA 01950

USA

info@strem.com

· Further information obtainable from: Technical Department

· 1.4 Emergency telephone number:

EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600

### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard-determining components of labelling:

gallium trichloride

· Hazard statements

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children. P103 Read label before use. P231 Handle under inert gas.

P222 Do not allow contact with air.

(Contd. on page 2)



Printing date 20.07.2021 Revision: 20.07.2021

Trade name: Gallium(III) chloride, anhydrous, granular (99.999%-Ga) PURATREM

(Contd. of page 1)

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P422 Store contents under inert gas.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· **PBT**: Not applicable. · **vPvB**: Not applicable.

## SECTION 3: Composition/information on ingredients

- · 3.1 Chemical characterisation: Substances
- · CAS No. Description

13450-90-3 gallium trichloride

- · Identification number(s)
- · EC number: 236-610-0

### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

#### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

- · 6.2 Environmental precautions: No special measures required.
- · 6.3 Methods and material for containment and cleaning up:

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

(Contd. on page 3)



Printing date 20.07.2021 Revision: 20.07.2021

Trade name: Gallium(III) chloride, anhydrous, granular (99.999%-Ga) PURATREM

(Contd. of page 2)

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

- Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

(Contd. on page 4)



Printing date 20.07.2021 Revision: 20.07.2021

Trade name: Gallium(III) chloride, anhydrous, granular (99.999%-Ga) PURATREM

(Contd. of page 3)

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9.1 Information on basic physical and of	cnemicai properties	
General Information		
Appearance: Form:	Constalling novedon	
rorm: Colour:	Crystalline powder White	
Odour:	Acidic	
Odour threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition	11	
Melting point/freezing point:	77.9 °C	
Initial boiling point and boiling range		
Flash point:	Not applicable.	
Flammability (solid, gas):	Not determined.	
	туог иететтипеи.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Not determined.	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure at 25 °C:	0.51 hPa	
Density at 20 °C:	$2.47 \text{ g/cm}^3$	
Relative density	Not determined.	
Vapour density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
water:	Insoluble.	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
Solvent content:		
Organic solvents:	0.0 %	
VOC (EC)	0.00 %	
Solids content:	100.0 %	

\_\_\_\_



Printing date 20.07.2021 Revision: 20.07.2021

Trade name: Gallium(III) chloride, anhydrous, granular (99.999%-Ga) PURATREM

(Contd. of page 4)

· 9.2 Other information

No further relevant information available.

### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation

Causes severe skin burns and eye damage.

· Serious eye damage/irritation

Causes severe skin burns and eye damage.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Must not reach sewage water or drainage ditch undiluted or unneutralised.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 6)



Printing date 20.07.2021 Revision: 20.07.2021

Trade name: Gallium(III) chloride, anhydrous, granular (99.999%-Ga) PURATREM

(Contd. of page 5)

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

ADR, IMDG, IATA  11.2 UN proper shipping name ADR	14.1 UN-Number	
ADR 1759 CORROSIVE SOLID, N.O.S. IMDG, IATA CORROSIVE SOLID, N.O.S.  14.3 Transport hazard class(es)  ADR, IMDG, IATA  Class 8 Corrosive substances. Label 8  14.4 Packing group ADR, IMDG, IATA II  14.5 Environmental hazards: Marine pollutant: No  14.6 Special precautions for user Danger code (Kemler): 65 EMS Number: F-A,S-B Stowage Category A  14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.  Transport/Additional information:  ADR Limited quantities (LQ) 1 kg Excepted quantities (EQ) Code: E2  Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g Transport category 2 Tunnel restriction code D/E  IMDG Limited quantities (LQ) 1 kg Excepted Quantities (LQ) LQ Excepted Quantities (LQ) LQ Excepted Quan	ADR, IMDG, IATA	UN1759
IMDG, IATA  14.3 Transport hazard class(es)  ADR, IMDG, IATA  Class  Class  Label  8  14.4 Packing group  ADR, IMDG, IATA  II  14.5 Environmental hazards:  Marine pollutant:  No  14.6 Special precautions for user  Danger code (Kemler):  EMS Number:  FA,S-B  Stowage Category  A  14.7 Transport in bulk according to Annex II of Marpol and the IBC Code  Transport/Additional information:  ADR  Limited quantities (LQ)  Excepted quantities (EQ)  Transport category  1 kg  Maximum net quantity per inner packaging: 30 g  Maximum net quantity per outer packaging: 500 g  Transport category  1 kg  Excepted quantities (LQ)  Limited quantities (LQ)  Code: E2  IMDG  Limited quantities (LQ)  Likg  Code: E2	14.2 UN proper shipping name	
14.3 Transport hazard class(es)  ADR, IMDG, IATA  Class 8 Corrosive substances. Label 8  14.4 Packing group ADR, IMDG, IATA II  14.5 Environmental hazards: Marine pollutant: No  14.6 Special precautions for user Danger code (Kemler): 65 EMS Number: F-A,S-B Stowage Category A  14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.  Transport/Additional information:  ADR Limited quantities (LQ) 1 kg Excepted quantities (EQ) 1 kg Itansport category 2 Transport category 2 Tunnel restriction code D/E  IMDG Limited quantities (LQ) 1 kg Limited quantities (LQ) 1 kg Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g Transport category 1 kg Limited quantities (LQ) 1 kg Code: E2		
Class 8 Corrosive substances. Label 8  14.4 Packing group ADR, IMDG, IATA II  14.5 Environmental hazards: Marine pollutant: No  14.6 Special precautions for user Danger code (Kemler): 65 EMS Number: F-A,S-B Stowage Category A  14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.  Transport/Additional information:  ADR Limited quantities (LQ) I kg Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g Transport category 2 Tunnel restriction code D/E  IMDG Limited quantities (LQ) I kg Excepted quantities (LQ) Code: E2	IMDG, IATA	CORROSIVE SOLID, N.O.S.
Class 8 Corrosive substances. Label 8  14.4 Packing group ADR, IMDG, IATA II  14.5 Environmental hazards: Marine pollutant: No  14.6 Special precautions for user Danger code (Kemler): 65 EMS Number: F-A,S-B Stowage Category A  14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.  Transport/Additional information:  ADR Limited quantities (LQ) 1 kg Excepted quantities (EQ) 1 kg  Transport category 2  Transport category 2  Transport category 2  Transport category 2  Transport category 1 kg  Excepted quantities (LQ) 1 kg  Excepted quantities (LQ) 1 kg  Code: E2  Maximum net quantity per inner packaging: 30 g  Maximum net quantity per outer packaging: 500 g  Transport category 1 kg  Excepted quantities (LQ) 1 kg  Excepted quantities (EQ) Code: E2	14.3 Transport hazard class(es)	
Label 8  14.4 Packing group ADR, IMDG, IATA II  14.5 Environmental hazards: Marine pollutant: No  14.6 Special precautions for user Danger code (Kemler): 65 EMS Number: F-A,S-B Stowage Category A  14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.  Transport/Additional information:  ADR Limited quantities (LQ) 1 kg Excepted quantities (EQ)	ADR, IMDG, IATA	
14.4 Packing group ADR, IMDG, IATA  11.14.5 Environmental hazards: Marine pollutant: No  14.6 Special precautions for user Warning: Corrosive substances.  15. Warning: Corrosive substances.  16. Special precautions for user Warning: Corrosive substances.  16. Special precautions for user Warning: Corrosive substances.  16. Special precautions for user Warning: Corrosive substances.  16. Special precautions.  16. Special precautions for user Warning: Corrosive substances.  18. Special precautions.  18. Special precautions.  18. Special precautions.  18. Special precaution for user Warning: Corrosive substances.  18. Special precautions.  18. Special precautions.  18. Special precautions.  18. Special precautions.  19. Special precautions.  19. Special precautions.  19. Special precautions.  19. Special precautions.  10. Special precautions.  11. Special precautions.  11. Special precautions.  11. Special precautions.  12. Special precautions.  13. Special precautions.  14. Special precautions		
ADR, IMDĞ, IATA  11.5 Environmental hazards: Marine pollutant:  14.6 Special precautions for user Danger code (Kemler):  EMS Number:  F-A,S-B Stowage Category  A  14.7 Transport in bulk according to Annex II of Marpol and the IBC Code  Transport/Additional information:  ADR Limited quantities (LQ) Excepted quantities (EQ)  Transport category  1 kg Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g Transport category Tunnel restriction code  I kg Excepted quantities (LQ)  I kg Code: E2 Maximum net quantity per outer packaging: 500 g Transport category Tunnel restriction code  I kg Code: E2		0
14.5 Environmental hazards:  Marine pollutant:  No  14.6 Special precautions for user  Danger code (Kemler):  EMS Number:  F-A,S-B Stowage Category  A  14.7 Transport in bulk according to Annex II of Marpol and the IBC Code  Not applicable.  Transport/Additional information:  ADR Limited quantities (LQ)  Excepted quantities (EQ)  Transport category  2  Tunnel restriction code  I kg  Maximum net quantity per inner packaging: 30 g  Maximum net quantity per outer packaging: 500 g  Transport category  2  Tunnel restriction code  I kg  Excepted quantities (LQ)  I kg  Code: E2  Maximum net quantity per outer packaging: 500 g  Transport category  1 kg  Code: E2  IMDG  Limited quantities (LQ)  I kg  Code: E2		II
Marine pollutant:  14.6 Special precautions for user Danger code (Kemler): EMS Number: Stowage Category A  14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.  Transport/Additional information:  ADR Limited quantities (LQ) Excepted quantities (EQ)  Transport category 2 Tunnel restriction code  I kg Excepted quantities (LQ) Limited Quantities (LQ) Code: E2  Code: E2  Code: E2  Code: E2  Code: E2  Code: E2		11
14.6 Special precautions for user Danger code (Kemler): EMS Number: F-A,S-B Stowage Category A  14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.  Transport/Additional information:  ADR Limited quantities (LQ) Excepted quantities (EQ)  Transport category  Transport category  1 kg Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g Transport category  2 Tunnel restriction code D/E  IMDG Limited quantities (LQ)		N/
Danger code (Kemler):  EMS Number:  Stowage Category  A  14.7 Transport in bulk according to Annex II of Marpol and the IBC Code  Not applicable.  Transport/Additional information:  ADR  Limited quantities (LQ)  Excepted quantities (EQ)  Transport category  Tunnel restriction code  I kg  Maximum net quantity per inner packaging: 30 g  Maximum net quantity per outer packaging: 500 g  Tunnel restriction code  IMDG  Limited quantities (LQ)  I kg  Excepted quantities (LQ)  I kg  Code: E2  O/E  IMDG  Limited quantities (LQ)  I kg  Code: E2	<u> </u>	
EMS Number: F-A,S-B Stowage Category A  14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.  Transport/Additional information:  ADR Limited quantities (LQ) 1 kg Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g  Transport category 2 Tunnel restriction code D/E  IMDG Limited quantities (LQ) 1 kg Excepted quantities (LQ) 1 kg Excepted quantities (LQ) Code: E2		
Stowage Category  14.7 Transport in bulk according to Annex II of Marpol and the IBC Code  Not applicable.  Transport/Additional information:  ADR Limited quantities (LQ) Excepted quantities (EQ)  Transport category Transport category Tunnel restriction code  I kg  Maximum net quantity per inner packaging: 30 g  Maximum net quantity per outer packaging: 500 g  D/E  IMDG Limited quantities (LQ)  I kg  Code: E2		
14.7 Transport in bulk according to Annex II of Marpol and the IBC Code  Not applicable.  Transport/Additional information:  ADR Limited quantities (LQ) Excepted quantities (EQ)  Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g  Transport category 2 Tunnel restriction code  IMDG Limited quantities (LQ)  I kg  Code: E2  I kg  Code: E2  I kg  Code: E2  Code: E2  Code: E2  Maximum net quantity per outer packaging: 500 g  I kg  Code: E2  Code: E2  Code: E2  Code: E2		. ^
Marpol and the IBC Code  Transport/Additional information:  ADR  Limited quantities (LQ)  Excepted quantities (EQ)  Transport category  Tunnel restriction code  IMDG  Limited quantities (LQ)  I kg  Code: E2  Maximum net quantity per inner packaging: 30 g  Maximum net quantity per outer packaging: 500 g  2  Tunnel restriction code  IMDG  Limited quantities (LQ)  I kg  Excepted quantities (EQ)  Code: E2		
ADR Limited quantities (LQ)  Excepted quantities (EQ)  Transport category  Tunnel restriction code  IMDG Limited quantities (LQ)  Limited quantities (EQ)  1 kg  Code: E2  Maximum net quantity per inner packaging: 30 g  Maximum net quantity per outer packaging: 500 g  2  D/E  IMDG  Limited quantities (LQ)  1 kg  Excepted quantities (EQ)  Code: E2		
Limited quantities (LQ)  Excepted quantities (EQ)  Code: E2  Maximum net quantity per inner packaging: 30 g  Maximum net quantity per outer packaging: 500 g  Transport category  Tunnel restriction code  IMDG  Limited quantities (LQ)  Excepted quantities (EQ)  1 kg  Code: E2	Transport/Additional information:	
Excepted quantities (EQ)  Code: E2  Maximum net quantity per inner packaging: 30 g  Maximum net quantity per outer packaging: 500 g  2  Tunnel restriction code  IMDG  Limited quantities (LQ)  Excepted quantities (EQ)  Code: E2	ADR	
Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g  Transport category 2  Tunnel restriction code D/E  IMDG Limited quantities (LQ) 1 kg Excepted quantities (EQ) Code: E2	Limited quantities (LQ)	1 kg
Maximum net quantity per outer packaging: 500 g  Transport category 2  Tunnel restriction code D/E  IMDG  Limited quantities (LQ) 1 kg  Excepted quantities (EQ) Code: E2		Code: E2
Transport category 2 Tunnel restriction code D/E  IMDG Limited quantities (LQ) 1 kg Excepted quantities (EQ) Code: E2		
Tunnel restriction code  IMDG  Limited quantities (LQ)  Excepted quantities (EQ)  Code: E2	<b>7</b>	
IMDG Limited quantities (LQ) 1 kg Excepted quantities (EQ) Code: E2		<del>-</del>
Limited quantities (LQ) 1 kg Excepted quantities (EQ) Code: E2	1 unnel restriction code	<i>D/Ľ</i>
Excepted quantities (EQ) Code: E2		
waximum nei auaniliy der inner dackaging: 50 g	Excepted quantities (EQ)	
Maximum net quantity per outer packaging: 500 g		
	UN ''Model Regulation'':	UN 1759 CORROSIVE SOLID, N.O.S., 8, II



Printing date 20.07.2021 Revision: 20.07.2021

Trade name: Gallium(III) chloride, anhydrous, granular (99.999%-Ga) PURATREM

(Contd. of page 6)

## SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Department.
- · Contact: Technical Director
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic

 $vPvB:\ very\ Persistent\ and\ very\ Bioaccumulative$ 

 ${\it Skin \ Corr. \ 1B: Skin \ corrosion/irritation-Category \ 1B}$ 

GB