Printing date 07/20/2021

Reviewed on 07/20/2021

1 Identification

- · Product name
- · Trade name: Germanium(IV) ethoxide (99.99+%-Ge) PURATREM
- Item number: 93-3206
- · CAS Number:
- 14165-55-0
- EC number: 238-007-8
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Strem Chemicals, Inc.
 7 Mulliken Way
- NEWBURYPORT, MA 01950 USA info@strem.com
- · Information department: Technical Department
- Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600

2 Hazard(s) identification

· Classification of the substance or mixture

GHS02 Flame

Flam. Liq. 3 H226 Flammable liquid and vapor.



Skin Irrit. 2H315Causes skin irritation.Eye Irrit. 2AH319Causes serious eye irritation.STOT SE 3H335May cause respiratory irritation.

· Label elements

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Warning

• *Hazard-determining components of labeling:* germanium(4+) ethanolate

• Hazard statements H226 Flammable liquid and vapor. H315 Causes skin irritation. H319 Causes serious eye irritation.

(Contd. on page 2)

⁻ US

Printing date 07/20/2021

CHEMICALS, INC.

Reviewed on 07/20/2021

	anium(IV) ethoxide (99.99+%-Ge) PURATREM
	(Contd. of pag
	e respiratory irritation.
· Precautionary	tatements
P231	Handle under inert gas.
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
<i>P305+P351+P</i>	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if pres and easy to do. Continue rinsing.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local/regional/national/internation regulations.
Classification	
Classification s	
	lealth = l
F A A A A A A A A A A A A A A A A A A A	ire = 2
	eactivity = 0
HMIS-ratings	scale 0 - 4)
HEALTH 1	Health = 1
	$\begin{aligned} \text{Healin} &= 1 \\ \text{Fire} &= 2 \end{aligned}$
	Fire = 2 $Reactivity = 0$
REACTIVITY 0	$\pi cucuvuy = 0$
PBT: Not appli	
PBT: Not appli	cable.
• PBT: Not appli • vPvB: Not appl	cable.
PBT: Not appli vPvB: Not appl Composition	cable. icable. / <mark>information on ingredients</mark> icterization: Substances
PBT: Not appli vPvB: Not appl Composition Chemical chara CAS No. Descr	cable. icable. / <mark>information on ingredients</mark> ucterization: Substances iption
PBT: Not appli vPvB: Not appl Composition Chemical chara CAS No. Descr 14165-55-0 ger	cable. icable. /information on ingredients icterization: Substances iption manium(4+) ethanolate
PBT: Not appli vPvB: Not appl Composition Chemical chart CAS No. Descr 14165-55-0 get Identification r	cable. icable. /information on ingredients icterization: Substances iption manium(4+) ethanolate umber(s)
PBT: Not appli vPvB: Not appl Composition Chemical chart CAS No. Descr 14165-55-0 get Identification r	cable. icable. /information on ingredients icterization: Substances iption manium(4+) ethanolate umber(s)
PBT: Not appli vPvB: Not appl Composition Chemical chara CAS No. Descr 14165-55-0 ger Identification n EC number: 23	cable. icable. /information on ingredients /cterization: Substances iption manium(4+) ethanolate umber(s) 8-007-8
• PBT: Not appli • vPvB: Not appl 8 Composition • Chemical chard • CAS No. Descr 14165-55-0 ger • Identification n • EC number: 23 4 First-aid med	cable. icable. /information on ingredients icterization: Substances iption manium(4+) ethanolate umber(s) 8-007-8 ISURES
 PBT: Not appli vPvB: Not appl Composition Chemical chara CAS No. Descr 14165-55-0 get Identification n EC number: 23 First-aid med Description of j 	cable. icable. /information on ingredients icterization: Substances iption manium(4+) ethanolate umber(s) 8-007-8 ISURES First aid measures
 PBT: Not appli vPvB: Not appl Composition Chemical chara CAS No. Descr 14165-55-0 get Identification n EC number: 23 First-aid met Description of j General inform 	cable. icable. /information on ingredients /information on ingredients
 PBT: Not appli vPvB: Not appl Composition Chemical chara CAS No. Descr 14165-55-0 get Identification n EC number: 23 First-aid met Description of j General inform After inhalation 	cable. icable. /information on ingredients /information on ingredients
 PBT: Not appli vPvB: Not appl Composition Chemical chara CAS No. Descr 14165-55-0 ger Identification n EC number: 23 First-aid mean Description of J General inform After inhalation 	cable. icable. /information on ingredients /information on ingredients /information on ingredients //information on ingre
 PBT: Not appli vPvB: Not appl Composition Chemical chara CAS No. Descr 14165-55-0 ger Identification noise EC number: 23 First-aid means Description of Joint General inform After inhalation After skin conta 	cable. icable. /information on ingredients /information on ingredients
 PBT: Not appli vPvB: Not appl Composition Chemical chara CAS No. Descr 14165-55-0 get Identification noise EC number: 23 First-aid means Description of Joint General inform After inhalation After skin conta Rinse opened eget 	cable. icable. /information on ingredients /information on ingredients /information on ingredients /information on ingredients //information on ingred
PBT: Not appli vPvB: Not appl Composition Chemical chara CAS No. Descr 14165-55-0 ger Identification n EC number: 23 First-aid med Description of J General inform After inhalation After skin conta Rinse opened ej After swallowin	cable. icable. /information on ingredients icterization: Substances iption manium(4+) ethanolate umber(s) 8-007-8 ISUTES Ist aid measures ation: Immediately remove any clothing soiled by the product. I: In case of unconsciousness place patient stably in side position for transportation. ict: Immediately wash with water and soap and rinse thoroughly. ct: the for several minutes under running water. If symptoms persist, consult a doctor. g: If symptoms persist consult doctor.
PBT: Not appli vPvB: Not appl Composition Chemical chara CAS No. Descr 14165-55-0 ger Identification n EC number: 23 First-aid med Description of j General inform After inhalation After skin conta Rinse opened ej After swallowin Information fo	cable. icable. /information on ingredients icterization: Substances iption manium(4+) ethanolate umber(s) 8-007-8 ISUTES Tirst aid measures ation: Immediately remove any clothing soiled by the product. I: In case of unconsciousness place patient stably in side position for transportation. ict: Inmediately wash with water and soap and rinse thoroughly. ct: te for several minutes under running water. If symptoms persist, consult a doctor. g: If symptoms persist consult doctor. 'doctor:
 PBT: Not appli vPvB: Not appl chemical chara CAS No. Descr 14165-55-0 ger Identification not EC number: 23 First-aid mean Description of journation of the second After skin conta Rinse opened end After swallowing After swallowing Most important 	cable. icable. <i>(information on ingredients)</i> <i>(information for ingredients)</i> <i>(information for transportation.)</i> <i>(information for transportation.)</i>
PBT: Not appli vPvB: Not appl Composition Chemical chart CAS No. Descr 14165-55-0 ger Identification n EC number: 23 First-aid me Description of j General inform After skin conta After skin conta Rinse opened e After swallowi Information for Most important	cable. icab
 PBT: Not appli vPvB: Not appl chemical chara CAS No. Descr 14165-55-0 ger Identification noise EC number: 23 First-aid mean Description of joint After skin conta After skin conta Rinse opened egits After swallowing Information formation of an endoced 	cable. icable. <i>(information on ingredients)</i> <i>(information for ingredients)</i> <i>(information for transportation.)</i> <i>(information for transportation.)</i>

Printing date 07/20/2021

Reviewed on 07/20/2021

Trade name: Germanium(IV) ethoxide (99.99+%-Ge) PURATREM

(Contd. of page 2)

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- \cdot For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Prevent seepage into sewage system, workpits and cellars.
- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals
- · PAC-1:

Substance is not listed.

· PAC-2:

Substance is not listed.

· PAC-3:

Substance is not listed.

7 Handling and storage

- · Handling:
- *Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.*
- *Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.*
- Troteet against electrostatic enarges.
- \cdot Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

(Contd. on page 4)

US

Printing date 07/20/2021

Reviewed on 07/20/2021

Trade name: Germanium(IV) ethoxide (99.99+%-Ge) PURATREM

(Contd. of page 3)

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- Breathing equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information

· Odor:

- · Appearance: Form: Color:
- Colorless Alcohol-like · Odor threshold: Not determined.

Liquid

· pH-value: Not determined.

(Contd. on page 5)



Printing date 07/20/2021

Reviewed on 07/20/2021

	(Contd. of page -
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	185.5 °C (366 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not determined.
· Ignition temperature:	
Decomposition temperature:	Not determined.
· Auto igniting:	Not determined.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure:	Not determined.
• Density at 20 •C (68 •F):	1.14 g/cm ³ (9.5133 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/wat	er): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	0.0 %
VOC content:	0.0 g/l / 0.00 lb/gl
• Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

· Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)



Printing date 07/20/2021

CHEMICALS, INC

Reviewed on 07/20/2021

Trade name: Germanium(IV) ethoxide (99.99+%-Ge) PURATREM

(Contd. of page 5)

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

· UN-Number		
· DOT, IMDG, IATA	UN1993	
· UN proper shipping name		
$\cdot DOT$	Flammable liquids, n.o.s.	

Printing date 07/20/2021

CHEMICALS, INC.

Reviewed on 07/20/2021

	(Contd. of pag
· IMDG, IATA	FLAMMABLE LIQUID, N.O.S.
• Transport hazard class(es)	
DOT	
3	
· Class	3 Flammable liquids
Label	3
IMDG, IATA	
Class	3 Flammable liquids
· Label	3
Packing group DOT, IMDG, IATA	III
Environmental hazards: Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
EMS Number:	F-E, <u>S-E</u>
Stowage Category	A
Transport in bulk according to Anne	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
Quantity limitations	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L
	on cargo arcraft omy. 220 L
· IMDG · Limited quantities (LQ)	5L
\cdot Excepted quantities (EQ)	Code: El
()	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN ''Model Regulation'':	UN 1993 FLAMMABLE LIQUIDS, N.O.S., 3, III

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

Substance is not listed.

 \cdot Section 313 (Specific toxic chemical listings):

Substance is not listed.

(Contd. on page 8)

US

Printing date 07/20/2021

Reviewed on 07/20/2021

(Contd. of page 7)

Trade name: Germanium(IV) ethoxide (99.99+%-Ge) PURATREM

TSCA (Toxic Substance is list	ubstances Control Act):
Substance is list	
	ea.
Proposition 65	
Chemicals know	vn to cause cancer:
Substance is not	t listed.
Chamicals know	vn to cause reproductive toxicity for females:
Substance is not	
	vn to cause reproductive toxicity for males:
Substance is not	t listed.
Chemicals know	vn to cause developmental toxicity:
Substance is not	t listed.
Carriero a carriero	
Carcinogenic co	
	nental Protection Agency)
Substance is not	listed.
TLV (Threshold	l Limit Value established by ACGIH)
Substance is not	t listed.
NIOSH-Ca (Na	tional Institute for Occupational Safety and Health)
Substance is not	
GHS label elem The substance is	s classified and labeled according to the Globally Harmonized System (GHS).
GHS label elem The substance is	s classified and labeled according to the Globally Harmonized System (GHS).
GHS label elem The substance is Hazard pictogra GHS02 GHS	s classified and labeled according to the Globally Harmonized System (GHS).
GHS label elem The substance is Hazard pictogra GHS02 GHS Signal word Wa	s classified and labeled according to the Globally Harmonized System (GHS).
GHS label elem The substance is Hazard pictogra GHS02 GHS Signal word Wa	s classified and labeled according to the Globally Harmonized System (GHS). ms 507 wrning ining components of labeling:
GHS label elem The substance is Hazard pictogra GHS02 GHS Signal word Wa Hazard-determingermanium(4+) Hazard stateme	s classified and labeled according to the Globally Harmonized System (GHS). ms 507 bring ching components of labeling: ethanolate nts
GHS label elem The substance is Hazard pictogra GHS02 GHS Signal word Wa Hazard-determingermanium(4+) Hazard stateme H226 Flammab	s classified and labeled according to the Globally Harmonized System (GHS). ms 507 wrning ining components of labeling: ethanolate nts le liquid and vapor.
GHS label elem The substance is Hazard pictogra GHS02 GHS Signal word Wa Hazard-determingermanium(4+) Hazard stateme H226 Flammab H315 Causes sk	s classified and labeled according to the Globally Harmonized System (GHS). ms 507 wrning ining components of labeling: ethanolate nts le liquid and vapor. in irritation.
GHS label elem The substance is Hazard pictogra GHS02 GHS Signal word Wa Hazard-determi germanium(4+) Hazard stateme H226 Flammab H315 Causes sk H319 Causes se	s classified and labeled according to the Globally Harmonized System (GHS). ms 507 507 507 507 <i>ining components of labeling:</i> <i>ethanolate</i> <i>nts</i> <i>le liquid and vapor.</i> <i>in irritation.</i> <i>rious eye irritation.</i>
GHS label elem The substance is Hazard pictogra GHS02 GHS Signal word Wa Hazard-determi germanium(4+) Hazard stateme H226 Flammab H315 Causes sk H319 Causes se H335 May caus	s classified and labeled according to the Globally Harmonized System (GHS). ms 507 507 507 507 507 507 507 507
GHS label elem The substance is Hazard pictogra GHS02 GHS Signal word Wa Hazard-determingermanium(4+) Hazard stateme H226 Flammab H315 Causes sk H319 Causes se H335 May caus Precautionary s	s classified and labeled according to the Globally Harmonized System (GHS). ms 507 507 507 507 507 507 507 507
GHS label elem The substance is Hazard pictogra GHS02 GHS Signal word Wa Hazard-determing germanium(4+) Hazard stateme H226 Flammab H315 Causes sk H319 Causes se H335 May caus Precautionary s P231	s classified and labeled according to the Globally Harmonized System (GHS). ms 507 507 507 507 507 507 507 507
GHS label elem The substance is Hazard pictogra GHS02 GHS Signal word Wa Hazard-determingermanium(4+) Hazard stateme H226 Flammab H315 Causes sk H319 Causes se H335 May caus Precautionary s P231 P210	s classified and labeled according to the Globally Harmonized System (GHS). ms 507 507 507 507 507 507 507 507
GHS label elem The substance is Hazard pictogra GHS02 GHS Signal word Wa Hazard-determa germanium(4+) Hazard stateme H226 Flammab H315 Causes sk H319 Causes se H335 May caus Precautionary s P231 P210 P301+P310	s classified and labeled according to the Globally Harmonized System (GHS). ms 507 507 507 507 507 507 507 507
GHS label elem The substance is Hazard pictogra GHS02 GHS Signal word Wa Hazard-determa germanium(4+) Hazard stateme H226 Flammab H315 Causes sk H319 Causes se H335 May caus Precautionary s P231 P210 P301+P310	s classified and labeled according to the Globally Harmonized System (GHS). ms 507 wrning ining components of labeling: ethanolate nts le liquid and vapor. in irritation. rious eye irritation. rious eye irritation. e respiratory irritation. tatements Handle under inert gas. Keep away from heat/sparks/open flames/hot surfaces. No smoking. IF SWALLOWED: Immediately call a POISON CENTER/ doctor. 338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if prese
GHS label elem The substance is Hazard pictogra GHS02 GHS Signal word Wa Hazard-determin germanium(4+) Hazard stateme H226 Flammab H315 Causes sk H319 Causes se H335 May caus Precautionary s P231 P210 P301+P310 P305+P351+P.	s classified and labeled according to the Globally Harmonized System (GHS). ms 507 wrning fining components of labeling: ethanolate nts le liquid and vapor. in irritation. rious eye irritation. rious eye irritation. e respiratory irritation. tatements Handle under inert gas. Keep away from heat/sparks/open flames/hot surfaces. No smoking. IF SWALLOWED: Immediately call a POISON CENTER/ doctor. 338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if presoc and easy to do. Continue rinsing.
GHS label elem The substance is Hazard pictogra GHS02 GHS Signal word Wa Hazard-determa germanium(4+) Hazard stateme H226 Flammab H315 Causes sk H319 Causes se H335 May caus Precautionary s P231 P210 P301+P310	s classified and labeled according to the Globally Harmonized System (GHS). This 507 507 507 507 507 507 507 507
GHS label elem The substance is Hazard pictogra GHS02 GHS Signal word Wa Hazard-determin germanium(4+) Hazard stateme H226 Flammab H315 Causes sk H319 Causes se H335 May caus Precautionary s P231 P210 P301+P310 P305+P351+P. P403+P233 P501	s classified and labeled according to the Globally Harmonized System (GHS). ms 507 wrning fining components of labeling: ethanolate nts le liquid and vapor. in irritation. rious eye irritation. rious eye irritation. e respiratory irritation. tatements Handle under inert gas. Keep away from heat/sparks/open flames/hot surfaces. No smoking. IF SWALLOWED: Immediately call a POISON CENTER/ doctor. 338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if prese- and easy to do. Continue rinsing.



Printing date 07/20/2021

Reviewed on 07/20/2021

Trade name: Germanium(IV) ethoxide (99.99+%-Ge) PURATREM

(Contd. of page 8)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Department.
- · Contact: Technical Director
- · Date of preparation / last revision 07/20/2021 / -
- · Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Liq. 3: Flammable liquids - Category 3 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3