Printing date 07/20/2021

Reviewed on 07/15/2021

1 Identification

- · Product name
- · Trade name: Zirconium(IV) ethoxide, 99+%
- Item number: 93-4043
- CAS Number: 18267-08-8
- · Details of the supplier of the safety data sheet

 Manufacturer/Supplier: Strem Chemicals, Inc.
 7 Mulliken Way NEWBURYPORT, MA 01950 USA info@strem.com

 Information department: Technical Department
 Emergency telephone number: EMERGENCY: CHEMTREC: +1 (800) 424-9300 During normal opening times: +1 (978) 499-1600

2 Hazard(s) identification

· Classification of the substance or mixture



Flam. Sol. 1 H228 Flammable solid.



Skin Irrit. 2H315Causes skin irritation.Eye Irrit. 2AH319Causes serious eye irritation.STOT SE 3H335May cause respiratory irritation.

· Label elements

- · GHS label elements
- *The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms*



· Signal word Danger

Hazard-determining components of labeling: Zirconium(IV) ethoxide, 99+%
Hazard statements H228 Flammable solid. H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

(Contd. on page 2)

Printing date 07/20/2021

Reviewed on 07/15/2021

| | (Contd. of page |
|---|---|
| · Precautionary s | |
| P231 | Handle under inert gas. |
| P210 | Keep away from heat/sparks/open flames/hot surfaces. No smoking. |
| P222 | Do not allow contact with air. |
| P305+P351+P | 338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if prese and easy to do. Continue rinsing. |
| P403+P233 | Store in a well-ventilated place. Keep container tightly closed. |
| P501 | Dispose of contents/container in accordance with local/regional/national/internation regulations. |
| · Classification s | ystem: |
| · NFPA ratings (| (scale 0 - 4) |
| | Health = 1 $Fire = 0$ |
| REACTIVITY | Reactivity = 0 and vPvB assessment cable. |
| REACTIVITY 0 Other hazards Results of PBT PBT: Not appli vPvB: Not appl Composition | Reactivity = 0 and vPvB assessment cable. icable. /information on ingredients acterization: Substances |
| REACTIVITY 0 • Other hazards • Results of PBT • PBT: Not appli • vPvB: Not appl B Composition • Chemical chard • CAS No. Descr | Reactivity = 0 and vPvB assessment cable. icable. /information on ingredients acterization: Substances |

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

US

Printing date 07/20/2021

Reviewed on 07/15/2021

(Contd. of page 2)

Trade name: Zirconium(IV) ethoxide, 99+%

- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- · Environmental precautions: No special measures required.
- *Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.*
- **Reference to other sections**
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals
- · PAC-1:

Substance is not listed.

· PAC-2:

Substance is not listed.

- · PAC-3:
- Substance is not listed.

7 Handling and storage

- · Handling:
- · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- Components with limit values that require monitoring at the workplace: Not required.

• Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 4)

US

Printing date 07/20/2021

Reviewed on 07/15/2021

Trade name: Zirconium(IV) ethoxide, 99+%

(Contd. of page 3)

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- Breathing equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

| Information on basic physical and General Information | chemical properties | |
|---|-------------------------|--|
| Appearance: | | |
| Form: | Powder | |
| Color: | White | |
| Odor: | Alcohol-like | |
| Odor threshold: | Not determined. | |
| pH-value: | Not applicable. | |
| Change in condition | | |
| Melting point/Melting range: | 171-173 °C (340-343 °F) | |
| Boiling point/Boiling range: | Undetermined. | |
| Flash point: | Not applicable. | |
| Flammability (solid, gaseous): | Flammable. | |
| Ignition temperature: | | |
| Decomposition temperature: | Not determined. | |
| Auto igniting: | Not determined. | |

Printing date 07/20/2021

CHEMICALS, INC

Reviewed on 07/15/2021

Trade name: Zirconium(IV) ethoxide, 99+%

| | | (Contd. of page |
|----------------------------------|--|-----------------|
| Danger of explosion: | Not determined. | |
| Explosion limits: | | |
| Lower: | Not determined. | |
| Upper: | Not determined. | |
| Vapor pressure: | Not applicable. | |
| Density: | Not determined. | |
| Relative density | Not determined. | |
| Vapor density | Not applicable. | |
| Evaporation rate | Not applicable. | |
| Solubility in / Miscibility with | | |
| Water: | Insoluble. | |
| Partition coefficient (n-octanol | /water): Not determined. | |
| Viscosity: | | |
| Dynamic: | Not applicable. | |
| Kinematic: | Not applicable. | |
| Solvent content: | | |
| Organic solvents: | 0.0 % | |
| VOC content: | 0.0 g/l / 0.00 lb/gl | |
| Solids content: | 100.0 % | |
| Other information | No further relevant information available. | |

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

(Contd. on page 6)

US

Printing date 07/20/2021

Reviewed on 07/15/2021

Trade name: Zirconium(IV) ethoxide, 99+%

(Contd. of page 5)

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- *Persistence and degradability* No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

- *Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

| · UN-Number | |
|------------------------------|--|
| · DOT, IMDG, IATA | UN1325 |
| · UN proper shipping name | |
| ·DOT | Flammable solids, organic, n.o.s. |
| · IMDG, IATA | FLAMMABLE SOLID, ORGANIC, N.O.S. |
| · Transport hazard class(es) | |
| DOT | |
| | |
| · Class | 4.1 Flammable solids, self-reactive substances and sol desensitised explosives |
| · Label | 4.1 |



Printing date 07/20/2021

Reviewed on 07/15/2021

| <pre>Frade name: Zirconium(IV) ethoxide, 99+%</pre> | | |
|---|---|--|
| | (Contd. of page 6) | |
| · IMDG | | |
| · Class · Label | 4 4.1 | |
| ·IATA | | |
| · Class · Label | 4.1 Flammable solids, self-reactive substances and solid desensitised explosives 4.1 | |
| • Packing group • DOT, IMDG, IATA | II | |
| • Environmental hazards: • Marine pollutant: | No | |
| Special precautions for user EMS Number: Stowage Category | Not applicable. F-A,S-G B | |
| • Transport in bulk according to Annex II MARPOL73/78 and the IBC Code | of Not applicable. | |
| • Transport/Additional information: | | |
| • DOT • Quantity limitations | On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg | |
| · UN "Model Regulation": | UN 1325 FLAMMABLE SOLIDS, ORGANIC, N.O.S., 4.1, II | |

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is not listed.

· TSCA (Toxic Substances Control Act):

Substance is not listed.

· Proposition 65

· Chemicals known to cause cancer:

Substance is not listed.

(Contd. on page 8)



US

Printing date 07/20/2021

Reviewed on 07/15/2021

(Contd. of page 7)

Trade name: Zirconium(IV) ethoxide, 99+%

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

 \cdot Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

Substance is not listed.

· TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

· Hazard-determining components of labeling: Zirconium(IV) ethoxide, 99+% · Hazard statements H228 Flammable solid. H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. · Precautionary statements P231 Handle under inert gas. P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P222 Do not allow contact with air. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P403+P233 Store in a well-ventilated place. Keep container tightly closed. Dispose of contents/container in accordance with local/regional/national/international P501 regulations.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Technical Department.

· Contact: Technical Director

· Date of preparation / last revision 07/20/2021 / -

(Contd. on page 9)

US

Printing date 07/20/2021

CHEMICALS, INC.

Reviewed on 07/15/2021

Trade name: Zirconium(IV) ethoxide, 99+%

| | (Contd. of page 3 |
|---|--|
| Abbreviations and acronyms: | |
| ADR: Accord européen sur le transport des marchandises | dangereuses par Route (European Agreement concerning the Internation |
| Carriage of Dangerous Goods by Road) | |
| IMDG: International Maritime Code for Dangerous Goods | |
| DOT: US Department of Transportation | |
| IATA: International Air Transport Association | |
| ACGIH: American Conference of Governmental Industrial Hyg | yienists |
| CAS: Chemical Abstracts Service (division of the American Ch | emical Society) |
| NFPA: National Fire Protection Association (USA) | |
| HMIS: Hazardous Materials Identification System (USA) | |
| VOC: Volatile Organic Compounds (USA, EU) | |
| PBT: Persistent, Bioaccumulative and Toxic | |
| vPvB: very Persistent and very Bioaccumulative | |
| NIOSH: National Institute for Occupational Safety | |
| OSHA: Occupational Safety & Health | |
| TLV: Threshold Limit Value | |
| PEL: Permissible Exposure Limit | |
| REL: Recommended Exposure Limit | |
| Flam. Sol. 1: Flammable solids – Category 1 | |
| Skin Irrit. 2: Skin corrosion/irritation – Category 2 | |
| Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A | |
| STOT SE 3: Specific target organ toxicity (single exposure) – C | Category 3 |