Printing date 20.07.2021

CHEMICALS, INC.

Revision: 20.07.2021

· 1.1 Product identifier	
· Trade name: <u>Silver(I) oxide</u> , 99+% (99.99%-Ag) PURATREM	
• Item number: 93-4743	
• CAS Number:	
20667-12-3 • EC number:	
243-957-1	
· 1.2 Relevant identified uses of the substance or mixture and uses advised	lagainst
No further relevant information available.	
\cdot 1.3 Details of the supplier of the safety data sheet	
• Manufacturer/Supplier: Strem Chemicals, Inc.	
7 Mulliken Way	
NEWBURYPORT, MA 01950	
USA	
info@strem.com	
• Further information obtainable from: Technical Department	
• 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300	
During normal opening times: $+1(978)$ 499-1600	
SECTION 2: Hazards identification	
, and the second se	
• 2.1 Classification of the substance or mixture	
· Classification according to Regulation (EC) No 1272/2008	
GHS03 flame over circle	
Ox. Sol. 2 H272 May intensify fire; oxidiser.	
• • • • • • • • • • • • • • • • • • •	
GHS07	
Skin Irrit. 2 H315 Causes skin irritation.	
Eye Irrit. 2 H319 Causes serious eye irritation.	
STOT SE 3 H335 May cause respiratory irritation.	
· 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008	
<i>The substance is classified and labelled according to the CLP regulation.</i>	
· Hazard pictograms	
⟨♡⟩<!--</b-->>	
\checkmark \checkmark	
GHS03 GHS07	
· Signal word Danger	
Hazard-determining components of labelling:	
disilver oxide	
	(Contd. on pa

Printing date 20.07.2021

CHEMICALS, INC

Revision: 20.07.2021

Trade name: Silver(I) oxide, 99+% (99.99%-Ag) PURATREM

	(Contd. of page 1)
• Hazard stateme	nts
H272 May inten	sify fire; oxidiser.
H315 Causes sk	
H319 Causes se	rious eye irritation.
H335 May cause	e respiratory irritation.
· Precautionary s	tatements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P221	Take any precaution to avoid mixing with combustibles.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P3	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P410+P403	Protect from sunlight. Store in a well-ventilated place.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· 2.3 Other hazar	ds
· Results of PBT	and vPvB assessment
• PBT: Not applie	cable.
· vPvB: Not appli	cable.

SECTION 3: Composition/information on ingredients

- · 3.1 Chemical characterisation: Substances
- · CAS No. Description
- 20667-12-3 disilver oxide • Identification number(s)
- · EC number: 243-957-1

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)



GB

Printing date 20.07.2021

Revision: 20.07.2021

Trade name: Silver(I) oxide, 99+% (99.99%-Ag) PURATREM

- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Not required.

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system.

· 6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

- · 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. • Information about fire - and explosion protection: No special measures required.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

20667-12-3 disilver oxide

WEL Long-term value: 0.01 mg/m³ as Ag

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.
- Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 4)



(Contd. of page 2)

Printing date 20.07.2021

CHEMICALS, INC

Revision: 20.07.2021

(Contd. of page 3)

GB

Trade name: Silver(I) oxide, 99+% (99.99%-Ag) PURATREM

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

General Information		
Appearance: Form:	Powder	
Colour:	Black	
Odour:	Odourless	
Odour threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition		
Melting point/freezing point:	300 °C	
Initial boiling point and boiling range:	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gas):	Not determined.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Not determined.	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure:	Not applicable.	
Density at 20 °C:	7.143 g/cm ³	
Relative density	Not determined.	
Vapour density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
water:	Insoluble.	

Printing date 20.07.2021

Revision: 20.07.2021

Trade name: Silver(I) oxide, 99+% (99.99%-Ag) PURATREM

		(Contd. of page
· Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		
Organic solvents:	0.0 %	
VOC(EC)	0.00 %	
Solids content:	100.0 %	
· 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

20667-12-3 disilver oxide

Oral LD50 2820 mg/kg (rat)

- · Primary irritant effect:
- · Skin corrosion/irritation
- Causes skin irritation.
- Serious eye damage/irritation Causes serious eye irritation.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure
- May cause respiratory irritation.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity: No further relevant information available.

· 12.2 Persistence and degradability No further relevant information available.

(Contd. on page 6)



⁻ GB

Printing date 20.07.2021

CHEMICALS, INC

Revision: 20.07.2021

(Contd. of page 5)

Trade name: Silver(I) oxide, 99+% (99.99%-Ag) PURATREM

- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · 12.5 Results of PBT and vPvB assessment
- *PBT:* Not applicable.

· vPvB: Not applicable.

· 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

14.1 UN-Number		
ADR, IMDG, IATA	UN1479	
14.2 UN proper shipping name		
ADR	1479 OXIDIZING SOLID, N.O.S.	
IMDG, IATA	OXIDIZING SOLID, N.O.S.	
14.3 Transport hazard class(es)		
ADR		
51		
Class	5	
Label	5.1	
IMDG, IATA		
Class	5.1 Oxidising substances.	
Label	5.1 5.1	
14.4 Packing group		
ADR, IMDG, IATA	II	
14.5 Environmental hazards:		
Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
EMS Number:	$F-A, \hat{S-Q}$	

Printing date 20.07.2021

Revision: 20.07.2021

Trade name: Silver(I) oxide, 99+% (99.99%-Ag) PURATREM

	(Contd. of page
Stowage Category	В
Segregation Code	SG38 Stow "separated from" ammonium compounds.
	SG49 Stow "separated from" cyanides
	SG60 Stow "separated from" peroxides
	SG61 Stow "separated from" powdered metals
14.7 Transport in bulk according to Ann	ex II of
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	1 kg
Excepted quantities $(\widetilde{E}Q)$	Code: E2
	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 500 g
IMDG	
Limited quantities (LQ)	1 kg
Excepted quantities $(\widetilde{E}Q)$	Code: E2
	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 500 g
UN "Model Regulation":	UN 1479 OXIDIZING SOLID, N.O.S., 5.1, II

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I Substance is not listed.

- · Seveso category P8 OXIDISING LIQUIDS AND SOLIDS
- \cdot Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t
- \cdot Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Technical Department.

• Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals

- EINECS: European Inventory of Existing Commercial Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- VOC: Volatile Organic Compounds (USA, EU)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative
- *vPvB: very Persistent and very Bioaccumula Ox. Sol. 2: Oxidizing solids – Category 2*
- Skin Irrit. 2: Skin corrosion/irritation Category 2

(Contd. on page 8)

[·] Contact: Technical Director

GB

Printing date 20.07.2021

Revision: 20.07.2021

Trade name: Silver(I) oxide, 99+% (99.99%-Ag) PURATREM

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 (Contd. of page 7)

GB

