Printing date 07/21/2021

Reviewed on 07/21/2021

1 Identification

- · Product name
- · Trade name: <u>Thallium(I) ethoxide, min. 95%</u>
- · Item number: 93-8105
- CAS Number: 20398-06-5
- EC number:
- 243-786-2 • Index number:
- 081-002-00-9
- \cdot Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Strem Chemicals, Inc.
 7 Mulliken Way
 NEWBURYPORT, MA 01950
 USA
 info@strem.com
- · Information department: Technical Department
- *Emergency telephone number: EMERGENCY: CHEMTREC:* + 1 (800) 424-9300 *During normal opening times:* +1 (978) 499-1600

2 Hazard(s) identification

· Classification of the substance or mixture

GHS06 Skull and crossbones

Acute Tox. 2 H300 Fatal if swallowed. Acute Tox. 2 H330 Fatal if inhaled.



GHS08 Health hazard

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

· Label elements

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Danger

• *Hazard-determining components of labeling: thallium (I) ethanolate*

· Hazard statements

H300+H330 Fatal if swallowed or if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure.

(Contd. on page 2)

US

Printing date 07/21/	/2021	Reviewed on 07/21/202
rade name: Thalli	ium(I) ethoxide, min. 95%	
		(Contd. of page
• Precautionary s		
P231	Handle under inert gas.	
P284	[In case of inadequate ventilation] wear respirate	
P301+P310	IF SWALLOWED: Immediately call a POISON C	
P303+P331+P.	338 If in eyes: Rinse cautiously with water for severa and easy to do. Continue rinsing.	il minutes. Remove contact lenses, if preser
P411+P235	Store at temperatures not exceeding 4°C. Keep co	
P422	Store an temperatures not exceeding 4°C. Keep co Store contents under inert gas.	<i>J01.</i>
P501	Dispose of contents/container in accordance	with local/regional/national/internation
1 501	regulations.	win locas regionas nationals internatione
· Classification s		
· NFPA ratings (
	Iealth = 3	
	Fire = 2	
	Peactivity = 0	
HMIS-ratings ((scale () - 4)	
	Health = 3	
	Fire = 2	
REACTIVITY 0	Reactivity = 0	
Oth on har and a		
· Other hazards	and DD ass sages out	
• PBT: Not appli	and vPvB assessment	
• vPvB: Not apple		
	icable.	
3 Composition	/information on ingredients	
5 Composition	information on ingreatents	
· Chemical chard	acterization: Substances	
· CAS No. Descr		
	llium (I) ethanolate	
· Identification n		
• EC number: 24		
· Index number:		
4 First-aid med	asures	
• Description of f	first aid measures	

• Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

• After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Do not induce vomiting; immediately call for medical help.

(Contd. on page 3)

US

Printing date 07/21/2021

Reviewed on 07/21/2021

Trade name: Thallium(I) ethoxide, min. 95%

(Contd. of page 2)

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

• *Personal precautions, protective equipment and emergency procedures* Mount respiratory protective device. • *Environmental precautions:*

Do not allow product to reach sewage system or any water course.

- Inform respective authorities in case of seepage into water course or sewage system.
- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals
- · PAC-1:

Substance is not listed.

· PAC-2:

Substance is not listed.

• PAC-3:

Substance is not listed.

7 Handling and storage

- · Handling:
- · Precautions for safe handling
- *Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.*
- Prevent formation of aerosols.

• Information about protection against explosions and fires: Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

· Storage: Keep cool.

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.

(Contd. on page 4)

Printing date 07/21/2021

Reviewed on 07/21/2021

Trade name: Thallium(I) ethoxide, min. 95%

• Further information about storage conditions: Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

- *Recommended storage temperature:* Store at temperatures not exceeding 4 °C. Keep cool.
- *Specific end use(s)* No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

• Components with limit values that require monitoring at the workplace:

- 20398-06-5 thallium (I) ethanolate
- PEL Long-term value: 0.1 mg/m³ as Tl; Skin REL Long-term value: 0.1 mg/m³
- as Tl; Skin
- *TLV Long-term value: 0.02* mg/m³* as Tl; *inhalable fraction; Skin

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately.
- · Breathing equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

US

(Contd. of page 3)

Printing date 07/21/2021

Reviewed on 07/21/2021

Trade name: Thallium(I) ethoxide, min. 95%

(Contd. of page 4)



Tightly sealed goggles

9 Physical and chemical properties

General Information Appearance:		
Form:	Liquid	
Color:	Cloudy	
Odor:	Alcohol-like	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	130 °C (266 °F)	
Flash point:	60 °C (140 °F)	
Flammability (solid, gaseous):	Not determined.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not determined.	
Density at 20 °C (68 °F):	3.493 g/cm ³ (29.14909 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wat	er): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	0.0 %	
VOC content:	0.0 g/l / 0.00 lb/gl	



Printing date 07/21/2021

Reviewed on 07/21/2021

Trade name: Thallium(I) ethoxide, min. 95%

(Contd. of page 5)

• Other information

No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

Oral LD50 50 mg/kg (rat)

- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

(Contd. on page 7)

CHEMICALS, INC.

Printing date 07/21/2021

10

CHEMICALS, INC.

Reviewed on 07/21/2021

Trade name: Thallium(I) ethoxide, min. 95%

(Contd. of page 6)

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

UN-Number DOT, IMDG, IATA	UN1707
UN proper shipping name DOT IMDG IATA	Thallium compounds, n.o.s. THALLIUM COMPOUND, N.O.S., MARINE POLLUTANT THALLIUM COMPOUND, N.O.S.
Transport hazard class(es)	
Class Label	6.1 Toxic substances 6.1
Class Label	6.1 Toxic substances 6.1
IATA	6.1 Toxic substances 6.1
Packing group DOT, IMDG, IATA	II
Environmental hazards: Marine pollutant:	No Yes (DOT) Symbol (fish and tree)
Special precautions for user EMS Number:	Not applicable. F-A,S-A

Printing date 07/21/2021

CHEMICALS, INC.

Reviewed on 07/21/2021

Trade name: Thallium(I) ethoxide, min. 95%

	(Contd. of page
· Stowage Category	A
• Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
·DOT	
· Quantity limitations	On passenger aircraft/rail: 25 kg
	On cargo aircraft only: 100 kg
·IMDG	
· Limited quantities (LQ)	.5kg
· Excepted quantities $(\widetilde{E}Q)$	Code: E4
• • • • •	Maximum net quantity per inner packaging: 1 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1707 THALLIUM COMPOUNDS, N.O.S., 6.1, II

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

· Section 355 (extremely hazardous substances):	
Substance is not listed.	
· Section 313 (Specific toxic chemical listings):	
Substance is listed.	
· TSCA (Toxic Substances Control Act):	
Substance is listed.	
· Proposition 65	
· Chemicals known to cause cancer:	
Substance is not listed.	
· Chemicals known to cause reproductive toxicity for females:	
Substance is not listed.	
· Chemicals known to cause reproductive toxicity for males:	
Substance is not listed.	
· Chemicals known to cause developmental toxicity:	
Substance is not listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
	II
· TLV (Threshold Limit Value established by ACGIH)	
Substance is not listed.	

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 9)

II

US

Printing date 07/21/2021

CHEMICALS, INC.

Reviewed on 07/21/2021

rinting date 07/2	21/2021 Reviewed of	on 07/21/202
ade name: Tha	allium(I) ethoxide, min. 95%	
II no and minto.		(Contd. of page 8
• Hazard pictog	grams	
GHS06 G	HS08	
· Signal word 1	Danger	
· Hazard-deter	mining components of labeling:	
thallium (I) et		
• Hazard staten	ments	
H300+H330	Fatal if swallowed or if inhaled.	
	May cause damage to organs through prolonged or repeated exposure.	
· Precautionar		
P231	Handle under inert gas.	
P284	[In case of inadequate ventilation] wear respiratory protection.	
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.	
P305+P351+	-P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact len	ises, if presen
	and easy to do. Continue rinsing.	
P411+P235	Store at temperatures not exceeding 4°C. Keep cool.	
P422	Store contents under inert gas.	
P501	Dispose of contents/container in accordance with local/regional/national/	/internationa
6 Other infor	rmation	
	ttion is based on our present knowledge. However, this shall not constitute a guar uct features and shall not establish a legally valid contractual relationship.	antee for an
	issuing SDS: Technical Department.	
	hnical Director	
	aration / last revision 07/21/2021 / -	
	s and acronyms:	
	uropéen sur le transport des marchandises dangereuses par Route (European Agreement concerning 1 gerous Goods by Road)	the Internationa
	onal Maritime Code for Dangerous Goods	
DOT: US Depart	tment of Transportation	
	nal Air Transport Association	
	an Conference of Governmental Industrial Hygienists ean Inventory of Existing Commercial Chemical Substances	
	Abstracts Service (division of the American Chemical Society)	
NFPA: National	Fire Protection Association (USA)	
	us Materials Identification System (USA)	
	rganic Compounds (USA, EU) ncentration, 50 percent	
LD50: Lethal dos		
PBT: Persistent,	Bioaccumulative and Toxic	
	istent and very Bioaccumulative	
	l Institute for Occupational Safety ional Safety & Health	
TLV: Threshold I		
PEL: Permissible		
REL: Recommend	ded Exposure Limit	

- REL: Recommended Exposure Limit Acute Tox. 2: Acute toxicity Category 2 STOT RE 2: Specific target organ toxicity (repeated exposure) Category 2

US