

Printing date 07/21/2021 Reviewed on 07/21/2021

#### 1 Identification

· Product name

· Trade name: Aluminum i-propoxide (99.99+%-Al) PURATREM

• *Item number:* 97-0139

• CAS Number: 555-31-7 • EC number: 209-090-8

• *Index number:* 603-042-00-3

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Strem Chemicals, Inc.

7 Mulliken Way

NEWBURYPORT, MA 01950

USA

info@strem.com

· Information department: Technical Department

· Emergency telephone number:

EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600

#### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Sol. 1 H228 Flammable solid.

- · Label elements
- · GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



GHS02

- · Signal word Danger
- · Hazard statements

H228 Flammable solid.

· Precautionary statements

P231 Handle under inert gas.

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P222 Do not allow contact with air.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P422 Store contents under inert gas.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

(Contd. of page 1)



### Safety Data Sheet according to OSHA HCS

Printing date 07/21/2021 Reviewed on 07/21/2021

Trade name: Aluminum i-propoxide (99.99+%-Al) PURATREM

· Classification system:

· NFPA ratings (scale 0 - 4)



Health = 0Fire = 2Reactivity = 0

· HMIS-ratings (scale 0 - 4)



 $0 \quad Health = 0$ Fire = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · vPvB: Not applicable.

#### 3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description

555-31-7 aluminium-tri-isopropoxide

- · Identification number(s)
- · EC number: 209-090-8
- · Index number: 603-042-00-3

#### 4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

(Contd. on page 3)



Printing date 07/21/2021 Reviewed on 07/21/2021

Trade name: Aluminum i-propoxide (99.99+%-Al) PURATREM

(Contd. of page 2)

- · Environmental precautions: No special measures required.
- · Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

1 rescent fixed of the surjet comments	
· PAC-1:	
	23 mg/m3
· PAC-2:	
	370 mg/m3
· PAC-3:	
	2,200 mg/m3

#### 7 Handling and storage

- · Handling:
- · Precautions for safe handling Open and handle receptacle with care.
- · Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

 $\cdot$  Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

#### 555-31-7 aluminium-tri-isopropoxide

REL Long-term value: 2 mg/m³
as Al

TLV Long-term value: 1\* mg/m³
as Al; \*\*as respirable fraction

- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Breathing equipment: Not required.

(Contd. on page 4)

(Contd. of page 3)



### Safety Data Sheet according to OSHA HCS

Printing date 07/21/2021 Reviewed on 07/21/2021

Trade name: Aluminum i-propoxide (99.99+%-Al) PURATREM

#### · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

Physical and chemical proper	rties
Information on basic physical and	chemical properties
General Information	
· Appearance:	
Form:	Powder
Color:	White
· Odor:	Alcohol-like
· Odor threshold:	Not determined.
pH-value:	Not applicable.
Change in condition	
Melting point/Melting range:	118.5 °C (245 °F)
Boiling point/Boiling range:	140.5 °C (285 °F)
· Flash point:	Not applicable.
Flammability (solid, gaseous):	Flammable.
Ignition temperature:	
Decomposition temperature:	Not determined.
Auto igniting:	Not determined.
Danger of explosion:	Not determined.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure:	Not applicable.
Density at 20 °C (68 °F):	1.0346 g/cm³ (8.63374 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not applicable.
· Evaporation rate	Not applicable.

(Contd. on page 5)



Printing date 07/21/2021 Reviewed on 07/21/2021

Trade name: Aluminum i-propoxide (99.99+%-Al) PURATREM

		(Contd. of page
· Solubility in / Miscibility with		
Water:	Insoluble.	
· Partition coefficient (n-octano	l/water): Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		
Organic solvents:	0.0 %	
VOC content:	0.0~g/l / 0.00~lb/gl	
Solids content:	100.0 %	
· Other information	No further relevant information available.	

#### 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- $\cdot \textit{Possibility of hazardous reactions} \ \textit{No dangerous reactions known}.$
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

555-31-7 aluminium-tri-isopropoxide

Oral LD50 | 11300 mg/kg (rat)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

US



Printing date 07/21/2021 Reviewed on 07/21/2021

Trade name: Aluminum i-propoxide (99.99+%-Al) PURATREM

(Contd. of page 5)

#### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

#### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Irans	port inj	formation
----------	----------	-----------

· UN-Number · DOT, IMDG, IATA	UN3178
· UN proper shipping name · DOT	Flammable solid, inorganic, n.o.s. (a

• DOT Flammable solid, inorganic, n.o.s. (aluminium-tri-isopropoxide)
• IMDG, IATA FLAMMABLE SOLID, INORGANIC, N.O.S. (aluminium-tri-isopropoxide)

- · Transport hazard class(es)
- $\cdot DOT$



• Class 4.1 Flammable solids, self-reactive substances and solid desensitised explosives

4.1

· Label

· IMDG, IATA



• Class

4.1 Flammable solids, self-reactive substances and solid desensitised explosives

(Contd. on page 7)



Printing date 07/21/2021 Reviewed on 07/21/2021

Trade name: Aluminum i-propoxide (99.99+%-Al) PURATREM

	(Contd. of page
· Label	4.1
· Packing group	
· DOT, IMDG, IATA	II
Environmental hazards:	
· Marine pollutant:	No
Special precautions for user	Not applicable.
Danger code (Kemler):	40
EMS Number:	F- $A$ , $S$ - $G$
· Stowage Category	B
Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
· DOT	
· Quantity limitations	On passenger aircraft/rail: 15 kg
	On cargo aircraft only: 50 kg
· IMDG	
· Limited quantities (LQ)	1 kg
Excepted quantities $(\widetilde{EQ})$	Code: E2
	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 500 g
· UN ''Model Regulation'':	UN 3178 FLAMMABLE SOLID, INORGANIC, N.O.
	(ALUMINIUM-TRI-ISOPROPOXIDE), 4.1, II

### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara

· Section 355	(extremely	hazardous	substances):
---------------	------------	-----------	--------------

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is not listed.

· TSCA (Toxic Substances Control Act):

Substance is listed.

· Proposition 65

· Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

(Contd. on page 8)



Printing date 07/21/2021 Reviewed on 07/21/2021

Trade name: Aluminum i-propoxide (99.99+%-Al) PURATREM

(Contd. of page 7)

· Carcinogenic categories

· EPA (Environmental Protection Agency)

Substance is not listed.

· TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Danger

· Hazard statements

H228 Flammable solid.

· Precautionary statements

P231 Handle under inert gas.

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P222 Do not allow contact with air.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

Store contents under inert gas.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Department.
- · Contact: Technical Director
- · Date of preparation / last revision 07/21/2021 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit

(Contd. on page 9)



Printing date 07/21/2021 Reviewed on 07/21/2021

Trade name: Aluminum i-propoxide (99.99+%-Al) PURATREM

(Contd. of page 8)

REL: Recommended Exposure Limit Flam. Sol. 1: Flammable solids – Category 1

LIC