Printing date 21.07.2021

CHEMICALS, INC.

Revision: 15.07.2021

SECTION 1:	Identification of the substance/mixture and of the company/undertaking
· 1.1 Product iden	tifier
	ethylzinc, min. 95%, 93-3030, contained in 50 ml Swagelok $^{ m B}$ cylinder (96-1070) for CVI
	8-4000 ntified uses of the substance or mixture and uses advised against ant information available.
•	e supplier of the safety data sheet upplier: c, Inc.
· 1.4 Emergency	ation obtainable from: <i>Technical Department</i> elephone number: <i>CHEMTREC:</i> + 1 (800) 424-9300
During normal o	ppening times: +1 (978) 499-1600
-	ppening times: +1 (978) 499-1600 Hazards identification
SECTION 2: · 2.1 Classificatio · Classification ad	Hazards identification n of the substance or mixture ecording to Regulation (EC) No 1272/2008
SECTION 2: · 2.1 Classificatio · Classification ad	Hazards identification n of the substance or mixture
SECTION 2: • 2.1 Classificatio • Classification ad • Classification a	Hazards identification n of the substance or mixture coording to Regulation (EC) No 1272/2008 2 flame H225 Highly flammable liquid and vapour. H250 Catches fire spontaneously if exposed to air. H260 In contact with water releases flammable gases which may ignite spontaneously.
SECTION 2: • 2.1 Classificatio • Classification ad • Classification a	Hazards identification n of the substance or mixture coording to Regulation (EC) No 1272/2008 2 flame H225 Highly flammable liquid and vapour. H250 Catches fire spontaneously if exposed to air.
SECTION 2: • 2.1 Classificatio • Classification ad • Classification a	Hazards identification n of the substance or mixture coording to Regulation (EC) No 1272/2008 2 flame H225 Highly flammable liquid and vapour. H250 Catches fire spontaneously if exposed to air. H260 In contact with water releases flammable gases which may ignite spontaneously.
SECTION 2: • 2.1 Classificatio • Classification ad GHSO Flam. Liq. 2 Pyr. Liq. 1 Water-react. 1 GHSO Skin Corr. 1B	Hazards identification n of the substance or mixture eccording to Regulation (EC) No 1272/2008 2 flame H225 Highly flammable liquid and vapour. H250 Catches fire spontaneously if exposed to air. H260 In contact with water releases flammable gases which may ignite spontaneously. 5 corrosion
SECTION 2: • 2.1 Classificatio • Classification ad • Classification a	Hazards identification n of the substance or mixture ecording to Regulation (EC) No 1272/2008 2 flame H225 Highly flammable liquid and vapour. H250 Catches fire spontaneously if exposed to air. H260 In contact with water releases flammable gases which may ignite spontaneously. 5 corrosion H314 Causes severe skin burns and eye damage.
SECTION 2: 2.1 Classification Classification and GHSO Flam. Liq. 2 Pyr. Liq. 1 Water-react. 1 Water-react. 1 Skin Corr. 1B GHSO Aquatic Acute 1	Hazards identification n of the substance or mixture coording to Regulation (EC) No 1272/2008 2 flame H225 Highly flammable liquid and vapour. H250 Catches fire spontaneously if exposed to air. H260 In contact with water releases flammable gases which may ignite spontaneously. 5 corrosion H314 Causes severe skin burns and eye damage. 9 environment
SECTION 2: • 2.1 Classificatio • Classification ad • Classification a	Hazards identification m of the substance or mixture ecording to Regulation (EC) No 1272/2008 2 flame H225 Highly flammable liquid and vapour. H250 Catches fire spontaneously if exposed to air. H260 In contact with water releases flammable gases which may ignite spontaneously. 5 corrosion H314 Causes severe skin burns and eye damage. 9 environment H400 Very toxic to aquatic life. 1 H410 Very toxic to aquatic life with long lasting effects.

Revision: 15.07.2021

	(Contd. of page
Hazard pictogr	ams
	$\mathbf{\wedge}$
A I	
GHS02 GH	S05 GHS09
011502 011	305 011307
Signal word Da	inger
Hazard-determ	ining components of labelling:
diethylzinc	
Hazard stateme	
H225 Highly flo	ummable liquid and vapour.
H250 Catches f	ire spontaneously if exposed to air.
H260 In contac	t with water releases flammable gases which may ignite spontaneously.
	evere skin burns and eye damage.
H410 Very toxi	to aquatic life with long lasting effects.
Precautionary	statements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P231+P232	Handle under inert gas. Protect from moisture.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P303+P361+P	353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water
	shower.
P305+P351+P	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,
	present and easy to do. Continue rinsing.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P422	Store contents under inert gas.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
Additional info	
	s violently with water.
2.3 Other hazar	rds
	and vPvB assessment

SECTION 3: Composition/information on ingredients

- · 3.1 Chemical characterisation: Substances
- · CAS No. Description

CHEMICALS, INC.

Printing date 21.07.2021

- 557-20-0 diethylzinc
- · Identification number(s)
- EC number: 209-161-3
- Index number: 030-004-00-8

SECTION 4: First aid measures

 \cdot 4.1 Description of first aid measures

- General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)

GB •

HEMICALS, INC.

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.07.2021

Revision: 15.07.2021

Trade name: Diethylzinc, min. 95%, 93-3030, contained in 50 ml Swagelok® cylinder (96-1070) for CVD/ALD

(Contd. of page 2)

- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant inform • 4.3 Indication of any immediate medical attention and special treatment needed
- *No further relevant information available.*

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:
- Sand. Do not use water.
- CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- · 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures
Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
· 6.2 Environmental precautions:
Do not allow product to reach sewage system or any water course.
Prevent seepage into sewage system, workpits and cellars.
Inform respective authorities in case of seepage into water course or sewage system.
· 6.3 Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust)
Use neutralising agent.
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
Do not flush with water or aqueous cleansing agents
· 6.4 Reference to other sections
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.

• Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: Store in a cool location.

(Contd. on page 4)

GB

Printing date 21.07.2021

Revision: 15.07.2021

(Contd. of page 3)

Trade name: Diethylzinc, min. 95%, 93-3030, contained in 50 ml Swagelok® cylinder (96-1070) for CVD/ALD

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Keep container tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin.
- Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:




Tightly sealed goggles

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:
- Form:
- Colour:
- · Odour:
- Odour threshold:

Liquid Colourless Unpleasant Not determined.

(Contd. on page 5)

GB



CHEMICALS, INC

Revision: 15.07.2021

	(Contd. of page
pH-value:	Not determined.
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range	
Flash point:	-18 °C
Flammability (solid, gas):	Not determined.
Ignition temperature:	
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Spontaneously flammable in air.
Explosive properties:	Product is not explosive. However, formation of explosive air/vapou
	mixtures are possible.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure at 20 •C:	121 hPa
Density at 20 °C:	1.18 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	0.0 %
VOC (EC)	0.00 %
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- \cdot 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 6)

GB

Printing date 21.07.2021

Revision: 15.07.2021

(Contd. of page 5)

Trade name: Diethylzinc, min. 95%, 93-3030, contained in 50 ml Swagelok® cylinder (96-1070) for CVD/ALD

- · Primary irritant effect:
- · Skin corrosion/irritation
- Causes severe skin burns and eye damage.
- \cdot Serious eye damage/irritation
- Causes severe skin burns and eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- \cdot Carcinogenicity Based on available data, the classification criteria are not met.
- $\cdot \textit{Reproductive toxicity Based on available data, the classification criteria are not met.}$
- $\cdot \textit{STOT-single exposure Based on available data, the classification criteria are not met.}$
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- *Remark:* Very toxic for fish
- · Additional ecological information:
- · General notes:
- *Must not reach sewage water or drainage ditch undiluted or unneutralised. Also poisonous for fish and plankton in water bodies.*
- Very toxic for aquatic organisms
- · 12.5 Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- · **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation
- Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information		
· 14.1 UN-Number · ADR, IMDG, IATA	UN3394	
· 14.2 UN proper shipping name · ADR	3394 ORGANOMETALLIC SUBSTANCE, LIQUII PYROPHORIC, WATER- REACTIVE	

Printing date 21.07.2021

CHEMICALS, INC.

Revision: 15.07.2021

	(Contd. of pag
IMDG, IATA	ORGANOMETALLIC SUBSTANCE, LIQUID, PYROPHORI WATER- REACTIVE
14.3 Transport hazard class(es)	
ADR	
Class Label	4 4.2+4.3
· IMDG	
• Class • Label	<i>4.2 Substances liable to spontaneous combustion. 4.2/4.3</i>
· Class · Label	4.2 Substances liable to spontaneous combustion. 4.2 (4.3)
14.4 Packing group ADR, IMDG, IATA	Ι
14.5 Environmental hazards: Marine pollutant:	No
 14.6 Special precautions for user EMS Number: Stowage Category Handling Code Segregation Code 	Not applicable. F-G,S-M D H1 Keep as dry as reasonably practicable SG26 In addition: from goods of classes 2.1 and 3 why stowed on deck of a containership a minimum distance of tw container spaces athwartship shall be maintained, why stowed on ro-ro ships a distance of 6 m athwartship shall maintained. SG35 Stow "separated from" acids. SG63 Stow "separated longitudinally by an intervenin complete compartment or hold from" Class 1.
• 14.7 Transport in bulk according to Anne Marpol and the IBC Code	ex II of Not applicable.
Transport/Additional information:	
ADR	



Printing date 21.07.2021

Revision: 15.07.2021

Trade name: Diethylzinc, min. 95%, 93-3030, contained in 50 ml Swagelok® cylinder (96-1070) for CVD/ALD

	(Contd. of page 7)
\cdot Excepted quantities (EQ)	Code: E0 Not permitted as Excepted Quantity
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	0 Code: E0 Not permitted as Excepted Quantity
· UN ''Model Regulation'':	UN 3394 ORGANOMETALLIC SUBSTANCE, LIQUID, PYROPHORIC, WATER- REACTIVE, 4.2 (4.3), I

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.
- · Seveso category
- **P7 PYROPHORIC LIQUIDS AND SOLIDS**
- E1 Hazardous to the Aquatic Environment
- O1 Substances or mixtures with hazard statement EUH014
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 40
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Technical Department.

· Contact: Technical Director

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids - Category 2 Pyr. Liq. 1: Pyrophoric liquids – Category 1 Water-react. 1: Substances and mixtures which in contact with water emit flammable gases - Category 1 Skin Corr. 1B: Skin corrosion/irritation - Category 1B Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1