

Printing date 21.07.2021 Revision: 21.07.2021

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Tris(dimethylamino)silane, 99+% 3DMAS (99.999%-Si) PURATREM, 14-8750, contained in 50 ml Swagelok® cylinder (96-1070) for CVD/ALD
- **Item number:** 98-4035
- **CAS Number:** 15112-89-7
- **EC number:** 239-165-0
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · 1.3 Details of the supplier of the safety data sheet
- $\cdot \textit{Manufacturer/Supplier:}$

Strem Chemicals, Inc.

7 Mulliken Way

NEWBURYPORT, MA 01950

USA

info@strem.com

- · Further information obtainable from: Technical Department
- · 1.4 Emergency telephone number:

EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600

### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 3 H226 Flammable liquid and vapour.

Water-react. 2 H261 In contact with water releases flammable gases.



GHS05 corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin.

Acute Tox. 4 H332 Harmful if inhaled.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

(Contd. on page 2)



Printing date 21.07.2021 Revision: 21.07.2021

Trade name: Tris(dimethylamino)silane, 99+% 3DMAS (99.999%-Si) PURATREM, 14-8750, contained in 50 ml Swagelok® cylinder (96-1070) for CVD/ALD

(Contd. of page 1)

#### · Hazard pictograms







GHS02

GHS05 GHS07

#### · Signal word Danger

### · Hazard-determining components of labelling:

*Tris*(*dimethylamino*)*silane*, 99+%

#### · Hazard statements

H226 Flammable liquid and vapour.

H261 In contact with water releases flammable gases.

H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled.

Causes severe skin burns and eye damage.

#### · Precautionary statements

If medical advice is needed, have product container or label at hand. P101

P102 Keep out of reach of children.

P103 Read label before use.

P231+P232 Handle under inert gas. Protect from moisture.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/

shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P422 Store contents under inert gas.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Additional information:

EUH029 Contact with water liberates toxic gas.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · vPvB: Not applicable.

#### SECTION 3: Composition/information on ingredients

- · 3.1 Chemical characterisation: Substances
- · CAS No. Description

15112-89-7 Tris(dimethylamino)silane, 99+%

- · Identification number(s)
- · EC number: 239-165-0

#### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information:

*Immediately remove any clothing soiled by the product.* 

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

(Contd. on page 3)



Printing date 21.07.2021 Revision: 21.07.2021

Trade name: Tris(dimethylamino)silane, 99+% 3DMAS (99.999%-Si) PURATREM, 14-8750, contained in 50 ml Swagelok® cylinder (96-1070) for CVD/ALD

(Contd. of page 2)

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

*Call for a doctor immediately.* 

Drink plenty of water and provide fresh air. Call for a doctor immediately.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

Sand. Do not use water.

CO2, sand, extinguishing powder. Do not use water.

- $\cdot \textit{For safety reasons unsuitable extinguishing agents: } Water \textit{with full jet}$
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

- 6.2 Environmental precautions: Prevent seepage into sewage system, workpits and cellars.
- $\cdot$  6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

 $See\ Section\ 13\ for\ disposal\ information.$ 

### SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

- · Handling: Handle under inert gas.
- · Information about fire and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

(Contd. on page 4)



Printing date 21.07.2021 Revision: 21.07.2021

Trade name: Tris(dimethylamino)silane, 99+% 3DMAS (99.999%-Si) PURATREM, 14-8750, contained in 50 ml Swagelok® cylinder (96-1070) for CVD/ALD

(Contd. of page 3)

Keep respiratory protective device available.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage: Store contents under inert gas.
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

 $\cdot$  7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid

(Contd. on page 5)



Printing date 21.07.2021 Revision: 21.07.2021

Trade name: Tris(dimethylamino)silane, 99+% 3DMAS (99.999%-Si) PURATREM, 14-8750, contained in 50 ml Swagelok® cylinder (96-1070) for CVD/ALD

	(Contd. of page
Colour:	Light yellow
Odour:	Odourless
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range	2: 145-148 °C
Flash point:	Not applicable.
Flammability (solid, gas):	Not determined.
Ignition temperature:	
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Not determined.
Explosive properties:	Product is not explosive. However, formation of explosive air/vapor
	mixtures are possible.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	16 hPa
Density at 20 °C:	$0.84 \ g/cm^3$
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	0.0 %
VOC (EC)	0.00 %
9.2 Other information	No further relevant information available.

## SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions

Contact with water releases flammable gases.

Contact with water releases toxic gases.

- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 6)



Printing date 21.07.2021 Revision: 21.07.2021

Trade name: Tris(dimethylamino)silane, 99+% 3DMAS (99.999%-Si) PURATREM, 14-8750, contained in 50 ml Swagelok® cylinder (96-1070) for CVD/ALD

(Contd. of page 5)

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity

Harmful if swallowed, in contact with skin or if inhaled.

- · Primary irritant effect:
- · Skin corrosion/irritation

Causes severe skin burns and eye damage.

· Serious eye damage/irritation

Causes severe skin burns and eye damage.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Must not reach sewage water or drainage ditch undiluted or unneutralised.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

UN3129

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

### SECTION 14: Transport information

- · 14.1 UN-Number
- · ADR, IMDG, IATA

(Contd. on page 7)



Printing date 21.07.2021 Revision: 21.07.2021

Trade name: Tris(dimethylamino)silane, 99+% 3DMAS (99.999%-Si) PURATREM, 14-8750, contained in 50 ml Swagelok® cylinder (96-1070) for CVD/ALD

	(Contd. of page
· 14.2 UN proper shipping name · ADR · IMDG, IATA	3129 WATER-REACTIVE LIQUID, CORROSIVE, N.O.S. WATER-REACTIVE LIQUID, CORROSIVE, N.O.S.
· 14.3 Transport hazard class(es)	
· ADR	
· Class · Label	<i>4 4.3+8</i>
· <i>IMDG</i>	
W W W	
· Class	4.3 Substances which, in contact with water, emit flammab gases.
· Label 	4.3/8
·IATA	
· Class	4.3 Substances which, in contact with water, emit flammab gases.
· Label	4.3 (8)
· 14.4 Packing group · ADR, IMDG, IATA	II
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· EMS Number: · Stowage Category	F-G,S-N E
· Stowage Code	SW3 Shall be transported under temperature control.
· Handling Code	H1 Keep as dry as reasonably practicable
· Segregation Code	SG26 In addition: from goods of classes 2.1 and 3 who stowed on deck of a containership a minimum distance of two container spaces athwartship shall be maintained, who stowed on ro-ro ships a distance of 6 m athwartship shall be maintained.
· 14.7 Transport in bulk according to Anno Marpol and the IBC Code	e <b>x II of</b> Not applicable.
	(Contd. on page



Printing date 21.07.2021 Revision: 21.07.2021

Trade name: Tris(dimethylamino)silane, 99+% 3DMAS (99.999%-Si) PURATREM, 14-8750, contained in 50 ml Swagelok® cylinder (96-1070) for CVD/ALD

	(Contd. of page
· Transport/Additional information:	
$\cdot ADR$	
· Limited quantities (LQ)	$500 \ ml$
· Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
· IMDG	
· Limited quantities (LQ)	0
Excepted quantities $(\widetilde{EQ})$	Code: E0
	Not permitted as Excepted Quantity
· UN ''Model Regulation'':	UN 3129 WATER-REACTIVE LIQUID, CORROSIVE, N.O.S
	4.3 (8), II

### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.
- · Seveso category
- O3 Substances or mixtures with hazard statement EUH029

P5c FLAMMABLE LIQUIDS

- Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 40
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Department.
- · Contact: Technical Director
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids – Category 3

 $Water-react.\ 2: Substances\ and\ mixtures\ which\ in\ contact\ with\ water\ emit\ flammable\ gases-Category\ 2$ 

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

GB