Printing date 07/21/2021

Reviewed on 07/21/2021

1 Identification

- · Product name
- Trade name: 3-Aminopropyltriethoxysilane, 98%, 93-1402, contained in high-temp 50 ml Swagelok® cylinder (96-1071) for CVD/ALD
- Item number: 98-4037
- · CAS Number:
- 919-30-2
- *EC number:* 213-048-4
- Index number: 612-108-00-0
- 012-108-00-0
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Strem Chemicals, Inc.
 7 Mulliken Way NEWBURYPORT, MA 01950 USA info@strem.com
- · Information department: Technical Department
- Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600

2 Hazard(s) identification

· Classification of the substance or mixture

GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

GHS07

Acute Tox. 4 H302 Harmful if swallowed.

- · Label elements
- · GHS label elements
- *The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms*



· Signal word Danger

- Hazard-determining components of labeling: 3-aminopropyltriethoxysilane
 Hazard statements H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.

(Contd. on page 2)

Printing date 07/21/2021

CHEMICALS

ſ

Reviewed on 07/21/2021

	(Contd. of page 1
· Precautionary	
P231	Handle under inert gas.
P222	Do not allow contact with air.
P303+P361+P	353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water shower.
P305+P351+P	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if presen and easy to do. Continue rinsing.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· Classification s	
· NFPA ratings (
F	$\begin{aligned} Health &= 4\\ Fire &= 0\\ Reactivity &= 0 \end{aligned}$
· HMIS-ratings	Fire = 0 Reactivity = 0
· HMIS-ratings	Fire = 0 Reactivity = 0 (scale $0 - 4$) Health = 4
HEALTH 4 FIRE 0	Fire = 0 Reactivity = 0 (scale 0 - 4) Health = 4 Fire = 0
· HMIS-ratings	Fire = 0 Reactivity = 0 (scale 0 - 4) Health = 4 Fire = 0
HMIS-ratings	Fire = 0 Reactivity = 0 (scale 0 - 4) Health = 4 Fire = 0
HMIS-ratings	Fire = 0 $Reactivity = 0$ $(scale 0 - 4)$ $Health = 4$ $Fire = 0$ $Reactivity = 0$
HMIS-ratings	Fire = 0 Reactivity = 0 (scale 0 - 4) Health = 4 Fire = 0 Reactivity = 0 T and vPvB assessment
 HMIS-ratings HMIS-ratings HEALTH 4 FIRE 0 REACTIVITY 0 Other hazards Results of PBT 	Fire = 0 $Reactivity = 0$ $(scale 0 - 4)$ $Health = 4$ $Fire = 0$ $Reactivity = 0$ $Fand vPvB assessment$ $cable.$
 HMIS-ratings HMIS-ratings HEALTH 4 FIRE 0 REACTIVITY 0 Other hazards Results of PBT PBT: Not appli 	Fire = 0 $Reactivity = 0$ $(scale 0 - 4)$ $Health = 4$ $Fire = 0$ $Reactivity = 0$ $Fand vPvB assessment$ $cable.$
 HMIS-ratings HMIS-ratings HEALTH 4 FIRE 0 REACTIVITY 0 Other hazards Results of PBT PBT: Not appli vPvB: Not appli 	Fire = 0 $Reactivity = 0$ $(scale 0 - 4)$ $Health = 4$ $Fire = 0$ $Reactivity = 0$ $Fand vPvB assessment$ $cable.$

- 919-30-2 3-aminopropyltriethoxysilane
- Identification number(s)
- EC number: 213-048-4
- · Index number: 612-108-00-0

4 First-aid measures

- · Description of first aid measures
- · General information:
- Immediately remove any clothing soiled by the product.
- Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- *After swallowing:* Immediately call a doctor.
- Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

Printing date 07/21/2021

Reviewed on 07/21/2021

(Contd. of page 2)

Trade name: 3-Aminopropyltriethoxysilane, 98%, 93-1402, contained in high-temp 50 ml Swagelok® cylinder (96-1071) for CVD/ALD

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away.*
- Environmental precautions: No special measures required.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

- Ensure adequate ventilation.
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

· PAC-1:	
	1.9 mg/m3
· PAC-2:	
	21 mg/m3
· PAC-3:	

350 mg/m3

7 Handling and storage

- · Handling:
- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.

· Information about protection against explosions and fires: Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 4)

US

Printing date 07/21/2021

Reviewed on 07/21/2021

Trade name: 3-Aminopropyltriethoxysilane, 98%, 93-1402, contained in high-temp 50 ml Swagelok® cylinder (96-1071) for CVD/ALD

(Contd. of page 3)

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment: Wear protective clothing
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- Breathing equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- General Information
- Appearance:
- Form: Color:
- Color.
- Odor: • Odor threshold:

Liquid Colorless Fish-like Not determined.

(Contd. on page 5)

US

Printing date 07/21/2021

CHEMICALS, INC.

Reviewed on 07/21/2021

Trade name: 3-Aminopropyltriethoxysilane, 98%, 93-1402, contained in high-temp 50 ml	Swagelok® cylinder (96-
1071) for CVD/ALD	

	(Contd. of I	bage
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	300 °C (572 °F)	
Boiling point/Boiling range:	217 °C (423 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not determined.	
Ignition temperature:	300 °C (572 °F)	
Decomposition temperature:	Not determined.	
Auto igniting:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not determined.	
<i>Density at 20 •C (68 •F):</i>	0.943 g/cm ³ (7.86934 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wat	ter): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	0.0 %	
VOC content:	0.0 g/l / 0.00 lb/gl	
Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)

Printing date 07/21/2021

Reviewed on 07/21/2021

Trade name: 3-Aminopropyltriethoxysilane, 98%, 93-1402, contained in high-temp 50 ml Swagelok® cylinder (96-1071) for CVD/ALD

(Contd. of page 5)

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:

· LD/LC50 values that are relevant for classification:

919-30-2 3-aminopropyltriethoxysilane

Oral LD50 1780 mg/kg (rat)

Dermal LD50 4000 mg/kg (rabbit)

· Primary irritant effect:

- on the skin: Caustic effect on skin and mucous membranes.
- on the eye: Strong caustic effect.
- Sensitization: No sensitizing effects known.
- \cdot Additional toxicological information:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- General notes: Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
- **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)



Printing date 07/21/2021

Reviewed on 07/21/2021

Trade name: 3-Aminopropyltriethoxysilane, 98%, 93-1402, contained in high-temp 50 ml Swagelok® cylinder (96-1071) for CVD/ALD

(Contd. of page 6)

· Uncleaned packagings:

• *Recommendation: Disposal must be made according to official regulations.*

UN-Number		
DOT, IMDG, IATA	UN1760	
UN proper shipping name		
DOT	Corrosive liquids, n.o.s.	
IMDG, IATA	CORROSIVE LIQUID, N.O.S.	
Transport hazard class(es)		
DOT		
CORROSIVE 8		
Class	8 Corrosive substances	
Label	8	
IMDG, IATA		
Class	8 Corrosive substances	
Label	8	
Packing group		
DOT, IMDG, IATA	II	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Warning: Corrosive substances	
EMS Number:	F-A,S-B	
Stowage Category	B SUPP CL CL CL CL	
Stowage Code	SW2 Clear of living quarters.	
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.	
Transport/Additional information:		
DOT		
Quantity limitations	On passenger aircraft/rail: 1 L	
	On cargo aircraft only: 30 L	
IMDG		
Limited quantities (LQ)	1L	
Excepted quantities (EQ)	Code: E2	
	Maximum net quantity per inner packaging: 30 ml	
	Maximum net quantity per outer packaging: 500 ml	



Printing date 07/21/2021

CHEMICALS

Reviewed on 07/21/2021

(Contd. of page 7)

Trade name: 3-Aminopropyltriethoxysilane, 98%, 93-1402, contained in high-temp 50 ml Swagelok® cylinder (96-1071) for CVD/ALD

· UN ''Model Regulation'':

UN 1760 CORROSIVE LIQUIDS, N.O.S., 8, II

15 Regulatory information

- \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara
- · Section 355 (extremely hazardous substances):
- Substance is not listed.
- Section 313 (Specific toxic chemical listings):
- Substance is not listed.
- · TSCA (Toxic Substances Control Act):
- Substance is listed.
- · Proposition 65
- · Chemicals known to cause cancer:
- Substance is not listed.
- \cdot Chemicals known to cause reproductive toxicity for females:
- Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males:
- Substance is not listed.
- · Chemicals known to cause developmental toxicity:
- Substance is not listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency)
- Substance is not listed.
- · TLV (Threshold Limit Value established by ACGIH)
- Substance is not listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health)
- Substance is not listed.
- · GHS label elements
- The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



- · Signal word Danger
- · Hazard-determining components of labeling:
- 3-aminopropyltriethoxysilane
- Hazard statements
 H302 Harmful if swallowed.
 H314 Causes severe skin burns and eye damage.

REM IICALS, INC.

Safety Data Sheet according to OSHA HCS

Printing date 07/21/2021

Date a most and more adapt and and and

Reviewed on 07/21/2021

Trade name: 3-Aminopropyltriethoxysilane, 98%, 93-1402, contained in high-temp 50 ml Swagelok® cylinder (96-1071) for CVD/ALD

(Contd. of page 8)

• Precautionary state	ements
P231	Handle under inert gas.
P222	Do not allow contact with air.
P303+P361+P353	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/
	shower.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present
	and easy to do. Continue rinsing.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
· Chemical safety as	sessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Technical Department.

· Contact: Technical Director

· Date of preparation / last revision 07/21/2021 / -

· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Tox. 4: Acute toxicity - Category 4 Skin Corr. 1B: Skin corrosion/irritation - Category 1B