


The **HiersoPHOS** family of ligands are ferrocenyl polyphosphine ligands which may be used in Palladium promoted catalytic transformations, such as the functionalization of hetero-aromatic compounds and various carbon-carbon and carbon-nitrogen bond formation reactions (Suzuki-Miyaura coupling, Heck coupling, Buchwald-Hartwig cross-coupling as well as Sonogashira reactions).



26-0320 **1,1'-Bis[bis(5-methyl-2-furanyl) phosphino]ferrocene, 98% HiersoPHOS-3 (756824-22-3)**
 $C_{30}H_{28}FeO_4P_2$; FW: 570.33; orange xtl.

100mg
500mg

Technical Note:

- Used in various comparative studies for palladium-promoted catalytic transformations involving polydentate ferrocenylphosphines ligands:
 - Palladium coupling of aniline derivatives with bromo- and chloroarenes ^[1]
 - Palladium-catalyzed formation of secondary and tertiary amines from aryl dihalides ^[2]
 - Palladium-catalyzed arylation of phenols with chloro hetero arenes ^[3]
 - Palladium-catalyzed C-H Bond activation of heteroaromatics furan, thiophene, and thiazole and benzoxazole heterocycles ^[4]

References:


- ChemCatChem*, **2010**, 296.
- Adv. Synth. Catal.*, **2011**, 353, 3403.
- Catal. Commun.*, **2014**, 51, 10.
- Catal., Sci. Technol.*, **2014**, 4, 2072.

26-0315 **1',4-Bis(t-butyl)-1,2-bis(diphenylphosphino)-3'-(di-i-propylphosphino)ferrocene, 98% HiersoPHOS-1**
 (1313012-94-0)
 $C_{48}H_{57}FeP_3$; FW: 782.73; orange xtl.

100mg
500mg

Technical Notes:

- Direct Arylation of Heteroaromatics with Congested, Functionalised Aryl Bromides at Low Palladium Loading (0.05-0.5 mol%): furans, thiophenes, thiazoles, pyrroles functionalized with alkyl, nitrile, aldehyde, keto, and ester groups coupling with *ortho*- and *di-ortho*-substituted aryl bromides (phenyl, naphthyl, anthracenyl) bearing alkyl, aryl, alcohol, nitrile, carbonitrile, and ethoxy groups.
- Etherification of Functionalized Phenols with Chloroheteroarenes at Low Palladium Loading (0.2-0.5 mol%): *para*-, *meta*- and *ortho*-mono and di-substituted phenols (bearing methyl, isopropyl, methoxy, fluoro, amino, and ester groups) coupling with chloro-pyridines, -quinolines, -hydroxypyridines, -pyrimidines, -thiazoles bearing electron-withdrawing or -donating cyano and methoxy groups.



Tech. Note (1)
Ref. (1)


Visit www.strem.com for new product information and a searchable catalog.

Strem Chemicals, Inc.
 7 Mulliken Way
 Newburyport, MA 01950
 U.S.A.
 Tel: 978.499.1600
 Fax: 978.465.3104
 Email: info@strem.com

Strem Chemicals, Inc.
 15 rue de l'Atome
 Zone Industrielle
 67800 BISCHHEIM France
 Tel: (33) 03 88 62 52 60
 Fax: (33) 03 88 62 26 81
 Email: info.europe@strem.com

Strem Chemicals, Inc.
 Postfach 1215
 77672 KEHL
 Germany
 Tel: 0 78 51/ 7 58 79
 Email: info.europe@strem.com

Strem Chemicals UK Ltd.
 An Independent Distributor of Strem Chemicals Products
 Newton Hall, Town Street
 Newton, Cambridge
 England CB22 7ZE
 Tel: 0845 643 7263
 Fax: 0845 643 7362
 Email: enquiries@strem.co.uk



Tech. Note (2)
Ref. (2)


References:

1. *Chem. Eur. J.*, **2011**, *17*, 6453.
2. *Adv. Synth. Catal.*, **2011**, *353*, 3403.


26-0326 **4,4'-Bis(t-butyl)-1,1',2,2'-tetrakis(diphenylphosphino)ferrocene, 98% HiersoPHOS-5 (403815-19-0)** 100mg
C₆₆H₆₂FeP₄; FW: 1034.94; orange xtl. 500mg

Technical Notes:


1. Ligand/palladium complex used in the direct arylation of heteroaromatic compounds with congested, functionalized aryl bromides.
2. Suzuki-Miyaura Coupling of Aryl Bromides and Chlorides bearing alkyl, methoxy, keto, nitrile, etc. substitution to phenyl- and methoxybenzene boronic acids at Low Palladium Loading.
3. Heck Coupling of Functionalized Aryl Bromides to n-butyl acrylate, styrene and n-butyl vinyl ether at Low Palladium Loading.
4. Additional catalyzed reaction include Allylic Amination of Monoterpene Derivatives including geranylacetate, nerylacetate, linalylacetate and perillylacetate at Low Palladium Loading (0.001-1.0 mol%, Ref.2), and Sonogashira Cross-Coupling of Aryl Bromides by using stabilizing new copper-tetraphosphane adducts (Ref. 3).



Tech. Note (1)
Ref. (1)



Tech. Note (2)
Ref. (2)



Tech. Note (3)

References:

1. *Chemistry – A European Journal*, **2011**, *17*, 23, 6453.
2. *Organometallics*, **2003**, *22*, 4490.
3. *Appl. Organometal. Chem.*, **2006**, *20*, 845.
4. *Organometallics*, **2008**, *27*, 1506.

26-0318 **1',4-Bis(t-butyl)-1,2,3'-tris(diphenylphosphino) ferrocene, 98% HiersoPHOS-2 (1159850-42-6)** 100mg
C₅₄H₅₃FeP₃; FW: 850.77; orange xtl. 500mg

Technical Notes:

1. Direct Arylation of Heteroaromatics with Functionalized Aryl Chlorides at Low Palladium Loading (0.1-0.5 mol%): furans, thiophenes, thiazoles, pyrroles functionalized with alkyl, ester, nitrile, and aldehyde groups coupling with para-, meta- and ortho-substituted chloroarenes bearing alkyl, formyl, nitriles, nitro, keto and ester groups.
2. Additional catalyzed reactions include Sonogashira Cross-Coupling of Aryl Bromides and Chlorides at Low Palladium and Copper Iodide Loading (0.05 to 0.4 mol%) by using stabilizing new copper-tri-phosphane adducts (Ref. 2).


Visit www.strem.com for new product information and a searchable catalog.

Strem Chemicals, Inc.
7 Mulliken Way
Newburyport, MA 01950
U.S.A
Tel: 978.499.1600
Fax: 978.465.3104
Email: info@strem.com

Strem Chemicals, Inc.
15 rue de l'Atome
Zone Industrielle
67800 BISCHHEIM France
Tel: (33) 03 88 62 52 60
Fax: (33) 03 88 62 26 81
Email: info.europe@strem.com

Strem Chemicals, Inc.
Postfach 1215
77672 KEHL
Germany
Tel: 0 78 51/ 7 58 79
Email: info.europe@strem.com

Strem Chemicals UK Ltd.
An Independent Distributor of Strem Chemicals Products
Newton Hall, Town Street
Newton, Cambridge
England CB22 7ZE
Tel: 0845 643 7263
Fax: 0845 643 7362
Email: enquiries@strem.co.uk



Tech. Note (1)
Ref. (1)


References:

1. *Angew. Chem. Int. Ed.*, **2010**, *49*, 6650.
2. *Organometallics*, **2010**, *29*, 2815.

26-0290 **1,1'-Bis(1-diphenylphosphino-1-methylethyl)ferrocene ethanol adduct, 97% HiersoPHOS-6 (Sylphos)** 100mg
(109313-83-9) 500mg
C₄₀H₄₀FeP₂·CH₃CH₂OH; FW: 638.54 (684.61); orange solid

Technical Note:

1. Ligand used in the palladium-catalyzed direct arylation of heteroaremetics with activated aryl chlorides.



Tech. Note (1)
Ref. (1)


References:

1. *ACS Catalysis*, **2012**, *21*, 1033.


26-0324 **4-(t-Butyl)-1,2-bis(diphenylphosphino)-1'-di-i-propylphosphino)ferrocene, 98% HiersoPHOS-4 (776315-37-8)** 100mg
C₄₄H₄₉FeP₃; FW: 726.63; orange xtl. 500mg

Technical Notes:


1. Ligand for the Sonogashira couplings of aryl halides at ultra-low catalyst loading
2. Ligand for the palladium catalysed C-O coupling of phenols with heteroaryl chlorides
3. Ligand for the Buchwald-Hartwig cross-coupling of aryl halides with arylamines



Tech. Note (1)
Ref. (1,2)



Tech. Note (2)
Ref. (3)



Tech. Note (3)
Ref. (4,5)

References:

1. *Org. Lett.*, **2004**, *6*, 3473.
2. *Organometallics*, **2010**, *29*, 2815.
3. *Adv. Synth. Catal.*, **2011**, *353*, 3403.
4. *Catal. Sci. Technol.*, **2014**, *4*, 2072.
5. *Catal. Commun.*, **2014**, *51*, 10.

Visit www.strem.com for new product information and a searchable catalog.

Strem Chemicals, Inc.
7 Mulliken Way
Newburyport, MA 01950
U.S.A
Tel: 978.499.1600
Fax: 978.465.3104
Email: info@strem.com

Strem Chemicals, Inc.
15 rue de l'Atome
Zone Industrielle
67800 BISCHHEIM France
Tel: (33) 03 88 62 52 60
Fax: (33) 03 88 62 26 81
Email: info.europe@strem.com

Strem Chemicals, Inc.
Postfach 1215
77672 KEHL
Germany
Tel: 0 78 51/ 7 58 79
Email: info.europe@strem.com

Strem Chemicals UK Ltd.
An Independent Distributor of Strem Chemicals Products
Newton Hall, Town Street
Newton, Cambridge
England CB22 7ZE
Tel: 0845 643 7263
Fax: 0845 643 7362
Email: enquiries@strem.co.uk