
Printing date 07/15/2021

Reviewed on 07/15/2021

1 Identification

- · Product name
- Trade name: 1,2-Bis(phenylphoshino)ethane, min. 90%
- Item number: 15-0405
- · CAS Number:
- 18899-64-4
- · EC number: 242-649-4
- · Details of the supplier of the safety data sheet · Manufacturer/Supplier: Strem Chemicals, Inc.
- 7 Mulliken Way NEWBURYPORT, MA 01950 USA info@strem.com
- · Information department: Technical Department
- Emergency telephone number: EMERGENCY: CHEMTREC: +1 (800) 424-9300 During normal opening times: +1 (978) 499-1600

2 Hazard(s) identification



Printing date 07/15/2021

CHEMICALS, INC.

Reviewed on 07/15/2021

	(Contd. of pa
· Hazard pictogra	ms
\land	
GHS02 GHS	06 GHS07 GHS08
· Signal word Dar	nger
-	ning components of labeling:
	hoshino)ethane, min. 90%
· Hazard statemen	
	ghly flammable liquid and vapor.
L L	tches fire spontaneously if exposed to air.
Н301+Н311 Тох	xic if swallowed or in contact with skin.
	rmful if inhaled.
	uses skin irritation.
	uses serious eye irritation.
	spected of damaging fertility or the unborn child.
	ty cause respiratory irritation.
• Precautionary st	
P231	Handle under inert gas.
P301+P310 P305+P351+P3	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P303+P331+P3	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if pre and easy to do. Continue rinsing.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P422	Store contents under inert gas.
P501	Dispose of contents/container in accordance with local/regional/national/internation
	regulations.
· Classification sy	
· NFPA ratings (s	scale 0 - 4)
н	ealth = 2
	real n = 2 re = 0
	eactivity = 0
\checkmark	•
· HMIS-ratings (s	<i>scale 0 - 4)</i>
HEALTH *2	Health = *2
	Fire = 0
	Reactivity = 0
· Other hazards	
- · · · · · · · · · · · · · · · · · · ·	and vPvB assessment
• PBT: Not applic	
• vPvB: Not applie	

· Chemical characterization: Substances

• CAS No. Description 18899-64-4 1,2-Bis(phenylphoshino)ethane, min. 90%

(Contd. on page 3)

US

Printing date 07/15/2021

Reviewed on 07/15/2021

Trade name: 1,2-Bis(phenylphoshino)ethane, min. 90%

(Contd. of page 2)

• Identification number(s)

• EC number: 242-649-4

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- In case of irregular breathing or respiratory arrest provide artificial respiration.
- After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Do not induce vomiting; immediately call for medical help.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- \cdot Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • For safety reasons unsuitable extinguishing agents: Water with full jet

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
 Environmental precautions: Do not allow product to reach sewage system or any water course. Prevent seepage into sewage system, workpits and cellars. Inform respective authorities in case of seepage into water course or sewage system.
 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

(Contd. on page 4)

US

Printing date 07/15/2021

Reviewed on 07/15/2021

Trade name: 1,2-Bis(phenylphoshino)ethane, min. 90%

(Contd. of page 3)

|--|

• PAC-1:

Substance is not listed.

· PAC-2:

Substance is not listed.

· PAC-3:

Substance is not listed.

7 Handling and storage

- · Handling:
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin.
- Breathing equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134.
- Protection of hands:



Protective gloves

(Contd. on page 5)

US

Printing date 07/15/2021

Reviewed on 07/15/2021

Trade name: 1,2-Bis(phenylphoshino)ethane, min. 90%

(Contd. of page 4)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

General Information Appearance:	
Form:	Liquid
Color:	Light yellow
· Odor:	Odorless
· Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	60 °C (140 °F)
· Flash point:	7 °C (45 °F)
· Flammability (solid, gaseous):	Not determined.
· Ignition temperature:	
Decomposition temperature:	Not determined.
· Auto igniting:	Spontaneously flammable in air.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure:	Not determined.
· Density:	Not determined.
· Relative density	Not determined.
· Vapor density	Not determined.
\cdot Evaporation rate	Not determined.



Printing date 07/15/2021

CHEMICALS.

Reviewed on 07/15/2021

Trade name: 1,2-Bis(phenylphoshino)ethane, min. 90%

		(Contd. of page 5
· Solubility in / Miscibility with Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/v	vater): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	0.0 %	
VOC content:	0.0 g/l / 0.00 lb/gl	
• Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- \cdot Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.

(Contd. on page 7)

US

Printing date 07/15/2021

CHEMICALS, INC.

Reviewed on 07/15/2021

Trade name: 1,2-Bis(phenylphoshino)ethane, min. 90%

(Contd. of page 6)

- $\cdot \textit{Additional ecological information:}$
- \cdot General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

- **Recommendation:** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number	
DOT, IMDG, IATA	UN2845
UN proper shipping name	
DOT	Pyrophoric liquids, organic, n.o.s.
IMDG, IATA	PYROPHORIC LIQUID, ORGANIC, N.O.S.
Transport hazard class(es)	
DOT	
Constant	
Class	4.2 Substances liable to spontaneous combustion
Label	4.2
Class	4.2 Substances liable to spontaneous combustion
Class Label	<i>4.2 Substances liable to spontaneous combustion 4.2</i>
Label Packing group	4.2
Label	
Label Packing group DOT, IMDG, IATA Environmental hazards:	4.2 I
Label Packing group DOT, IMDG, IATA	4.2
Label Packing group DOT, IMDG, IATA Environmental hazards: Marine pollutant: Special precautions for user	4.2 I No Not applicable.
Label Packing group DOT, IMDG, IATA Environmental hazards: Marine pollutant: Special precautions for user EMS Number:	4.2 I No Not applicable. F-G,S-M
Label Packing group DOT, IMDG, IATA Environmental hazards: Marine pollutant: Special precautions for user EMS Number: Stowage Category	4.2 I No Not applicable. F-G,S-M D
Label Packing group DOT, IMDG, IATA Environmental hazards: Marine pollutant: Special precautions for user EMS Number:	4.2 I No Not applicable. F-G,S-M

Printing date 07/15/2021

CHEMICALS, INC

Reviewed on 07/15/2021

Trade name: 1,2-Bis(phenylphoshino)ethane, min. 90%

	(Contd. of page 7
	athwartship shall be maintained, when stowed on ro-ro ships a distance of 6 m athwartship shall be maintained. SG63 Stow "separated longitudinally by an intervening complete compartment or hold from" Class 1.
Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: Forbidden
	On cargo aircraft only: Forbidden
· IMDG	
Limited quantities (LQ)	0
Excepted quantities $(\widetilde{E}Q)$	Code: E0
-	Not permitted as Excepted Quantity
UN ''Model Regulation'':	UN 2845 PYROPHORIC LIQUIDS, ORGANIC, N.O.S., 4.2, I

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

Section 355 (extremely hazardous substances):
 Substance is not listed.
 Section 313 (Specific toxic chemical listings):
 Substance is not listed.

· TSCA (Toxic Substances Control Act):

Substance is not listed.

· Proposition 65

 \cdot Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

Substance is not listed.

· TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 9)

US

Printing date 07/15/2021

Reviewed on 07/15/2021

ide name: 1,2	P-Bis(phenylphoshino)ethane, min. 90%
· Hazard pict	(Contd. of pag
GHS02	GHS06 GHS07 GHS08
· Signal word	Danger
	rmining components of labeling:
· · · ·	ylphoshino)ethane, min. 90%
· Hazard state	ements
H225	Highly flammable liquid and vapor.
H250	Catches fire spontaneously if exposed to air.
H301+H31	Toxic if swallowed or in contact with skin.
H332	Harmful if inhaled.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H361	Suspected of damaging fertility or the unborn child.
H335	May cause respiratory irritation.
Precautiona	ry statements
P231	Handle under inert gas.
P301+P310	
P305+P351	+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if pres and easy to do. Continue rinsing.
P403+P233	
P422	Store contents under inert gas.
P501	Dispose of contents/container in accordance with local/regional/national/internation regulations.
Chemical so	fety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Department.
- · Contact: Technical Director
- · Date of preparation / last revision 07/15/2021 / -
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- ACGIH: American Conference of Governmental Industrial Hygienists
- EINECS: European Inventory of Existing Commercial Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- VOC: Volatile Organic Compounds (USA, EU)
- *PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative*
- NIOSH: National Institute for Occupational Safety
- OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit
- REL: Recommended Exposure Limit
- Flam. Liq. 2: Flammable liquids Category 2

(Contd. on page 10)

US

Printing date 07/15/2021

CHEMICALS, INC.

Reviewed on 07/15/2021

Trade name: 1,2-Bis(phenylphoshino)ethane, min. 90%

(Contd. of page 9)

119

Pyr. Liq. 1: Pyrophoric liquids – Category 1 Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A Repr. 2: Reproductive toxicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3