

Printing date 07/17/2021

Reviewed on 07/17/2021

1 Identification

- · Product name
- Trade name: Rhodium nanoparticles, pure, (<20nm) in acetone at 100mg/L (surfactant and reactant-free)
- Item number: 45-1324
- · CAS Number:
- 67-64-1
- *EC number:* 200-662-2
- Index number: 606-001-00-8
- \cdot Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Strem Chemicals, Inc. 7 Mulliken Way NEWBURYPORT, MA 01950 USA info@strem.com
- · Information department: Technical Department
- *Emergency telephone number: EMERGENCY: CHEMTREC:* + 1 (800) 424-9300 *During normal opening times:* +1 (978) 499-1600

2 Hazard(s) identification

· Classification of the substance or mixture



Flam. Liq. 2 H225 Highly flammable liquid and vapor.


GHS07

Eye Irrit. 2AH319Causes serious eye irritation.STOT SE 3H336May cause drowsiness or dizziness.

· Label elements

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*





· Signal word Danger

- · Hazard-determining components of labeling:
- Acetone, reagent
- · Hazard statements
- H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation.

(Contd. on page 2)

US

Printing date 07/17/2021

CHEMICALS, INC.

Reviewed on 07/17/2021

 Precautionary stat P210 P280 P261 P305+P351+P338 P403+P233 P501 Classification systematic syst	Keep away from heat/sparks/open flames/hot surfaces. No smoking. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapors/spray 8 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if prese and easy to do. Continue rinsing. Store in a well-ventilated place. Keep container tightly closed. Dispose of contents/container in accordance with local/regional/national/internation regulations. em: the $0 - 4$) Ith = 1 = 3 ctivity = 0 the $0 - 4$) alth = 1 e = 3 activity = 0 d vPvB assessment ble.
P210 P280 P261 P305+P351+P338 P403+P233 P501 • Classification syste • NFPA ratings (see • MMIS-ratings (see • HMIS-ratings (see • Other hazards • Results of PBT an • PBT: Not applicat • vPvB: Not applicat	Keep away from heat/sparks/open flames/hot surfaces. No smoking. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapors/spray 8 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if prese and easy to do. Continue rinsing. Store in a well-ventilated place. Keep container tightly closed. Dispose of contents/container in accordance with local/regional/national/internation regulations. em: the $0 - 4$) Ith = 1 = 3 ctivity = 0 the $0 - 4$) alth = 1 e = 3 activity = 0 d vPvB assessment ble.
P280 P261 P305+P351+P338 P403+P233 P501 • Classification syste • NFPA ratings (see • NFPA ratings (see • HMIS-ratings (see • H	Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapors/spray B If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if prese and easy to do. Continue rinsing. Store in a well-ventilated place. Keep container tightly closed. Dispose of contents/container in accordance with local/regional/national/internation regulations. em: de 0 - 4) lth = 1 = 3 ctivity = 0 alth = 1 e = 3 activity = 0 dvPvB assessment ble.
P261 P305+P351+P338 P403+P233 P501 • Classification syste • NFPA ratings (sca • NFPA ratings (sca • HMIS-ratings (sca • HMIS-ratings (sca • HMIS-ratings (sca • HMIS-ratings (sca • HEALTH 1 He FIRE 3 Fir REACTIVITY 0 Rea • Other hazards • Results of PBT an • PBT: Not applicat • vPvB: Not applicat	Avoid breathing dust/fume/gas/mist/vapors/spray 8 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if prese and easy to do. Continue rinsing. Store in a well-ventilated place. Keep container tightly closed. Dispose of contents/container in accordance with local/regional/national/internation regulations. em: de 0 - 4) dth = 1 = 3 ctivity = 0 de 0 - 4 alth = 1 e = 3 activity = 0 dvPvB assessment ble.
P305+P351+P338 P403+P233 P501 • Classification syste • NFPA ratings (sco • NFPA ratings (sco • HMIS-ratings (sco • HMIS-ratings (sco • HMIS-ratings (sco • HMIS-ratings (sco • HEALTH 1 He FIRE 3 Fir REACTIVITY 0 Rea • Other hazards • Results of PBT an • PBT: Not applicat • vPvB: Not applicat	Avoid breathing dust/fume/gas/mist/vapors/spray 8 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if prese and easy to do. Continue rinsing. Store in a well-ventilated place. Keep container tightly closed. Dispose of contents/container in accordance with local/regional/national/internation regulations. em: de 0 - 4) dth = 1 = 3 ctivity = 0 de 0 - 4 alth = 1 e = 3 activity = 0 dvPvB assessment ble.
P403+P233 P501 Classification system NFPA ratings (score fire Read HMIS-ratings (score HALTH 1 FIRE 3 REACTIVITY 0 Cother hazards Results of PBT and PBT: Not applicat VPVB: Not applicat	8 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if prese and easy to do. Continue rinsing. Store in a well-ventilated place. Keep container tightly closed. Dispose of contents/container in accordance with local/regional/national/internation regulations. em: de 0 - 4) dth = 1 = 3 ctivity = 0 dte 0 - 4) alth = 1 e = 3 activity = 0 dvPvB assessment ble.
P501 Classification system NFPA ratings (score Fire Read HMIS-ratings (score HALTH 1 Here String REACTIVITY 0 Read Other hazards Results of PBT and PBT: Not applicat VPVB: Not applicat	Store in a well-ventilated place. Keep container tightly closed. Dispose of contents/container in accordance with local/regional/national/internation regulations. em: the $0 - 4$) lth = 1 = 3 ctivity = 0 the $0 - 4$) alth = 1 e = 3 activity = 0 d vPvB assessment ble.
P501 • Classification syste • NFPA ratings (sca • NFPA ratings (sca • Information of the system • HMIS-ratings (sca • HMIS-rating	Dispose of contents/container in accordance with local/regional/national/internation regulations. em: de 0 - 4) lth = 1 = 3 ctivity = 0 de 0 - 4) alth = 1 e = 3 activity = 0 d vPvB assessment ble.
 NFPA ratings (seating) NFPA ratings (seating) Heating Heating HMIS-ratings (seating) HMIS-ratings (seating) HEALTH 1 Heating Heating HEALTH 1 Heating Heating<td>em: de 0 - 4) dth = 1 = 3 ctivity = 0 de 0 - 4) alth = 1 e = 3 activity = 0 dvPvB assessment ble.</td>	em: de 0 - 4) dth = 1 = 3 ctivity = 0 de 0 - 4) alth = 1 e = 3 activity = 0 dvPvB assessment ble.
 NFPA ratings (seating) NFPA ratings (seating) Heating Heating HMIS-ratings (seating) HMIS-ratings (seating) HEALTH 1 Heating Heating HEALTH 1 Heating Heating<td>$de \ 0 - 4)$ $dth = 1$ $= 3$ $ctivity = 0$ $de \ 0 - 4)$ $alth = 1$ $e = 3$ $activity = 0$ $dvPvB assessment$ $ble.$</td>	$de \ 0 - 4)$ $dth = 1$ $= 3$ $ctivity = 0$ $de \ 0 - 4)$ $alth = 1$ $e = 3$ $activity = 0$ $dvPvB assessment$ $ble.$
Heal Fire Read HMIS-ratings (sca HEALTH 1 He FIRE 3 Fire REACTIVITY 0 Read Other hazards Results of PBT an PBT: Not applicat vPvB: Not applicat Scomposition/in	lth = 1 = 3 etivity = 0 alth 0 - 4) alth = 1 e = 3 activity = 0 d vPvB assessment ole.
 HMIS-ratings (scale) HMIS-ratings (scale) HMIS-ratings (scale) HEALTH 1 He FIRE 3 Fir REACTIVITY 0 Red Other hazards Results of PBT and PBT: Not applicate vPvB: Not applicate 	= 3 $= 3$ $= 0$ $= 0$ $= 1$ $= 3$ $= 3$ $= 0$ $= 0$ $= 0$ $= 0$ $= 0$
 HMIS-ratings (scattering) HMIS-ratings (scattering) HEALTH 1 He FIRE 3 Fin REACTIVITY 0 Reading Other hazards Results of PBT and PBT: Not applicate vPvB: Not applicate 3 Composition/in 	$ctivity = 0$ $de \ 0 - 4)$ $alth = 1$ $e = 3$ $activity = 0$ $d vPvB assessment$ $ble.$
 HMIS-ratings (sca HEALTH 1 He FIRE 3 Fir REACTIVITY 0 Rea Other hazards Results of PBT an PBT: Not applicat vPvB: Not applicat 	alth = 1 $e = 3$ $activity = 0$ $d vPvB assessment$ $ble.$
HEALTH 1 He FIRE 3 Fir REACTIVITY 0 Rea • Other hazards • Results of PBT an • PBT: Not applicat • vPvB: Not applicat • definition of the second secon	alth = 1 e = 3 activity = 0 d vPvB assessment ble.
FIRE 3 Fir REACTIVITY 0 • Other hazards • Results of PBT an • PBT: Not applicat • vPvB: Not applicat 3 Composition/in	e = 3 activity = 0 d vPvB assessment ole.
FIRE 3 Fir REACTIVITY 0 • Other hazards • Results of PBT an • PBT: Not applicat • vPvB: Not applicat 3 Composition/in	e = 3 activity = 0 d vPvB assessment ole.
REACTIVITY Reactivity Reactivity Reactivity Results of PBT an PBT: Not applicat vPvB: Not applicat Composition/in	activity = 0 d vPvB assessment ole.
• Other hazards • Results of PBT an • PBT: Not applicat • vPvB: Not applica 3 Composition/in	d vPvB assessment ole.
• Results of PBT an • PBT: Not applicat • vPvB: Not applica 3 Composition/in	le.
• Results of PBT an • PBT: Not applicat • vPvB: Not applica 3 Composition/in	le.
• PBT: Not applicat • vPvB: Not applica 3 Composition/in	le.
• vPvB: Not applica 3 Composition/in	
3 Composition/in	ble.
	formation on ingredients
	erization: Substances
· CAS No. Descripti	
67-64-1 Acetone, r	
· Identification nun	
• EC number: 200-0	
• Index number: 60	6-001-00-8
4 First-aid measi	
· Description of firs	t aid measures
1 00	Supply fresh air; consult doctor in case of complaints.
	Immediately rinse with water.
• After eye contact:	
	or several minutes under running water. If symptoms persist, consult a doctor.
	If symptoms persist consult doctor.
• Information for de	
Mand inner and mark and	
	<i>mptoms and effects, both acute and delayed No further relevant information available.</i> <i>immediate medical attention and special treatment needed</i>

No further relevant information available.

(Contd. on page 3)

US

Printing date 07/17/2021

Reviewed on 07/17/2021

Trade name: Rhodium nanoparticles, pure, (<20nm) in acetone at 100mg/L (surfactant and reactant-free)

(Contd. of page 2)

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- \cdot For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures* Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Prevent seepage into sewage system, workpits and cellars.
- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

• PAC-1: 200 ppm • PAC-2: 3200* ppm • PAC-3:

7 Handling and storage

· Handling:

- *Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.*
- *Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.*
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.

(Contd. on page 4)

5700* ppm

US

Printing date 07/17/2021

Reviewed on 07/17/2021

Trade name: Rhodium nanoparticles, pure, (<20nm) in acetone at 100mg/L (surfactant and reactant-free)

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

67-64-1 Acetone, reagent

- PEL Long-term value: 2400 mg/m³, 1000 ppm
- REL Long-term value: 590 mg/m³, 250 ppm
- TLV Short-term value: 1187 mg/m³, 500 ppm Long-term value: 594 mg/m³, 250 ppm

BEI

· Ingredients with biological limit values:

67-64-1 Acetone, reagent

BEI 50 mg/L Medium: urine Time: end of shift Parameter: Acetone (nonspecific)

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.
- Breathing equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)



(Contd. of page 3)

Printing date 07/17/2021

ш

CHEMICALS, INC.

Reviewed on 07/17/2021

Trade name: Rhodium nanoparticles, pure, (<20nm) in acetone at 100mg/L (surfactant and reactant-free)

• Eye protection:

(Contd. of page 4)



Tightly sealed goggles

9 Physical and chemical properties Information on basic physical and chemical

Information on basic physical and c General Information	
Appearance:	· · · ·
Form:	Liquid
Color:	Dark grey
Odor: Odor threshold:	Acetone-like Not determined.
pH-value:	Not determined.
•	Noi determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	55.8-56.6 °C (132-134 °F)
Flash point:	<-18 °C (<-0 °F)
Flammability (solid, gaseous):	Not determined.
Ignition temperature:	465 °C (869 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Not determined.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	$60 \ g/m^3$
Upper:	310 g/m ³
Vapor pressure at 20 $\cdot C$ (68 $\cdot F$):	233 hPa (175 mm Hg)
<i>Density at 20 °C (68 °F):</i>	0.79 g/cm³ (6.59255 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wate	e r): Not determined.
Viscosity:	
<i>Dynamic at 20 •C (68 •F):</i>	32 mPas
Kinematic:	Not determined.
Solvent content:	
Sorreni content.	100.0.0/
Organic solvents: VOC content:	100.0 % 0.0 g/l / 0.00 lb/gl

Printing date 07/17/2021

Reviewed on 07/17/2021

Trade name: Rhodium nanoparticles, pure, (<20nm) in acetone at 100mg/L (surfactant and reactant-free)

(Contd. of page 5)

• Other information

No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

67-64-1 Acetone, reagent

Oral LD50 5800 mg/kg (rat)

Dermal LD50 20000 mg/kg (rabbit)

- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.


- · OSHA-Ca (Occupational Safety & Health Administration)
- Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

(Contd. on page 7)

US -



Printing date 07/17/2021

CHEMICALS, INC

CHEMICALS, INC

Safety Data Sheet according to OSHA HCS

Printing date 07/17/2021

Reviewed on 07/17/2021

Trade name: Rhodium nanoparticles, pure, (<20nm) in acetone at 100mg/L (surfactant and reactant-free)

	(Contd. of page
· Transport/Additional information:	
·DOT	
• Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
· IMDG	
\cdot Limited quantities (LQ)	1L
· Excepted quantities ($\widetilde{E}Q$)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN ''Model Regulation'':	UN 1993 FLAMMABLE LIQUIDS, N.O.S., 3, II

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is not listed.

· TSCA (Toxic Substances Control Act):

Substance is listed.

· Proposition 65

· Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

· TLV (Threshold Limit Value established by ACGIH)

 \cdot NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 9)

Ι

A4

US -

Printing date 07/17/2021

CHEMICALS, INC.

Reviewed on 07/17/2021

Hazard-determini Acetone, reagent Hazard statement H225 Highly flam H319 Causes serie H336 May cause of Precautionary sta P210 P280 P261 P305+P351+P33 P403+P233 P501 Chemical safety a	7 ger ing components of labeling: s mable liquid and vapor. pus eye irritation. drowsiness or dizziness.	
Signal word Dang Hazard-determini Acetone, reagent Hazard statement H225 Highly flam H319 Causes serie H336 May cause of Precautionary sta P210 P280 P261 P305+P351+P33 P403+P233 P501 Chemical safety a	ger ing components of labeling: s mable liquid and vapor. pus eye irritation. drowsiness or dizziness.	
Signal word Dang Hazard-determini Acetone, reagent Hazard statement H225 Highly flam H319 Causes serie H336 May cause of Precautionary sta P210 P280 P261 P305+P351+P33 P403+P233 P501 Chemical safety a	ger ing components of labeling: s mable liquid and vapor. pus eye irritation. drowsiness or dizziness.	
Signal word Dang Hazard-determini Acetone, reagent Hazard statement H225 Highly flam H319 Causes serie H336 May cause of Precautionary sta P210 P280 P261 P305+P351+P33 P403+P233 P501 Chemical safety a	ger ing components of labeling: s mable liquid and vapor. pus eye irritation. drowsiness or dizziness.	
Signal word Dang Hazard-determini Acetone, reagent Hazard statement H225 Highly flam H319 Causes serie H336 May cause of Precautionary sta P210 P280 P261 P305+P351+P33 P403+P233 P501 Chemical safety a	ger ing components of labeling: s mable liquid and vapor. pus eye irritation. drowsiness or dizziness.	
Hazard-determini Acetone, reagent Hazard statement H225 Highly flam H319 Causes serie H336 May cause of Precautionary sta P210 P280 P261 P305+P351+P33 P403+P233 P501 Chemical safety a	ing components of labeling: s mable liquid and vapor. ous eye irritation. drowsiness or dizziness.	
Acetone, reagent Hazard statement H225 Highly flam H319 Causes serie H336 May cause of Precautionary sta P210 P280 P261 P305+P351+P33 P403+P233 P501 Chemical safety a	s mable liquid and vapor. ous eye irritation. drowsiness or dizziness.	
Acetone, reagent Hazard statement H225 Highly flam H319 Causes serie H336 May cause of Precautionary sta P210 P280 P261 P305+P351+P33 P403+P233 P501 Chemical safety a	s mable liquid and vapor. ous eye irritation. drowsiness or dizziness.	
Hazard statement H225 Highly flam H319 Causes serie H336 May cause of Precautionary sta P210 P280 P261 P305+P351+P33 P403+P233 P501 Chemical safety a	mable liquid and vapor. ous eye irritation. drowsiness or dizziness.	
H225 Highly flam H319 Causes serie H336 May cause of Precautionary sta P210 P280 P261 P305+P351+P33 P403+P233 P501 Chemical safety a	mable liquid and vapor. ous eye irritation. drowsiness or dizziness.	
H319 Causes serie H336 May cause of Precautionary sta P210 P280 P261 P305+P351+P33 P403+P233 P501 Chemical safety a	ous eye irritation. Irowsiness or dizziness.	
H336 May cause of Precautionary star P210 P280 P261 P305+P351+P33 P403+P233 P501 Chemical safety a	trowsiness or dizziness.	
P210 P280 P261 P305+P351+P33 P403+P233 P501 Chemical safety a	tements	
P280 P261 P305+P351+P33 P403+P233 P501 Chemical safety a		
P261 P305+P351+P33 P403+P233 P501 Chemical safety a	Keep away from heat/sparks/open flames/hot surfaces. No	
P305+P351+P33 P403+P233 P501 Chemical safety a	Wear protective gloves/protective clothing/eye protection/	face protection.
P403+P233 P501 Chemical safety a	Avoid breathing dust/fume/gas/mist/vapors/spray	
P501 Chemical safety a	8 If in eyes: Rinse cautiously with water for several minute and easy to do. Continue rinsing.	es. Remove contact lenses, if prese
Chemical safety a	Store in a well-ventilated place. Keep container tightly clo	osed.
	Dispose of contents/container in accordance with loc	cal/regional/national/internation
	regulations.	
	ssessment: A Chemical Safety Assessment has not been car	ried out.
Other informa	tion	
	is based on our present knowledge. However, this shall eatures and shall not establish a legally valid contractual re	
Department issuit	1g SDS: Technical Department.	
Contact: Technica		
	on / last revision 07/17/2021 / -	
Abbreviations and		
	en sur le transport des marchandises dangereuses par Route (Europe	an Agreement concerning the Internation
Carriage of Dangerou		
DOT: US Department	<i>Maritime Code for Dangerous Goods</i> of Transportation	
	r Transport Association	
	nference of Governmental Industrial Hygienists	
	ventory of Existing Commercial Chemical Substances cts Service (division of the American Chemical Society)	
	Protection Association (USA)	
	terials Identification System (USA)	
VOC: Volatile Organic	c Compounds (USA, EU)	

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

BEI: Biological Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

US