## Printing date 19.07.2021

CHEMICALS, INC.

Revision: 19.07.2021

• Trade name: Dealloyed Pt-Co core-shell fuel cell catalyst on carbon	
• Item number: 78-1685	
1.2 Relevant identified uses of the substance or mixture and uses advised	d against
No further relevant information available.	
1.3 Details of the supplier of the safety data sheet	
Manufacturer/Supplier:	
Strem Chemicals, Inc.	
7 Mulliken Way	
NEWBURYPORT, MA 01950	
USA	
info@strem.com	
Further information obtainable from: Technical Department	
1.4 Emergency telephone number:	
<i>EMERGENCY: CHEMTREC:</i> + 1 (800) 424-9300 <i>During normal opening times:</i> +1 (978) 499-1600	
During normal opening times. +1 (978) 499-1000	
SECTION 2: Hazards identification	
2.1 Classification of the substance or mixture	
• Classification according to Regulation (EC) No 1272/2008	
GHS02 flame	
Flam. Sol. 1 H228 Flammable solid.	
GHS07	
Skin Irrit. 2 H315 Causes skin irritation.	
Eye Irrit. 2 H319 Causes serious eye irritation.	
STOT SE 3 H335 May cause respiratory irritation.	
· 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008	
The substance is classified and labelled according to the CLP regulation.	
Hazard pictograms	
$\wedge$ $\wedge$	
GHS02 GHS07	
GHS02 GHS07	
Signal word Danger Hazard-determining components of labelling:	
Signal word Danger Hazard-determining components of labelling: Dealloyed Pt-Co core-shell fuel cell catalyst on carbon	
Signal word Danger Hazard-determining components of labelling: Dealloyed Pt-Co core-shell fuel cell catalyst on carbon Hazard statements	
• Signal word Danger • Hazard-determining components of labelling: Dealloyed Pt-Co core-shell fuel cell catalyst on carbon • Hazard statements H228 Flammable solid.	
• Signal word Danger • Hazard-determining components of labelling: Dealloyed Pt-Co core-shell fuel cell catalyst on carbon • Hazard statements H228 Flammable solid. H315 Causes skin irritation.	
<ul> <li>Signal word Danger</li> <li>Hazard-determining components of labelling: Dealloyed Pt-Co core-shell fuel cell catalyst on carbon</li> <li>Hazard statements</li> <li>H228 Flammable solid.</li> <li>H315 Causes skin irritation.</li> <li>H319 Causes serious eye irritation.</li> </ul>	
• Signal word Danger • Hazard-determining components of labelling: Dealloyed Pt-Co core-shell fuel cell catalyst on carbon • Hazard statements H228 Flammable solid. H315 Causes skin irritation.	(Contd. on pa

Printing date 19.07.2021

Revision: 19.07.2021

Trade name: Dealloyed Pt-Co core-shell fuel cell catalyst on carbon

	(Contd. of page 1)
· Precautionary s	tatements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P305+P351+P3	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

### · 2.3 Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

## SECTION 3: Composition/information on ingredients

· 3.1 Chemical characterisation: Substances

· CAS No. Description

Dealloyed Pt-Co core-shell fuel cell catalyst on carbon

### **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing: If symptoms persist consult doctor.

· 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

### **SECTION 5: Firefighting measures**

· 5.1 Extinguishing media

· Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

• 5.2 Special hazards arising from the substance or mixture No further relevant information available.

- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

## **SECTION 6:** Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

 $\cdot$  6.2 Environmental precautions: Do not allow to enter sewers/surface or ground water.

(Contd. on page 3)

GB

Printing date 19.07.2021

Revision: 19.07.2021

### Trade name: Dealloyed Pt-Co core-shell fuel cell catalyst on carbon

(Contd. of page 2)

- 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- 6.4 Reference to other sections
   See Section 7 for information on safe handling.
   See Section 8 for information on personal protection equipment.
   See Section 13 for disposal information.

# SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. • Information about fire - and explosion protection:
- Keep ignition sources away Do not smoke. Protect against electrostatic charges.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

(Contd. on page 4)

<sup>-</sup> GB

Printing date 19.07.2021 Revision: 19.07.2021 Trade name: Dealloyed Pt-Co core-shell fuel cell catalyst on carbon (Contd. of page 3) · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. • Eye protection: Tightly sealed goggles · 9.1 Information on basic physical and chemical properties · General Information · Appearance: Form: Powder Black Colour: · Odour: **Odourless** · Odour threshold: Not determined. · pH-value: Not applicable. · Change in condition *Melting point/freezing point:* Undetermined. Initial boiling point and boiling range: Undetermined. · Flash point: Not applicable. · Flammability (solid, gas): Flammable. · Ignition temperature: **Decomposition temperature:** Not determined. Not determined. · Auto-ignition temperature: Not determined. · Explosive properties: · Explosion limits: Not determined. Lower: Upper: Not determined. · Vapour pressure: Not applicable. · Density: Not determined. · Relative density Not determined. · Vapour density Not applicable. · Evaporation rate Not applicable. · Solubility in / Miscibility with Insoluble. water: · Partition coefficient: n-octanol/water: Not determined. · Viscosity: Not applicable. Dvnamic: Kinematic: Not applicable. · Solvent content: 0.0 % **Organic** solvents: VOC (EC) 0.00 % 100.0 % Solids content: (Contd. on page 5)



Duringting days 10.07.20

CHEMICALS, INC

Printing date 19.07.2021

Revision: 19.07.2021

Trade name: Dealloyed Pt-Co core-shell fuel cell catalyst on carbon

(Contd. of page 4)

• 9.2 Other information

No further relevant information available.

### **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### **SECTION 11: Toxicological information**

· 11.1 Information on toxicological effects

- Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- Skin corrosion/irritation
- Causes skin irritation.
- Serious eye damage/irritation Causes serious eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure
- May cause respiratory irritation.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

(Contd. on page 6)



Printing date 19.07.2021

10

CHEMICALS, INC.

Revision: 19.07.2021

Trade name: Dealloyed Pt-Co core-shell fuel cell catalyst on carbon

(Contd. of page 5)

### **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

### · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.

14.1 UN-Number ADR, IMDG, IATA	UN3178
14.2 UN proper shipping name	
ADR	3178 FLAMMABLE SOLID, INORGANIC, N.O.S. (Dealloyd Pt-Co core-shell fuel cell catalyst on carbon)
IMDG, IATA	FLAMMABLE SOLID, INORGANIC, N.O.S. (Dealloyed Pt-C core-shell fuel cell catalyst on carbon)
14.3 Transport hazard class(es)	
ADR	
Class	4
Label	4.1
IMDG, IATA	
Class	4.1 Flammable solids, self-reactive substances and sol desensitised explosives.
Label	4.1
14.4 Packing group	77
ADR, IMDG, IATA	11
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
EMS Number:	F-A,S-G
Stowage Category	В
14.7 Transport in bulk according to Ann	
Marpol and the IBC Code	Not applicable.

Printing date 19.07.2021

Revision: 19.07.2021

Trade name: Dealloyed Pt-Co core-shell fuel cell catalyst on carbon

	(Contd. of page 6
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	1 kg
$\cdot$ Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 500 g
· IMDG	
$\cdot$ Limited quantities (LQ)	1 kg
$\cdot$ Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 500 g
· UN ''Model Regulation'':	UN 3178 FLAMMABLE SOLID, INORGANIC, N.O.S (DEALLOYED PT-CO CORE-SHELL FUEL CELL CATALYST
	ON CARBON), 4.1, II

### **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I Substance is not listed.

· National regulations:

• Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Technical Department.

· Contact: Technical Director

Abbreviations and acronyms:
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Flam. Sol. 1: Flammable solids – Category 1
Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

GB