Printing date 07/19/2021

Reviewed on 07/19/2021

1 Identification

- · Product name
- · Trade name: Dealloyed Pt-Cu core-shell fuel cell catalyst on carbon
- Item number: 78-1688
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier:
 Strem Chemicals, Inc.
 7 Mulliken Way
 NEWBURYPORT, MA 01950
 USA
 info@strem.com
- Information department: Technical Department
 Emergency telephone number: EMERGENCY: CHEMTREC: +1 (800) 424-9300 During normal opening times: +1 (978) 499-1600

2 Hazard(s) identification

· Classification of the substance or mixture

GHS02 Flame

Flam. Sol. 1 H228 Flammable solid.

Skin Irrit. 2H315Causes skin irritation.Eye Irrit. 2AH319Causes serious eye irritation.STOT SE 3H335May cause respiratory irritation.

- · Label elements
- · GHS label elements
- The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms




· Signal word Danger

	ining components of labeling:	
Dealloyed Pt-C	Su core-shell fuel cell catalyst on carbon	
• Hazard statem	ents	
H228 Flammal	ole solid.	
H315 Causes s	kin irritation.	
H319 Causes s	erious eye irritation.	
H335 May cau	se respiratory irritation.	
· Precautionary	statements	
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.	
P280	Wear protective gloves/protective clothing/eye protection/face protection.	
		(Contd. on page 2)

Printing date 07/19/2021

Reviewed on 07/19/2021



3 Composition/information on ingredients

· Chemical characterization: Substances

• CAS No. Description Dealloyed Pt-Cu core-shell fuel cell catalyst on carbon

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- \cdot Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

05

Printing date 07/19/2021

Reviewed on 07/19/2021

Trade name: Dealloyed Pt-Cu core-shell fuel cell catalyst on carbon

- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- *Methods and material for containment and cleaning up:* Dispose contaminated material as waste according to item 13.
- *Ensure adequate ventilation.*
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
- Protective Action Criteria for Chemicals
- · PAC-1:

Substance is not listed.

· PAC-2:

Substance is not listed.

- · PAC-3:
- Substance is not listed.

7 Handling and storage

- · Handling:
- Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- Components with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.

(Contd. on page 4)

(Contd. of page 2)

Printing date 07/19/2021

CHEMICALS, INC.

Reviewed on 07/19/2021

Trade name: Dealloyed Pt-Cu core-shell fuel cell catalyst on carbon

	(Contd. of page 3)
Wash hands before breaks and at the end of work.	
Avoid contact with the eyes and skin. • Breathing equipment: A NIOSH approved respirator in accordance with 29 CFI • Protection of hands:	R 1910.134.
Protective gloves	
The glove material has to be impermeable and resistant to the product/ the substa Due to missing tests no recommendation to the glove material can be given for chemical mixture.	
Selection of the glove material on consideration of the penetration times, rates of Material of gloves	f diffusion and the degradation
The selection of the suitable gloves does not only depend on the material, but als varies from manufacturer to manufacturer.	so on further marks of quality and
Penetration time of glove material	
The exact break through time has to be found out by the manufacturer of the observed.	protective gloves and has to be
Eye protection:	
Tightly sealed goggles	
-	

Information on basic physical and	chemical properties	
General Information		
Appearance: Form:	Solid	
Form: Color:	Sona Black	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Flammable.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Not determined.	
Danger of explosion:	Not determined.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	

Printing date 07/19/2021

Reviewed on 07/19/2021

Trade name: Dealloyed Pt-Cu core-shell fuel cell catalyst on carbon

		(Contd. of page
· Vapor pressure:	Not applicable.	
· Density:	Not determined.	
· Relative density	Not determined.	
· Vapor density	Not applicable.	
\cdot Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
Water:	Insoluble.	
· Partition coefficient (n-octan	ol/water): Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		
Organic solvents:	0.0 %	
VOC content:	0.0 g/l / 0.00 lb/gl	
Solids content:	100.0 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- \cdot Additional toxicological information:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

(Contd. on page 6)

Printing date 07/19/2021

Reviewed on 07/19/2021

Trade name: Dealloyed Pt-Cu core-shell fuel cell catalyst on carbon

(Contd. of page 5)

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

UN-Number DOT, IMDG, IATA	UN3178
· · ·	
UN proper shipping name DOT	Flammable solid, inorganic, n.o.s. (Dealloyed Pt-Cu core-shell fue cell catalyst on carbon)
IMDG, IATA	FLAMMABLE SOLID, INORGANIC, N.O.S. (Dealloyed Pt-C core-shell fuel cell catalyst on carbon)
Transport hazard class(es)	
DOT	
Class	4
Label	4.1



Printing date 07/19/2021

_0

CHEMICALS, INC.

Reviewed on 07/19/2021

	(Contd. of page
IMDG, IATA	
A	
Ŵ	
· Class	4.1 Flammable solids, self-reactive substances and soli
	desensitised explosives
· Label	4.1
· Packing group	
· DOT, IMDG, IATA	11
· Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Not applicable.
• EMS Number:	F- A , S - G
Stowage Category	В
· Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
·DOT	
· Quantity limitations	On passenger aircraft/rail: 15 kg
	On cargo aircraft only: 50 kg
·IMDG	
· Limited quantities (LQ)	1 kg
\cdot Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 500 g
· UN ''Model Regulation'':	UN 3178 FLAMMABLE SOLID, INORGANIC, N.O.
	(DEALLOYED PT-CU CORE-SHELL FUEL CELL CATALYST O CARBON), 4.1, II

15 Regulatory information

C

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

• Section 355 (extremely hazardous substances):	
Substance is not listed.	
· Section 313 (Specific toxic chemical listings):	
Substance is not listed.	
• TSCA (Toxic Substances Control Act):	
Substance is not listed.	
· Proposition 65	
· Chemicals known to cause cancer:	
Substance is not listed.	
	(Contd. on page 8)

Printing date 07/19/2021

Reviewed on 07/19/2021

Trade name: Dealloyed Pt-Cu core-shell fuel cell catalyst on carbon

(Contd. of page 7)

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

 \cdot Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

Substance is not listed.

· TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

· Hazard-determining components of labeling: Dealloyed Pt-Cu core-shell fuel cell catalyst on carbon · Hazard statements H228 Flammable solid. H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. · Precautionary statements P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P280 Wear protective gloves/protective clothing/eye protection/face protection. P261 Avoid breathing dust/fume/gas/mist/vapors/spray P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

- Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Technical Department.

Printing date 07/19/2021

Reviewed on 07/19/2021

Trade name:	Dealloyed P	Pt-Cu core-shel	l fuel cell co	atalyst on carbon
			J	

	(Contd. of page 8)
Contact: Technical Director	
Date of preparation / last revision 07/19/2021 / -	
Abbreviations and acronyms:	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement	concerning the International
Carriage of Dangerous Goods by Road)	-
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
ACGIH: American Conference of Governmental Industrial Hygienists	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Flam. Sol. 1: Flammable solids – Category 1	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
	U

