Printing date 07/19/2021

Reviewed on 07/14/2021

1 Identification

- · Product name
- · Trade name: <u>Lead sulfide StremDotsTM quantum dot (PbS core ~8nm), 10 mg/mL in toluene, 1600nm peak</u> emission
- Item number: 82-1090
- · CAS Number:
- 1314-87-0
- **EC number:** 215-246-6
- Index number:
- 082-001-00-6
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Strem Chemicals, Inc.
 7 Mulliken Way NEWBURYPORT, MA 01950 USA info@strem.com
- Information department: Technical Department • Emergency telephone number:
- *Emergency telephone number:* EMERGENCY: CHEMTREC: + 1 (800) 424-9300During normal opening times: +1 (978) 499-1600

2 Hazard(s) identification

Classification of the substance or mixture
GHS02 Flame
Flam. Liq. 1 H224 Extremely flammable liquid and vapor.
GHS08 Health hazard
Repr. 1A H360 May damage fertility or the unborn child.
STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.
GHS07
Acute Tox. 4 H302 Harmful if swallowed.
Acute Tox. 4 H302 Harmful if inhaled.
Label elements
GHS08 Health hazed
Contd. on page 21

Printing date 07/19/2021

CHEMICALS, INC.

Reviewed on 07/14/2021

Hazard pictograms		(Contd. of pa
	^	
GHS02 GHS07	GHS08	
• Signal word Dange	r	
· Hazard-determinin	g components of labeling:	
lead sulphide		
· Hazard statements		
	nely flammable liquid and vapor.	
	ful if swallowed or if inhaled.	
	amage fertility or the unborn child.	. 1
	ause damage to organs through prolonged or repea	itea exposure.
• Precautionary state P210	ments Keep away from heat/sparks/open flames/hot surfac	as No smoking
	Wear protective gloves/protective clothing/eye protection	
	IF SWALLOWED: Immediately call a POISON CE	
	If in eyes: Rinse cautiously with water for several	
	and easy to do. Continue rinsing.	intervention relation version, g pro
	Store in a well-ventilated place. Keep container tigl	htly closed.
	Dispose of contents/container in accordance with	
	regulations.	
· Classification syste		
· NFPA ratings (sca	$e \ 0 - 4)$	
Heal	h = 2	
S Fire		
	tivity = 0	
· HMIS-ratings (sca	e 0 - 4)	
	lth = *2	
FIRE 3 Fire		
REACTIVITY 0 Rea	ctivity = 0	
• Other hazards		
· Results of PBT and	vPvB assessment	
• PBT: Not applicable		
• vPvB: Not applicab		
Composition/in	formation on ingredients	
v	<u> </u>	
 Chemical character CAS No. Description 		
1314-87-0 lead sulf		
i i i i i i i i i i i i i i i i i i i		
· Identification num	ber(s)	

(Contd. on page 3)

Printing date 07/19/2021

Reviewed on 07/14/2021

Trade name: Lead sulfide StremDots[™] quantum dot (PbS core - ~8nm), 10 mg/mL in toluene, 1600nm peak emission

(Contd. of page 2)

4 First-aid measures

- · Description of first aid measures
- · General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Immediately call a doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures	
Wear protective equipment. Keep unprotected persons away.	
· Environmental precautions:	
Do not allow product to reach sewage system or any water course.	
Prevent seepage into sewage system, workpits and cellars.	
Inform respective authorities in case of seepage into water course or sewage system.	
· Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Dispose contaminated material as waste according to item 13.	
Ensure adequate ventilation.	
· Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
Protective Action Criteria for Chemicals	
· PAC-1:	
	0.17 mg/m3
	(Contd. on page 4)
	US



Printing date 07/19/2021 Reviewed on 07/14/2021 Trade name: Lead sulfide StremDots[™] quantum dot (PbS core - ~8nm), 10 mg/mL in toluene, 1600nm peak emission (Contd. of page 3) · PAC-2: 140 mg/m3 · PAC-3: 810 mg/m3 7 Handling and storage · Handling: · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. · Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available. · Conditions for safe storage, including any incompatibilities · Storage: • Requirements to be met by storerooms and receptacles: Store in a cool location. · Information about storage in one common storage facility: Not required. · Further information about storage conditions: Keep receptacle tightly sealed. Do not gas tight seal receptacle. Store in cool, dry conditions in well sealed receptacles. Protect from heat and direct sunlight. · Specific end use(s) No further relevant information available. 8 Exposure controls/personal protection · Additional information about design of technical systems: No further data; see item 7. · Control parameters · Components with limit values that require monitoring at the workplace: 1314-87-0 lead sulphide PEL Long-term value: 0.05 mg/m³ as Pb; See 29 CFR 1910.1025 *REL* Long-term value: 0.05* mg/m³ as Pb;*8-hr TWA; See Pocket Guide App. C

TLV Long-term value: 0.05 mg/m³ as Pb; BEI

· Ingredients with biological limit values:

1314-87-0 lead sulphide


CHEMICALS.

BEI 30 μg/100 ml Medium: blood Time: not critical Parameter: Lead

• Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 5)

US



Decomposition temperature:

Reviewed on 07/14/2021

Trade name: Lead sulfide StremDots[™] quantum dot (PbS core - ~8nm), 10 mg/mL in toluene, 1600nm peak emission (Contd. of page 4) · Exposure controls · Personal protective equipment: · General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. • Breathing equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134. · Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. · Eve protection: Tightly sealed goggles **9** Physical and chemical properties · Information on basic physical and chemical properties · General Information · Appearance: Form: Suspension Color: Black · Odor: Unpleasant · Odor threshold: Not determined. · pH-value: Not determined. · Change in condition Melting point/Melting range: Undetermined. **Boiling point/Boiling range:** 110 °C (230 °F) 4 °C (39 °F) · Flash point: · Flammability (solid, gaseous): Not determined. · Ignition temperature:

Not determined.

(Contd. on page 6)

Printing date 07/19/2021

CHEMICALS, INC

Reviewed on 07/14/2021

rade name: Lead sulfide StremDots™ quantum dot (PbS core - ~8nm), 10 mg/mL in toluene, 1600nm peak emission				
	(Contd. of page 5			
· Auto igniting:	Not determined.			
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.			
· Explosion limits:				
Lower:	1.2 Vol %			
Upper:	7 Vol %			
· Vapor pressure at 20 °C (68 °F):	21.8 hPa (16 mm Hg)			
• Density at 20 •C (68 •F):	0.868 g/cm ³ (7.24346 lbs/gal)			
· Relative density	Not determined.			
· Vapor density	Not determined.			
· Evaporation rate	Not determined.			

Not miscible or difficult to mix.

No further relevant information available.

Not determined.

Not determined.

0.0 g/l / 0.00 lb/gl

0.0 %

100.0 %

10 Stability and reactivity

· Solubility in / Miscibility with

Water:

· Viscosity: Dynamic:

Kinematic:

• Solvent content: Organic solvents:

VOC content:

Solids content: • Other information

· Reactivity No further relevant information available.

· Partition coefficient (n-octanol/water): Not determined.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.

(Contd. on page 7)

(Contd. of page 6)

2A

R

Safety Data Sheet according to OSHA HCS

Printing date 07/19/2021

Reviewed on 07/14/2021

Trade name: Lead sulfide StremDots[™] quantum dot (PbS core - ~8nm), 10 mg/mL in toluene, 1600nm peak emission

· Additional toxicological information:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

· NTP (National Toxicology Program)

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- *Persistence and degradability* No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number		
DOT, IMDG, IATA	UN1993	
UN proper shipping name		
DOT	Flammable liquids, n.o.s.	
IMDG, IATA	FLAMMABLÊ LIQUID, N.O.S.	



Printing date 07/19/2021

CHEMICALS, INC.

Reviewed on 07/14/2021

	(Contd. of	f pa
Transport hazard class(es)		
DOT		
FEAMAABLE LOUD		
Class	3 Flammable liquids	
Label	3	
IMDG, IATA		
Class Label	3 Flammable liquids 3	
Packing group		
DOT, IMDG, IATA	Ι	
Environmental hazards: Marine pollutant:	No	
Special precautions for user	Warning: Flammable liquids	
EMS Number:	F-E,S-E	
Stowage Category	E	
Transport in bulk according to Annex		
MARPOL73/78 and the IBC Code	Not applicable.	
Transport/Additional information:		
DOT		
Quantity limitations	On passenger aircraft/rail: 1L	
	On cargo aircraft only: 30L	
IMDG Limited quantities (LO)	0.5L	
Limited quantities (LQ) Excepted quantities (EQ)	0.5L Code: E3	
Excepted quantates (EQ)	<i>Maximum net quantity per inner packaging: 30 ml</i>	
	Maximum net quantity per outer packaging: 300 ml	
UN "Model Regulation":	UN 1993 FLAMMABLE LIQUIDS, N.O.S., 3, I	

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

• Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is listed.

(Contd. on page 9)

⁻ US

Printing date 07/19/2021

CHEMICALS, INC

Reviewed on 07/14/2021

Trade name: Lead sulfide StremDots[™] quantum dot (PbS core - ~8nm), 10 mg/mL in toluene, 1600nm peak emission

(Contd. of page 8)

• TSCA (Toxic Substances Control Act): Substance is listed.

· Proposition 65

· Chemicals known to cause cancer:

Substance is listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

· TLV (Threshold Limit Value established by ACGIH)

B2 A3

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Danger

Hazard-determining components of labeling: lead sulphide	
Hazard statements	
H224 Extremely flammable liquid and vapor.	
H302+H332 Harmful if swallowed or if inhaled.	
H360 May damage fertility or the unborn child.	
H373 May cause damage to organs through prolonged or repeated exposure.	
Precautionary statements	
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.	
P280 Wear protective gloves/protective clothing/eye protection/face protection.	
<i>P301+P310</i> IF SWALLOWED: Immediately call a POISON CENTER/ doctor.	
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P403+P233 Store in a well-ventilated place. Keep container tightly closed.	
<i>P501</i> Dispose of contents/container in accordance with local/regional/national/international regulations.	
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

(Contd. on page 10)

Printing date 07/19/2021

Reviewed on 07/14/2021

Trade name: Lead sulfide StremDots[™] quantum dot (PbS core - ~8nm), 10 mg/mL in toluene, 1600nm peak emission

(Contd. of page 9)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Technical Department.

- · Contact: Technical Director
- · Date of preparation / last revision 07/19/2021 / -
- · Abbreviations and acronvms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit BEI: Biological Exposure Limit Flam. Liq. 1: Flammable liquids – Category 1 Acute Tox. 4: Acute toxicity - Category 4 Repr. 1A: Reproductive toxicity - Category 1A STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

