Printing date 20.07.2021

CHEMICALS, INC.

Revision: 20.07.2021

SECTION	1: Identification of the substance/mixture and of the company/undertaking
• 1.1 Product id	lentifier
	Zirconium powder (99.5%)
• Item number:	93-4047
· CAS Number:	
7440-67-7	
$\cdot EC$ number:	
231-176-9 • Index number	ו
040-001-00-3	
	dentified uses of the substance or mixture and uses advised against
v	evant information available.
	the supplier of the safety data sheet
• Manufacturer Strem Chemic	
7 Mulliken Wo	
	DRT, MA 01950
USA	
info@strem.co	
	mation obtainable from: Technical Department y telephone number:
	Y: CHEMTREC: + 1 (800) 424-9300
SECTION 2	al opening times: +1 (978) 499-1600 2: Hazards identification tion of the substance or mixture
SECTION 2 · 2.1 Classification	2: Hazards identification tion of the substance or mixture according to Regulation (EC) No 1272/2008
SECTION 2 · 2.1 Classification	2: Hazards identification tion of the substance or mixture
SECTION 2 · 2.1 Classification · Classification GH	2: Hazards identification tion of the substance or mixture according to Regulation (EC) No 1272/2008 S02 flame
SECTION 2 · 2.1 Classification · Classification GH Pyr. Sol. 1	2: Hazards identification tion of the substance or mixture according to Regulation (EC) No 1272/2008 S02 flame H250 Catches fire spontaneously if exposed to air.
SECTION 2 · 2.1 Classification · Classification GH Pyr. Sol. 1 Water-react. 1	2: Hazards identification tion of the substance or mixture according to Regulation (EC) No 1272/2008 S02 flame H250 Catches fire spontaneously if exposed to air. H250 In contact with water releases flammable gases which may ignite spontaneously.
SECTION 2 · 2.1 Classification · Classification GH Pyr. Sol. 1 Water-react. 1 · 2.2 Label elem	2: Hazards identification tion of the substance or mixture according to Regulation (EC) No 1272/2008 S02 flame H250 Catches fire spontaneously if exposed to air. H260 In contact with water releases flammable gases which may ignite spontaneously.
SECTION 2 · 2.1 Classification · Classification · Classification · GH Pyr. Sol. 1 Water-react. 1 · 2.2 Label elem · Labelling according The substance	2: Hazards identification tion of the substance or mixture according to Regulation (EC) No 1272/2008 S02 flame H250 Catches fire spontaneously if exposed to air. H260 In contact with water releases flammable gases which may ignite spontaneously. nents ording to Regulation (EC) No 1272/2008 is classified and labelled according to the CLP regulation.
SECTION 2 · 2.1 Classification · Classification · Classification · GH Pyr. Sol. 1 Water-react. 1 · 2.2 Label elem · Labelling according The substance	2: Hazards identification tion of the substance or mixture according to Regulation (EC) No 1272/2008 S02 flame H250 Catches fire spontaneously if exposed to air. H260 In contact with water releases flammable gases which may ignite spontaneously. nents ording to Regulation (EC) No 1272/2008 is classified and labelled according to the CLP regulation.
SECTION 2 · 2.1 Classification · Classification · Classification · GH Pyr. Sol. 1 Water-react. 1 · 2.2 Label elem · Labelling according The substance	2: Hazards identification tion of the substance or mixture according to Regulation (EC) No 1272/2008 S02 flame H250 Catches fire spontaneously if exposed to air. H260 In contact with water releases flammable gases which may ignite spontaneously. nents ording to Regulation (EC) No 1272/2008 is classified and labelled according to the CLP regulation.
SECTION 2 · 2.1 Classification · Classification GH Pyr. Sol. 1 Water-react. 1 · 2.2 Label elem · Labelling acco	2: Hazards identification tion of the substance or mixture according to Regulation (EC) No 1272/2008 S02 flame H250 Catches fire spontaneously if exposed to air. H260 In contact with water releases flammable gases which may ignite spontaneously. nents ording to Regulation (EC) No 1272/2008 is classified and labelled according to the CLP regulation.
SECTION 2 • 2.1 Classification • Classification • Classification • GH Pyr. Sol. 1 Water-react. 1 • 2.2 Label elem • Labelling acco The substance • Hazard pictog	2: Hazards identification tion of the substance or mixture according to Regulation (EC) No 1272/2008 S02 flame H250 Catches fire spontaneously if exposed to air. H260 In contact with water releases flammable gases which may ignite spontaneously. nents ording to Regulation (EC) No 1272/2008 is classified and labelled according to the CLP regulation.
SECTION 2 · 2.1 Classification · Classification · Classification · GH Pyr. Sol. 1 Water-react. 1 · 2.2 Label elem · Labelling according The substance	2: Hazards identification tion of the substance or mixture according to Regulation (EC) No 1272/2008 S02 flame H250 Catches fire spontaneously if exposed to air. H260 In contact with water releases flammable gases which may ignite spontaneously. nents ording to Regulation (EC) No 1272/2008 is classified and labelled according to the CLP regulation.
SECTION 2 • 2.1 Classification • Classification • Classification • GH Pyr. Sol. 1 Water-react. 1 • 2.2 Label elem • Labelling acco The substance • Hazard pictog GHS02 • Signal word L	2: Hazards identification tion of the substance or mixture according to Regulation (EC) No 1272/2008 S02 flame H250 Catches fire spontaneously if exposed to air. H260 In contact with water releases flammable gases which may ignite spontaneously. Thents ording to Regulation (EC) No 1272/2008 is classified and labelled according to the CLP regulation. grams Danger
SECTION 2 • 2.1 Classification • Classification • Classification • GH Pyr. Sol. 1 Water-react. 1 • 2.2 Label elem • Labelling acco The substance • Hazard pictog GHS02 • Signal word L • Hazard staten	2: Hazards identification tion of the substance or mixture according to Regulation (EC) No 1272/2008 S02 flame H250 Catches fire spontaneously if exposed to air. H260 In contact with water releases flammable gases which may ignite spontaneously. H260 In contact with water releases flammable gases which may ignite spontaneously. H260 In contact with water releases flammable gases which may ignite spontaneously. H260 In contact with water releases flammable gases which may ignite spontaneously. H260 In contact with water releases flammable gases which may ignite spontaneously. H260 In contact with water releases flammable gases which may ignite spontaneously. H260 In contact with water releases flammable gases which may ignite spontaneously. H260 In contact with water releases flammable gases which may ignite spontaneously. H260 In contact with water releases flammable gases which may ignite spontaneously. H260 In contact with water releases flammable gases which may ignite spontaneously. H260 In contact with water releases flammable gases which may ignite spontaneously. H260 In contact with water releases flammable gases which may ignite spontaneously. H260 In contact with water releases flammable gases which may ignite spontaneously. H260 In contact with water releases flammable gases which may ignite spontaneously. H260 In contact with water releases flammable gases which may ignite spontaneously. H260 In contact with water releases flammable gases which may ignite spontaneously. H260 In contact with water releases flammable gases which may ignite spontaneously. H260 In contact with water releases flammable gases which may ignite spontaneously. H260 In contact with water releases flammable gases which may ignite spontaneously. H260 In contact with water releases flammable gases which may ignite spontaneously. H260 In contact with water releases flammable gases which may ignite spontaneously. H260 In contact with water releases flammable gases which may ignite spontaneously.
SECTION 2 • 2.1 Classification • Classification • Classification • GH Pyr. Sol. 1 Water-react. 1 • 2.2 Label elen • Labelling acco The substance • Hazard pictog GHS02 • Signal word L • Hazard staten H250 Catches	2: Hazards identification tion of the substance or mixture according to Regulation (EC) No 1272/2008 S02 flame H250 Catches fire spontaneously if exposed to air. H260 In contact with water releases flammable gases which may ignite spontaneously. H260 In contact with water releases flammable gases which may ignite spontaneously. H260 In contact with water releases flammable gases which may ignite spontaneously. H260 In contact with water releases flammable gases which may ignite spontaneously. H260 In contact with water releases flammable gases which may ignite spontaneously. H260 In contact with water releases flammable gases which may ignite spontaneously. H260 In contact with water releases flammable gases which may ignite spontaneously. H260 In contact with water releases flammable gases which may ignite spontaneously. H260 In contact with water releases flammable gases which may ignite spontaneously. H260 In contact with water releases flammable gases which may ignite spontaneously. H260 In contact with water releases flammable gases which may ignite spontaneously. H260 In contact with water releases flammable gases which may ignite spontaneously. H260 In contact with water releases flammable gases which may ignite spontaneously. H260 In contact with water releases flammable gases which may ignite spontaneously. H260 In contact with water releases flammable gases which may ignite spontaneously. H260 In contact with water releases flammable gases which may ignite spontaneously. H260 In contact with water releases flammable gases which may ignite spontaneously. H260 In contact with water releases flammable gases which may ignite spontaneously. H260 In contact with water releases flammable gases which may ignite spontaneously. H260 In contact with water releases flammable gases which may ignite spontaneously. H260 In contact with water releases flammable gases which may ignite spontaneously. H260 In contact water releases flammable gases which may ignite spontaneously. H260 In contac
SECTION 2 • 2.1 Classification • Classification • Classification • GH Pyr. Sol. 1 Water-react. 1 • 2.2 Label elen • Labelling acco The substance • Hazard pictog GHS02 • Signal word L • Hazard staten H250 Catches	2: Hazards identification tion of the substance or mixture according to Regulation (EC) No 1272/2008 S02 flame H250 Catches fire spontaneously if exposed to air. H260 In contact with water releases flammable gases which may ignite spontaneously. nents ording to Regulation (EC) No 1272/2008 'is classified and labelled according to the CLP regulation. grams Danger nents fire spontaneously if exposed to air. fire spontaneously if exposed to air. tot with water releases flammable gases which may ignite spontaneously.
SECTION 2 2.1 Classification Classification Pyr. Sol. 1 Water-react. 1 2.2 Label elen Labelling acco The substance Hazard pictog GHS02 Signal word L Hazard staten H250 Catches H260 In conta Precautionary P101	2: Hazards identification tion of the substance or mixture according to Regulation (EC) No 1272/2008 S02 flame H250 Catches fire spontaneously if exposed to air. H260 In contact with water releases flammable gases which may ignite spontaneously. Therefore, the spontaneously if exposed to air. It classified and labelled according to the CLP regulation. Therefore, the spontaneously if exposed to air. Therefore, the spontaneously if exposed to air. Therefore, the spontaneously if exposed to air. The spontaneously if exposed to air. The twith water releases flammable gases which may ignite spontaneously. Systements If medical advice is needed, have product container or label at hand.
SECTION 2 • 2.1 Classification • Classification • Classification • Pyr. Sol. 1 Water-react. 1 • 2.2 Label elen • Labelling acco The substance • Hazard pictog GHS02 • Signal word L • Hazard staten H250 Catches H260 In conta • Precautionary P101 P102	2: Hazards identification tion of the substance or mixture according to Regulation (EC) No 1272/2008 S02 flame H250 Catches fire spontaneously if exposed to air. H260 In contact with water releases flammable gases which may ignite spontaneously. H260 In contact with water releases flammable gases which may ignite spontaneously. H260 In contact with outer releases flammable gases which may ignite spontaneously. H260 In contact with outer releases flammable gases which may ignite spontaneously. H260 In contact with outer releases flammable gases which may ignite spontaneously. H260 In contact with exposed to air. Fire spontaneously if exposed to air. If medical advice is needed, have product container or label at hand. Keep out of reach of children.
SECTION 2 2.1 Classification Classification Pyr. Sol. 1 Water-react. 1 2.2 Label elen Labelling acco The substance Hazard pictog GHS02 Signal word L Hazard staten H250 Catches H260 In conta Precautionary P101	2: Hazards identification tion of the substance or mixture according to Regulation (EC) No 1272/2008 S02 flame H250 Catches fire spontaneously if exposed to air. H260 In contact with water releases flammable gases which may ignite spontaneously. Therefore, the spontaneously if exposed to air. It classified and labelled according to the CLP regulation. Therefore, the spontaneously if exposed to air. Therefore, the spontaneously if exposed to air. Therefore, the spontaneously if exposed to air. The spontaneously if exposed to air. The twith water releases flammable gases which may ignite spontaneously. Systements If medical advice is needed, have product container or label at hand.

CHEMICALS, INC.

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.07.2021

Trade name: Zirconium powder (99.5%)

Revision: 20.07.2021

der inert gas. y from heat, hot surfaces, sparks, open flames and other ignition sources. No OWED: Immediately call a POISON CENTER/ doctor. ES: Rinse cautiously with water for several minutes. Remove contact lenses, if
OWED: Immediately call a POISON CENTER/ doctor.
ES: Rinse cautiously with water for several minutes. Remove contact lenses if
d easy to do. Continue rinsing.
vell-ventilated place. Keep container tightly closed.
f contents/container in accordance with local/regional/national/international s.
f

• *PBT*: Not applicable.

• **vPvB**: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.1 Chemical characterisation: Substances
- · CAS No. Description
- 7440-67-7 zirconium powder (pyrophoric)
- · Identification number(s)
- EC number: 231-176-9
- Index number: 040-001-00-3
- · Dangerous components: Void

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: No special measures required.
- 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13.

(Contd. on page 3)

GB

Printing date 20.07.2021

Revision: 20.07.2021

Trade name: Zirconium powder (99.5%)

Ensure adequate ventilation.

- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- · Handling: Handle under inert gas.
- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage: Store contents under inert gas.
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work.
- **Respiratory protection:** Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

- Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*
- The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Safety glasses

(Contd. on page 4)



(Contd. of page 2)

GB

Printing date 20.07.2021

Ъ

CHEMICALS, INC.

Revision: 20.07.2021

Trade name: Zirconium powder (99.5%)

	(Contd. of pag
9.1 Information on basic physical and c	chemical properties
General Information	
Appearance:	
Form:	Powder
Colour:	Silver grey
Odour:	Odourless
Odour threshold:	Not determined.
pH-value:	Not applicable.
Change in condition	
Melting point/freezing point:	1.852 °C
Initial boiling point and boiling range	2: 3.577 °C
Flash point:	Not applicable.
Flammability (solid, gas):	Flammable.
-	Highly flammable.
Ignition temperature:	80 °C
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Spontaneously flammable in air.
Explosive properties:	Not determined.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	Not applicable.
Density at 20 °C:	6.506 g/cm ³
Relative density	Not determined.
Vapour density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
water:	Insoluble.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
Solvent content:	
Organic solvents:	0.0 %
VOC (EC)	0.00 %
Solids content:	100.0 %
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

(Contd. on page 5)

Printing date 20.07.2021

Revision: 20.07.2021

Trade name: Zirconium powder (99.5%)

- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

- Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- *Respiratory or skin sensitisation Based on available data, the classification criteria are not met.*
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- \cdot **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- **Recommendation** Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

· 14.1 UN-Number		
· ADR, IMDG, IATA	UN2008	
· 14.2 UN proper shipping name		
ADR	2008 ZIRCONIUM POWDER, DRY	

(Contd. of page 4)

Printing date 20.07.2021

Revision: 20.07.2021

Trade name: Zirconium powder (99.5%)

IMDC IATA	(Contd. of page
IMDG, IATA	ZIRCONIUM POWDER, DRY
14.3 Transport hazard class(es)	
ADR	
4	
Class	4
Label	4.2
IMDG, IATA	
~	
**	
Class Label	<i>4.2 Substances liable to spontaneous combustion. 4.2</i>
	4.2
• 14.4 Packing group • ADR, IMDG, IATA	II
	11
• 14.5 Environmental hazards: • Marine pollutant:	No
•	
• 14.6 Special precautions for user • EMS Number:	Not applicable. F-G,S-M
Segregation groups	Powdered metals
Stowage Category	D
Handling Code	H1 Keep as dry as reasonably practicable
Segregation Code	SG26 In addition: from goods of classes 2.1 and 3 whe
	stowed on deck of a containership a minimum distance of tw
	container spaces athwartship shall be maintained, whe stowed on ro-ro ships a distance of 6 m athwartship shall b
	maintained.
14.7 Transport in bulk according to Ann	er II of
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	0
Excepted quantities $(\widetilde{E}Q)$	Code: E2
	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 500 g
IMDG	
Limited quantities (LQ)	0 Coda: E2
Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 50 g Maximum net quantity per outer packaging: 500 g
TTAT UNA - 1-1 D 1	
UN "Model Regulation":	UN 2008 ZIRCONIUM POWDER, DRY, 4.2, II

(Contd. on page 7)

GB



Printing date 20.07.2021

Revision: 20.07.2021

Trade name: Zirconium powder (99.5%)

(Contd. of page 6)

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.
- · Seveso category
- P7 PYROPHORIC LIQUIDS AND SOLIDS
- O2 Substances and mixtures which in contact with water emit flammable gases
- Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 40
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Department.
- · Contact: Technical Director
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Pyr. Sol. 1: Pyrophoric solids – Category 1 Water-react. 1: Substances and mixtures which in contact with water emit flammable gases – Category 1