

Reviewed on 07/21/2021

1 Identification

- · Product name
- · Trade name: Bis(cyclopentadienyl)magnesium (99.99+%-Mg) PURATREM
- Item number: 97-1040
- CAS Number: 1284-72-6
- Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Strem Chemicals, Inc.
 7 Mulliken Way NEWBURYPORT, MA 01950 USA info@strem.com
- Information department: Technical Department
 Emergency telephone number: EMERGENCY: CHEMTREC: +1 (800) 424-9300 During normal opening times: +1 (978) 499-1600

2 Hazard(s) identification

· Classification of the substance or mixture



Flam. Sol. 1 H228 Flammable solid.



Skin Irrit. 2H315Causes skin irritation.Eye Irrit. 2AH319Causes serious eye irritation.STOT SE 3H335May cause respiratory irritation.

· Label elements

- · GHS label elements
- *The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms*



· Signal word Danger

Hazard-determining components of labeling: Bis(cyclopentadienyl)magnesium (99.9+%-Mg)
Hazard statements H228 Flammable solid. H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

(Contd. on page 2)

US

Printing date 07/21/2021

Г

Reviewed on 07/21/2021

	(Contd. of page
· Precautionary	
P231	Handle under inert gas.
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P305+P351+P	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if prese and easy to do. Continue rinsing.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P422	Store contents under inert gas.
P501	Dispose of contents/container in accordance with local/regional/national/internation regulations.
· Classification s	
· NFPÅ ratings (
•	
	Iealth = 1
	Fire = 2
	Peactivity = 0
· HMIS-ratings (<i>scale 0 - 4)</i>
HEALTH 1	Health = 1
FIRE 0	Fire = 0
REACTIVITY 0	Reactivity = 0
04 1 1	
• Other hazards	
· Results of PBT	and vPvB assessment
• PBT: Not appli	cable.
• vPvB: Not appl	
• • • • • • • • • • • • • • • • • • •	icubie.
Composition	/information on ingredients
Chamical abam	acterization: Substances
· CAS No. Descr	
1284-72-6 Bis(a	cyclopentadienyl)magnesium (99.9+%-Mg)
First-aid med	asures
First-aid med	isures
· Description of j	first aid measures
· Description of j · General inform	first aid measures nation: Immediately remove any clothing soiled by the product.
Description of j General inform After inhalation	first aid measures

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

US

Printing date 07/21/2021

Reviewed on 07/21/2021

Trade name: Bis(cyclopentadienyl)magnesium (99.99+%-Mg) PURATREM

· Advice for firefighters

· Protective equipment: No special measures required.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- · Environmental precautions: No special measures required.
- *Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.*
- · Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

• PAC-1:

Substance is not listed.

· PAC-2:

Substance is not listed.

· PAC-3:

Substance is not listed.

7 Handling and storage

- · Handling: Handle under inert gas.
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store contents under inert gas.
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 4)



(Contd. of page 2)

US

Printing date 07/21/2021

Reviewed on 07/21/2021

Trade name: Bis(cyclopentadienyl)magnesium (99.99+%-Mg) PURATREM

(Contd. of page 3)

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- Breathing equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

Information on basic physical and General Information	cnemicai properiies	
Appearance:		
Form:	Crystalline	
Color:	White	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition		
Melting point/Melting range:	176 °C (349 °F)	
Boiling point/Boiling range:	290 °C (554 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Flammable.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Not determined.	

Printing date 07/21/2021

CHEMICALS, INC

Reviewed on 07/21/2021

Trade name: Bis(cyclopentadienyl)magnesium (99.99+%-Mg) PURATREM

		(Contd. of page
• Danger of explosion:	Not determined.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure:	0.042 hPa	
· Density:	Not determined.	
· Relative density	Not determined.	
· Vapor density	Not applicable.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
Water:	Insoluble.	
· Partition coefficient (n-octanol/w	ater): Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		
Organic solvents:	0.0 %	
VOC content:	0.0 g/l / 0.00 lb/gl	
Solids content:	100.0 %	
\cdot Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

(Contd. on page 6)

US

Printing date 07/21/2021

CHEMICALS, INC

Reviewed on 07/21/2021

Trade name: Bis(cyclopentadienyl)magnesium (99.99+%-Mg) PURATREM

(Contd. of page 5)

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- *Persistence and degradability No further relevant information available.*
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- \cdot **Mobility in soil** No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

- *Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

· UN-Number	
· DOT, IMDG, IATA	UN1325
· UN proper shipping name	
$\cdot DOT$	Flammable solids, organic, n.o.s.
· IMDG, IATA	FLAMMABLE SOLID, ORGANIC, N.O.S.
· Transport hazard class(es)	
· DOT	
· D01	
· Class	4.1 Flammable solids, self-reactive substances and sol
· Cluss	
	desensitised explosives

Printing date 07/21/2021

-10

CHEMICALS, INC.

Reviewed on 07/21/2021

de name: Bis(cyclopentadienyl)magnesium (99.99+%-Mg) PURATREM		
	(Contd. of page	
·IMDG		
Class	4	
Label	4.1	
· IATA		
- Class	4.1 Flammable solids, self-reactive substances and solu desensitised explosives	
Label	4.1	
Packing group DOT, IMDG, IATA	II	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
EMS Number:	F-A,S-G	
Stowage Category	В	
Transport in bulk according to Anne. MARPOL73/78 and the IBC Code	x II of Not applicable.	
Transport/Additional information:		
DOT		
Quantity limitations	On passenger aircraft/rail: 15 kg	
	On cargo aircraft only: 50 kg	
UN ''Model Regulation'':	UN 1325 FLAMMABLE SOLIDS, ORGANIC, N.O.S., 4.1, II	

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

• Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is not listed.

· TSCA (Toxic Substances Control Act):

Substance is listed.

· Proposition 65

 \cdot Chemicals known to cause cancer:

Substance is not listed.

(Contd. on page 8)

US

Printing date 07/21/2021

Reviewed on 07/21/2021

Trade name: Bis(cyclopentadienyl)magnesium (99.99+%-Mg) PURATREM

(Contd. of page 7)

 \cdot Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

 \cdot Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

Substance is not listed.

· TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

· Hazard-determining components of labeling: Bis(cyclopentadienyl)magnesium (99.9+%-Mg) · Hazard statements H228 Flammable solid. H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. · Precautionary statements P231 Handle under inert gas. P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P305+P351+P338 If in eves: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P422 Store contents under inert gas. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Technical Department.

· Contact: Technical Director

· Date of preparation / last revision 07/21/2021 / -

(Contd. on page 9)

Printing date 07/21/2021

Reviewed on 07/21/2021

Trade name: Bis(cyclopentadienyl)magnesium (99.99+%-Mg) PURATREM

(Contd. of page	e 8)
· Abbreviations and acronyms:	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation	onal
Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
ACGIH: American Conference of Governmental Industrial Hygienists	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Flam. Sol. 1: Flammable solids – Category 1	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
	US

