Printing date 07/21/2021

Reviewed on 07/21/2021

1 Identification

- · Product name
- Trade name: (Trimethyl)methylcyclopentadienylplatinum(IV), 99%, 78-1350, contained in 50 ml Swagelok® cylinder high temperature valve (96-1071) for CVD/ALD
- Item number: 98-4026
- CAS Number: 94442-22-5
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Strem Chemicals, Inc.
 7 Mulliken Way NEWBURYPORT, MA 01950 USA
- info@strem.com
- Information department: Technical Department
 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600

2 Hazard(s) identification

· Classification of the substance or mixture

GHS06 Skull and crossbones

Acute Tox. 1 H300 Fatal if swallowed. Acute Tox. 1 H310 Fatal in contact with skin.



Skin Sens. 1 H317 May cause an allergic skin reaction.

· Label elements

- · GHS label elements
- The substance is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms



· Signal word Danger

 Hazard-determining components of labeling: (Trimethyl)methylcyclopentadienylplatinum(IV)
 Hazard statements

H300+H310 Fatal if swallowed or in contact with skin.


H317 May cause an allergic skin reaction.

- · Precautionary statements
- P231 Handle under inert gas.
- P235 Keep cool.

(Contd. on page 2)

US

Reviewed on 07/21/2021



- · Description of first aid measures
- · General information:
- Immediately remove any clothing soiled by the product.
- In case of irregular breathing or respiratory arrest provide artificial respiration.
- · After inhalation:
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

(Contd. on page 3)



Printing date 07/21/2021

Printing date 07/21/2021

Reviewed on 07/21/2021

Trade name: (Trimethyl)methylcyclopentadienylplatinum(IV), 99%, 78-1350, contained in 50 ml Swagelok® cylinder high temperature valve (96-1071) for CVD/ALD

(Contd. of page 2)

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

· Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system.

• Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

· Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. · Protective Action Criteria for Chemicals

· PAC-1:

Substance is not listed.

· PAC-2:

Substance is not listed.

· PAC-3:

Substance is not listed.

7 Handling and storage

- · Handling: Handle under inert gas.
- · Precautions for safe handling
- Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

· Storage: Keep cool.

- Store contents under inert gas.
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- Recommended storage temperature: Store at temperatures not exceeding -18 °C. Keep cool.
- Specific end use(s) No further relevant information available.

(Contd. on page 4)





Printing date 07/21/2021

Reviewed on 07/21/2021

Trade name: (Trimethyl)methylcyclopentadienylplatinum(IV), 99%, 78-1350, contained in 50 ml Swagelok® cylinder high temperature valve (96-1071) for CVD/ALD

(Contd. of page 3)

8 Exposure controls/personal protection • Additional information about design of technical systems: No further data; see item 7. · Control parameters · Components with limit values that require monitoring at the workplace: Not required. • Additional information: The lists that were valid during the creation were used as basis. · Exposure controls · Personal protective equipment: · General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin. • Breathing equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134. · Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. · Eye protection: Safety glasses 9 Physical and chemical properties · Information on basic physical and chemical properties · General Information · Appearance: Form: Powder Color: Whitish · Odor: **Characteristic** · Odor threshold: Not determined. · pH-value: Not applicable. · Change in condition *Melting point/Melting range:* 30-31 °C (86-88 °F)

(Contd. on page 5)

US

Printing date 07/21/2021

CHEMICALS, INC

Reviewed on 07/21/2021

Trade name: (Trimethyl)methylcyclopentadienylplatinum(IV), 99%, 78-1350, contained in 50 ml Swagelok® cylinder high temperature valve (96-1071) for CVD/ALD

	(Contd. of pag
Ignition temperature:	
Decomposition temperature:	Not determined.
Auto igniting:	Not determined.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure:	Not applicable.
<i>Density at 20 °C (68 °F):</i>	1.88 g/cm ³ (15.6886 lbs/gal)
Relative density	Not determined.
Vapor density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
Water:	Insoluble.
Partition coefficient (n-octanol/wa	ter): Not determined.
Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
Solvent content:	
Organic solvents:	0.0 %
VOC content:	0.0 g/l / 0.00 lb/gl
Solids content:	100.0 %
Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- \cdot Conditions to avoid No further relevant information available.
- $\cdot \textit{Incompatible materials: } No further relevant information available.$
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- \cdot on the eye: No irritating effect.
- Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information: Danger through skin absorption.

(Contd. on page 6)

US

Printing date 07/21/2021

CHEMICALS, INC

Reviewed on 07/21/2021

Trade name: (Trimethyl)methylcyclopentadienylplatinum(IV), 99%, 78-1350, contained in 50 ml Swagelok® cylinder high temperature valve (96-1071) for CVD/ALD

(Contd. of page 5)

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- · *PBT:* Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

UN-Number DOT, IMDG, IATA	UN3467
UN proper shipping name	
DOT	Organometallic compound, solid, toxic, n.o.s.
IMDG, IATA	ORGANOMETALLIC COMPOUND, SOLID, TOXIC, N.O.S.
Transport hazard class(es)	
DOT	
Toxic 6	
Class	6.1 Toxic substances

Printing date 07/21/2021

_0

CHEMICALS, INC.

Reviewed on 07/21/2021

	(Contd. of pag
Label	6.1
IMDG	
5 S	
Class	6
Label	6.1
IATA	
6	
Class	6.1 Toxic substances
Label	6.1
Packing group DOT, IMDG, IATA	Ι
Environmental hazards: Marine pollutant:	No
Special precautions for user	Not applicable.
EMS Number:	F-A,S-A
Stowage Category	В
Transport in bulk according to Anno MARPOL73/78 and the IBC Code	ex II of Not applicable.
Transport/Additional information:	
DOT Quantity limitations	On passenger aircraft/rail: 5 kg On cargo aircraft only: 50 kg
UN "Model Regulation":	UN 3467 ORGANOMETALLIC COMPOUND, SOLID, TOXI N.O.S., 6.1, I

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is not listed.

· TSCA (Toxic Substances Control Act):

Substance is listed.

(Contd. on page 8)

US

Printing date 07/21/2021

Reviewed on 07/21/2021

Trade name: (Trimethyl)methylcyclopentadienylplatinum(IV), 99%, 78-1350, contained in 50 ml Swagelok® cylinder high temperature valve (96-1071) for CVD/ALD

(Contd. of page 7)

· Proposition 65

· Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

 \cdot Chemicals known to cause developmental toxicity:

Substance is not listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

Substance is not listed.

· TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

• Hazard pictograms



· Signal word Danger

• Hazard-determining co (Trimethyl)methylcyclor	p mponents of labeling: pentadienylplatinum(IV)
• Hazard statements	pendulenyipidinian(1v)
	vallowed or in contact with skin.
H317 May cause	e an allergic skin reaction.
· Precautionary statemen	nts
P231 Han	ndle under inert gas.
P235 Kee	ep cool.
P301+P310 IF S	SWALLOWED: Immediately call a POISON CENTER/ doctor.
0	n eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present l easy to do. Continue rinsing.
P361 Tak	te off immediately all contaminated clothing.
P422 Stor	re contents under inert gas.
-	spose of contents/container in accordance with local/regional/national/international ulations.
· Chemical safety assess	ment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

US

Printing date 07/21/2021

Reviewed on 07/21/2021

Trade name: (Trimethyl)methylcyclopentadienylplatinum(IV), 99%, 78-1350, contained in 50 ml Swagelok® cylinder high temperature valve (96-1071) for CVD/ALD

(Contd. of page 8) · Department issuing SDS: Technical Department. · Contact: Technical Director · Date of preparation / last revision 07/21/2021 / -· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit Acute Tox. 1: Acute toxicity – Category 1 Skin Sens. 1: Skin sensitisation - Category 1

