



Sold in Collaboration with Daicel



Strem Chemicals is an ISO certified, employeeowned company that manufactures and markets specialty chemicals of high purity. We have been providing fine chemicals for research and commercial production for over fifty years. At Strem, we offer a wide variety of catalysts, ligands, nanomaterials and CVD/ALD precursors. Most of our products are of high purity, typically at 99%, while some are as high as 99.9999% metals purity. We continually seek to provide new technologies from around the globe and

add to our product line. We look forward to further advancements in order to best serve our customers' needs with the quality and service they can trust from Strem.

We have licensing agreements with industry and academia, which allow easier access to patent-protected products for our customers. This booklet is comprised of our chiral phosphoric acids which are sold in collaboration with Daicel.

About Daicel Chiral Technologies, Inc.

Chiral Technologies, the global leader in enantioselective chromatography, serves pharmaceutical and other life science industries and offers the largest portfolio of chiral stationary phases (CSPs) and analytical and preparative chiral columns for the separation of racemic mixtures into single enantiomers. The company also provides analytical method development and custom separation services. The North and Latin American markets are served through Chiral Technologies, Inc. (West Chester, PA), the European market through Chiral Technologies Europe SAS (Illkirch, France), and the Asian market through Daicel Chiral Technologies India and Daicel Chiral Technologies China, all wholly owned subsidiaries of Daicel.

Our other booklets, which focus on applications and product classes, are available in print per request and also on our website. Below is a list of current booklet titles that are available. Please also check our Product Resources section online to find additional literature offerings, such as the Strem Chemiker, our technical publication, and product literature sheets.

- Biocatalysts
- Buchwald Ligands and Precatalysts
- Carbon-Based Nanomaterials & Elemental Forms
- Catalysts & Ligands Manufactured Under License of Takasago Patent
- Gold Elements & Compounds
- Heterogeneous Catalysts
- High Purity Chiral Reagents Sold in Collaboration with Daicel
- Kits

- Materials for Energy Applications
- Metal Catalysts for Organic Synthesis
- Metal Organic Frameworks and Ligands for MOF Synthesis
- MOCVD, CVD & ALD Precursors
- Nanomaterials
- New Products
- Other Ligands
- Phosphorous Ligands and Compounds
- Photocatalysts
- PURATREM: High Purity Inorganics

Ephraim S. Honig, Ph.D., M.B.A Chief Executive Officer



CHIRAL.PHOS. 08/18
© 2018 Strem Chemicals. Inc.

Glossary of Terms

[α]	 Specific rotation
AAS	 Atomic Absorption Standard
	 ·
air sensitive	Product may chemically react with atmospheric oxygen or carbon dioxide
an sensitive	 at ambient conditions. Handle and store under an inert atmosphere of
	•
	nitrogen or argon.
•	 Ampouled
d.	 Density
dec.	 Decomposes
elec. gr.	 Electronic Grade, suitable for electronic applications
f.p.	 Flash point in °F
•	
. •	 Product may chemically degrade if stored for prolonged periods of time at
neat sensitive	 ambient temperatures or higher. Store at 5°C or lower.
les esterates	
hydrate	 Unspecified water content which may vary slightly from lot to lot
hygroscopic	 Product may absorb water if exposed to the atmosphere for prolonged
	periods of time (dependent on humidity and temperature). Handle and
	store under an inert atmosphere of nitrogen or argon.
light sensitive	 Product may chemically degrade if exposed to light
liq.	 Liquid
m.p.	 Melting point in °C
•	 Product may chemically react with water. Handle and store under an inert
	 atmosphere of nitrogen or argon.
NMR grade	Suitable as a Nuclear Magnetic Resonance reference standard
optical grade	For optical applications
pwdr.	 Powder
primary standard	 Used to prepare reference standards and standardize volumetric solutions
PURATREM	 Product has a minimum purity of 99.99% (metals basis)
purified	 A grade higher than technical, often used where there are no official
	standards
P. Vol.	 Pore volume
pyrophoric	 Product may spontaneously ignite if exposed to air at ambient conditions
reagent	 High purity material, generally used in the laboratory for detecting,
	measuring, examining or analyzing other substances
REO	 Rare Earth Oxides. Purity of a specific rare-earth metal expressed as a
IX20	 percentage of total rare-earths oxides.
64	 Surface area
store cold	 Product should be stored at -18°C or 4°C, unless otherwise noted (see
	product details)
subl.	
superconductor grade	 A high purity, analyzed grade, suitable for preparing superconductors
tech. gr.	 Technical grade for general industrial use
TLC	 Suitable for Thin Layer Chromotography
v.p.	 , , ,
	 Crystalline
74	 - 1

About Purity

Chemical purity	 is reported after the chemical name, e.g. Ruthenium carbonyl, 99%
Metals purity	 is reported in parentheses with the respective element, e.g. Gallium (III)
	bromide, anhydrous, granular (99.999%-Ga) PURATREM where
	100% minus the metal purity is equal to the maximum allowable
	percentage of trace metal impurity

	ORUS (Compounds)		
15-0392 NEW	(11bR)-2,6-Bis[4-(tert-butyl)phenyl]-8,9,10,11,12,13,14,15-octahydro-4-hydroxy-4-oxide-dinaphtho[2,1-d:1¹,2¹-f][1,3,2]dioxaphosphepin, 98% ($1569807-27$ -7) C ₄₀ H ₄₅ O ₄ P; FW: 620.8; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research purposes only.	t-Bu O-POH t-Bu	50m
15-0568 NEW	(11bS)-2,6-Bis[4-(tert-butyl)phenyl]-8,9,10,11,12,13,14,1 hydroxy-4-oxide-dinaphtho[2,1-d:1',2'-f][1,3,2]dioxapht $C_{40}H_{45}O_4P$; FW: 620.8; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research purpos	osphepin, 98%	50m
15-0418 NEW	(11bR)-2,6-Bis([1,1'-biphenyl]-4-yl)-8,9,10,11,12,13,14, 15-octahydro-4-hydroxy-4-oxide-dinaphtho[2,1-d:1',2'-[1,3,2]dioxaphosphepin, 98% (99% ee) $(861909-35-5)$ $C_{44}H_{37}O_4$ P; FW: 660.7 ; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research purposes only.	o, P, OH	50m
15-0422	(11bS)-2,6-Bis([1,1'-biphenyl]-4-yl)-8,9,10,11,12,13,14,1		50n
NEW	4-hydroxy-4-oxide-dinaphtho[2,1-d:1',2'-f][1,3,2]dioxap 98% (99% ee) $C_{44}H_{37}O_4P$; FW: 660.7; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research purpos		
15-0554	(11bR)-2,6-Bis[3,5-bis(1,1-dimethylethyl)-4-methoxy-	ţ-Bu	50n
NEW	phenyl]-4-hydroxy-4-oxide-dinaphtho[2,1-d:1',2'-f] [1,3,2]dioxaphosphepin, 98% (99% ee) (957790-93-1) C ₅₀ H ₅₇ O ₆ P; FW: 785.0; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research purposes only.	OMe t-Bu O. P. O O P. OH t-Bu	
15-0352 NEW	(11bS)-2,6-Bis[3,5-bis(1,1-dimethylethyl)-4-methoxyphd-oxide-dinaphtho[2,1-d:1',2'-f][1,3,2]dioxaphosphepin $C_{50}H_{57}O_{6}P$; FW: 785.0; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research purpos	, 98% (99% ee)	50n
15-0532 NEW	(11aR)-3,7-Bis[3,5-bis(tert-butyl)-4-methoxyphenyl]-10,11,12,13-tetrahydro-5-hydroxy-5-oxide-diindeno[7,1 de:1',7'-fg][1,3,2]dioxaphosphocin, 98% (99% ee) $C_{47}H_{59}O_8P$; FW: 750.9; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research purposes only.	- OMe OOO BU OOOHIBU OMe	50n
15-0534 NEW	(11aS)-3,7-Bis[3,5-bis(tert-butyl)-4-methoxyphenyl]-10, tetrahydro-5-hydroxy-5-oxide-diindeno[7,1-de:1',7'-fg] dioxaphosphocin, 98% (99% ee) $C_{47}H_{59}O_6P$; FW: 750.9; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research purpos	[1,3,2]	50n

15-1366

(11bR)-2,6-Bis[3,5-bis(trifluoromethyl)phenyl]-4-hydroxy-4-oxide-dinaphtho[2,1-d:1',2'-f][1,3,2] dioxaphosphepin, 98%, (99% ee) (791616-62-1) $C_{36}H_{17}F_{12}O_4P$; FW: 772.5; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research purposes only.

Technical Notes:

- Reductive Amination Reaction: The first enantioselective organocatalytic reductive amination reaction has been accomplished.
- Mannich Reaction: In the presence of a catalytic amt. of the phosphoric acid, anti-selective Mannich reactions of cyclic ketones with a wide scope of aldimines were obtained.
- 3. The diastereoselectively switchable enantioselective trapping of protic carbamate ammonium ylides with imines is reported. The Rh₂(OAc)₄ and chiral Brønsted acid cocatalyzed three-component Mannich-type reaction of a diazo compound, a carbamate, and an imine provides rapid and efficient access to both syn- and anti-α-substituted α,β-diamino acid derivatives.
- Protonation: A catalytic asymmetric protonation of ketene dithioacetals is described. Various racemic α-aryl hydrocoumarin derivatives are transformed into enantioenriched dithioacetal-protected hydrocoumarins in the presence of a chiral Brønsted acid catalyst.
- 5. **Povarov Cyclization:** Tetrahydroquinolines containing two quaternary stereogenic centers were synthesized with excellent ee and dr via a four-component cyclization reaction catalyzed by a chiral phosphoric acid.
- Pictet-Spengler Reaction: β-Carbolines could be synthesized with good enantioselectivity by the Pictet-Spengler reaction catalyzed by a chiral binol-derived Bronsted acid.
- In the glycosylation of racemic alcohols with 1 using the chiral phosphoric acid as an activator, one enantiomer
 of the racemic alcohol selectively reacts with 1 to give the corresponding glycoside with good to excellent α/βstereo- and diastereoselectivity in high yield.

100ma

PHOSPHORUS (Compounds)

15-1366 (11bR)-2,6-Bis[3,5-bis(trifluoromethyl)phenyl]-4-hydroxy-4-oxide-dinaphtho[2,1-d:1',2'-f] (continued) [1,3,2]dioxaphosphepin, 98%, (99% ee) (791616-62-1)

References:

- 1. J. Am. Chem. Soc., 2006, 128, 84-86.
- 2. J. Am. Chem. Soc., 2007, 129, 3790-3791.
- 3. J. Am. Chem. Soc., 2011, 133, 8428-8431.
- 4. J. Am. Chem. Soc., 2012, 134, 18245-18248.
- 5. J. Am. Chem. Soc., 2013, 135, 8193-8196.
- 6. Angew. Chem. Int. Ed., 2007, 46, 7485-7487.
- 7. Angew. Chem. Int. Ed., 2013, 52, 12131-12134.

15-1367 (11bS)-2,6-Bis[3,5-bis(trifluoromethyl)phenyl]-4-hydroxy-4-oxide-dinaphtho[2,1-d:1',2'-f][1,3,2]dioxaphosphepin, 98%, (99% ee) (878111-17-2)

C₃₆H₁₇F₁₂O₄P; FW: 772.5; white to light yellow pwdr.

Note: Sold in collaboration with Daicel for research purposes only.

Technical Note:

Friedel-Crafts Alkylation: Chiral phosphoric acids were used as catalysts for the Friedel-Crafts alkylations
of indolyl enones while both a ruthenium complex and chiral phosphoric acids were used as catalysts for sequential olefin cross-metathesis and Friedel-Crafts alkylations of allyloxymethyl or allylaminomethyl indoles
and enones.

References:

1. Angew. Chem. Int. Ed., 2009, 48, 7428-7431.

15-1376


(11bR)-2,6-Bis[3,5-bis(trifluoromethyl)phenyl]-8,9,10,11,12,13,14,15-octahydro-4-hydroxy-4-oxide-dinaphtho[2,1-d:1',2'-f][1,3,2]dioxaphosphepin, 98%, (99% ee) (1011465-24-9)

C₃₆H₂₅F₁₂O₄P; FW: 780.5; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research purposes only.

Technical Notes:

1. The preparation of binaphthol monophosphoric acid derivatives.

Sigmatropic Rearrangements: Used in the organocatalytic aryl-aryl bond-forming process for the regio- and atroposelective synthesis of 2,2'-diamino-1,1'-binaphthalenes (BINAMs). In the presence of catalytic amounts of axially chiral phosphoric acids, achiral N.N'-binaphthyl hydrazines undergo



NH NH

excellent yield.

Toluene 0C 24h

[3,3]-rearrangement
90%, 92:8 er (2.8g scale)
99% catalyst recovery
>99.5 0.5 er after recryst

NH₂

a facile [3,3]-sigmatropic rearrangement to afford enantiomerically enriched BINAM derivatives in good to

Tech. Note (2) Ref. (1)

References:

1. JP 4725757, EP 1038877, US 6274745, 2000-3-21.

Cat. 5 mol%

J. Am. Chem. Soc., 2013, 135, 7414-7417.

15-1377

(11bS)-2,6-Bis[3,5-bis(trifluoromethyl)phenyl]-8,9,10,11,12,13,14,15-octahydro-4-hydroxy-4-oxide-dinaphtho[2,1-d:1',2'-f][1,3,2]dioxa-phosphepin, 98%, (99% ee)

25mg 100mg

50mg

50ma

50mg

50mg

4

C₃₆H₂₅F₁₂O₄P; FW: 780.5; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research purposes only.


Technical Note:

recrinical No

1. See 15-1376 (page 4)

15-0368 NEW (11bR)-2,6-Bis(4-chlorophenyl)-4-hydroxy-4-oxide-dinaphtho[2,1-d:1',2'-f][1,3,2]dioxaphosphepin, 98% (99% ee) (922711-71-5)

 $\rm C_{32}H_{19}Cl_2O_4P$, FW: 569.4; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research purposes only.



15-0372 NEW (11bS)-2,6-Bis(4-chlorophenyl)-4-hydroxy-4-oxide-dinaphtho[2,1-d:1',2'-f][1,3,2]dioxaphosphepin, 98% (99% ee)

C₃₂H₁₉Cl₂O₄P; FW: 569.4; white to light yellow pwdr.
Note: Sold in collaboration with Daicel for research purposes only.

15-0384 NEW (11bR)-2,6-Bis(4-chlorophenyl)-8,9,10,11,12,13,14,15-octahydro-4-hydroxy-4-oxide-dinaphtho[2,1-d:1¹,2¹-f] [1,3,2]dioxaphosphepin, 98% (99% ee) (915038-16-3) $C_{32}H_{27}Cl_{2}O_{4}P$; FW: 577.4; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research purposes only.

O-POHO OH

15-0386 NEW (11bS)-2,6-Bis(4-chlorophenyl)-8,9,10,11,12,13,14,15-octahydro-4-hydroxy-4-oxide-dinaphtho[2,1-d:1',2'-f][1,3,2]dioxaphosphepin, 98% (99% ee)

 $C_{32}H_{27}CI_2O_4P$; FW: 577.4; white to light yellow pwdr.

Note: Sold in collaboration with Daicel for research purposes only.

PHOSPHORUS (Compounds) 15-0362 (11bR)-2,6-Bis(3,5-dichlorophenyl)-4-hydroxy-4-ox-50ma CI ide-dinaphtho[2,1-d:1',2'-f][1,3,2]dioxaphosphepin, NEW 95% (99% ee) (1191451-24-7) C₃₂H₁₇Cl₄O₄P; FW: 638.3; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research o`P[©]O purposes only. HO' ĊL 15-0366 (11bS)-2,6-Bis(3,5-dichlorophenyl)-4-hydroxy-4-oxide-di-50mg naphtho[2,1-d:1',2'-f][1,3,2]dioxaphosphepin, 98% (99% ee) NEW (1374030-20-2) C₃₂H₁₇Cl₄O₄P; FW: 638.3; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research purposes only. 15-0514 (11aR)-3,7-Bis(3,5-dichlorophenyl)-10,11,12,13-tet-50ma CI rahydro-5-hydroxy-5-oxide-diindeno[7,1-de:1',7'-fg] NEW [1,3,2]dioxaphosphocin, 98% (99% ee) C₂₀H₁₉Cl₄O₄P; FW: 604.2; white to light yellow pwdr. , O Note: Sold in collaboration with Daicel for research 0 purposes only. 15-0516 (11aS)-3,7-Bis(3,5-dichlorophenyl)-10,11,12,13-tetrahydro-5-hydroxy-5-50ma oxide-diindeno[7,1-de:1',7'-fg][1,3,2]dioxaphosphocin, 98% (99% ee) NEW C₂₀H₄₀Cl₄O₄P; FW: 604.2; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research purposes only. 15-0342 (11bS)-2,6-Bis[4-(1,1-dimethylethyl)phenyl]-4hydroxy-4-oxide-dinaphtho[2,1-d:1',2'-f][1,3,2] 50mg NEW dioxaphosphepin, 98%, (99% ee) (1217901-32-0) C₄₀H₃₇O₄P; FW: 612.7; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research HO. purposes only.

Technical Note:

 Epoxidation: A highly active and enantioselective ion-pair epoxidation catalyst, consisting of an achiral Mnsalen complex and a chiral phosphate counteranion, mediates the epoxidization of a wide range of alkenes with high yields and enantioselectivities.

References:

1. Angew. Chem. Int. Ed., 2010, 49, 628-631.

15-1368

(11bR)-2,6-Bis(3,5-dimethylphenyl)-4-hydroxy-4-oxide-dinaphtho[2,1-d:1',2'-f][1,3,2] dioxaphosphepin, 98%, (99% ee) (861909-53-7) $C_{36}H_{29}O_4P$; FW: 556.6; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research purposes only.

Technical Note:

 Catalyst for the enantioselective cyanosilylation of aromatic ketones using chiral lithium salts of (R)-BINOL- or (S)-BINAMderived phosphoric acid compounds.

CH₃ CH₃ CH₃

CH₃

CH₃

HO[^]

 CH_3

CH₃

100ma

100ma

25ma

100mg

25mg

6

100mg

References:

Angew. Chem. Int. Ed., 2009, 48, 7428-7431.

15-1369 (11bS)-2,6-Bis(3,5-dimethylphenyl)-4-hydroxy-4-oxide-dinaphtho[2,1-d:1',2'-f][1,3,2]dioxaphosphepin, 98%, (99% ee) (1170736-59-0)

C₃₆H₂₉O₄P; FW: 556.6; white to light yellow pwdr.

Technical Note:

 Hantzsch Reaction: The four-component Hantzsch reaction provides access to pharmaceutically important dihydropyridines.

Note: Sold in collaboration with Daicel for research purposes only.

References:

1. Org. Lett., 2009, 11, 2957-2959.

15-1373

(11bR)-2,6-Bis(3,5-dimethylphenyl)-8,9,10,11,12,13,14,15-octahydro-4-hydroxy-4-oxidedinaphtho[2,1-d:1',2'-f][1,3,2]dioxaphosphepin, 98%, (99% ee) (1065214-95-0)

 $\rm C_{36}H_{37}O_4P;$ FW: 564.7; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research purposes only.

Technical Note:

1. The preparation of binaphthol monophosphoric acid derivatives. References:

ererences

1. JP 4725757, EP 1038877, US 6274745, 2000-3-21.

15-1374 (11bS)-2,6-Bis(3,5-dimethylphenyl)-8,9,10,11,12,13,14,15-octahydro-4-hydroxy-4-oxide-dinaphtho[2,1-d:1',2'-f][1,3,2]dioxaphosphepin, 98%, (99% ee)

C₃₆H₃₇O₄P; FW: 564.7; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research purposes only.

Technical Note:

1. The preparation of binaphthol monophosphoric acid derivatives.

References:

1. JP 4725757, EP 1038877, US 6274745, 2000-3-21

15-0494 NEW	(11aR)-3,7-Bis(4-methoxyphenyl)-10,11,12,13-tetrahydro-5-hydroxy-5-oxide-diindeno[7,1-de:1',7'-fg][1,3,2]dioxaphosphocin, 98% (99% ee) $C_{31}H_{27}O_6P$; FW: 526.5; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research purposes only.	O.O.O.O.O.O.O.O.O.O.O.O.O.O.O.O.O.O.O.	50mg
15-0508 NEW	(11aS)-3,7-Bis(4-methoxyphenyl)-10,11,12,13-tetrahy oxide-diindeno[7,1-de:1',7'-fg][1,3,2]dioxaphosphoci C ₃₁ H ₂₇ O ₆ P; FW: 526.5; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research purp	in, 98% (99% ee)	50mg

PHOSPHO	ORUS (Compounds)		
15-0388 NEW	(11bR)-2,6-Bis[4-(2-naphthalenyl)phenyl]- 8,9,10,11,12,13,14,15-octahydro-4-hydroxy-4-oxide-dinaphtho[2,1-d:1',2'-f][1,3,2]dioxaphosphepin, 98% (99% ee) $C_{s2}H_{41}O_{4}P; \ FW: \ 760.9; \ white \ to \ light \ yellow \ pwdr.$ Note: Sold in collaboration with Daicel for research purposes only.	0.p.0 0°0H	50mg
15-0390 NEW	(11bS)-2,6-Bis[4-(2-naphthalenyl)phenyl]-8,9,10,11,12,13,10 octahydro-4-hydroxy-4-oxide-dinaphtho[2,1-d:1',2'-f][1,3,2 dioxaphosphepin, 98% (99% ee) $C_{52}H_{41}O_4P$; FW: 760.9; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research purposes of the collaboration with Daicel for the collaboration with Daice	2]	50mg
15-0546 NEW	(11aR)-3,7-Bis[4-(2-naphthalenyl)phenyl]-10,11,12,13-tetrahydro-5-hydroxy-diindeno[7,1-de:1',7'-fg][1,3,2] dioxaphosphocin, 98% (99% ee) $C_{49}H_{38}O_4P$; FW: 718.8; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research purposes only.	0. p.0 0. o' oh	50mg
15-0548 NEW	(11aS)-3,7-Bis[4-(2-naphthalenyl)phenyl]-10,11,12,13-tetral hydroxy-diindeno[7,1-de:1',7'-fg][1,3,2]dioxaphosphocin, $C_{49}H_{35}O_4P$; FW: 718.8; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research purposes of the collaboration of the collaboration with Daicel for research purposes of the collaboration with Daicel for the collaboration with Dai	98% (99% ee)	50mg
15-0576 NEW	(11aR)-3,7-Bis(4-nitrophenyl)-10,11,12,13-tetrahydro-5-hydroxy-5-oxide-diindeno[7,1-de:1',7'-fg][1,3,2] dioxaphosphocin, 95% (99% ee) (1352810-37-7) C ₂₉ H ₂₁ N ₂ O ₈ P; FW: 556.5; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research purposes only.	NO ₂	50mg
15-0512 NEW	(11aS)-3,7-Bis(4-nitrophenyl)-10,11,12,13-tetrahydro-5-hydoxide-diindeno[7,1-de:1',7'-fg][1,3,2]dioxaphosphocin, 98' (1412439-84-9) $C_{29}H_{21}N_2O_9P$; FW: 556.5; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research purposes of the sold in collaboration with Daicel for research purposes of the sold in collaboration with Daicel for research purposes of the sold in collaboration with Daicel for research purposes of the sold in collaboration with Daicel for research purposes of the sold in collaboration with Daicel for research purposes of the sold in collaboration with Daicel for research purposes of the sold in collaboration with Daicel for research purposes of the sold in t	% (99% ee)	50mg
15-0526 NEW	(11aR)-3,7-Bis([1,1':3',1"-terphenyl]-5'-yl)-10,11,12,13-tetrahydro-5-hydroxy-5-oxide-diindeno[7,1-de:1',7'-fg] [1,3,2]dioxaphosphocin, 98% (99% ee) (1352810-38-8) C ₅₃ H ₃₉ O ₄ P; FW: 770.8; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research purposes only.	Ph O O Ph O O O Ph Ph	50mg
15-0530 NEW	(11aS)-)-3,7-Bis([1,1':3',1"-terphenyl]-5'-yl)-10,11,12,13-tett 5-oxide-diindeno[7,1-de:1',7'-fg][1,3,2]dioxaphosphocin, 9 $C_{53}H_{39}O_4P$; FW: 770.8; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research purposes of	98% (99% ee)	50mg
15-0484 NEW	(11aR)-3,7-Bis(4-(trifluoromethyl)phenyl)-10,11,12,13-tetrahydro-5-hydroxy-5-oxide-diindeno[7,1-de:1',7'-fg] [1,3,2]dioxaphosphocin, 98% (99% ee) C ₃₁ H ₂₁ F ₆ O ₄ P; FW: 602.5; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research purposes only.	CF ₃	50mg

15-0492	RUS (Compounds) (11aS)-3,7-Bis(4-(trifluoromethyl)phenyl)-10,11,12,13-tetrahydro-5-hydroxy-	50mg
NEW NEW	C ₃ ,H ₂ ,F ₆ O ₄ P; FW: 602.5; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research purposes only.	Soring
15-1395	(R)-3,3'-Bis2,4,6-triisopropyl-phenyl)-5,5',6,6',7,7',8,8'-octahydro-1,1'-binaph-thyl-2,2'-diyl Hydrogenphosphate, 98%, (99% ee) (929294-27-9) C ₅₀ H ₆₅ O ₄ P; FW: 761; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research purposes only.	25mg 100mg
15-1394	(S)-3,3'-Bis2,4,6-triisopropylphenyl)-5,5',6,6',7,7',8,8'-octahydro-1,1'-binaphthyl-2,2'-diyl Hydrogenphosphate, 98%, (99% ee) (878111-20-7) C ₅₀ H ₆₅ O ₄ P; FW: 761; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research purposes only.	25mg 100mg
15-0538 (NEW)	(11aR)-3,7-Bis(2,4,6-trimethylphenyl)-10,11,12,13-tetra-hydro-5-hydroxy-5-oxide-diindeno[7,1-de:1',7'-fg][1,3,2] dioxaphosphocin, 98% (99% ee) (1801196-27-9) C ₃₅ H ₃₅ O ₄ P; FW: 550.6; white to brown pwdr. Note: Sold in collaboration with Daicel for research purposes only.	50mg
15-0544 NEW	(11aS)-)-3,7-Bis(2,4,6-trimethylphenyl)-10,11,12,13-tetrahydro-5-hydroxy-5-oxide-diindeno[7,1-de:1',7'-fg][1,3,2]dioxaphosphocin, 98% (99% ee) C ₃₅ H ₃₅ O ₄ P; FW: 550.6; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research purposes only.	50mg
15-0340	(R)-(-)-3,3'-Bis(triphenylsilyl)-1,1'-binaphthyl-2,2'-di- yl hydrogen phosphate, min. 98% [(R)-TiPSY] (791616-55-2) C _{ns} H ₄₁ O ₄ PSi ₂ ; FW: 865.07; white to light yellow pwdr.;	10mg

Technical Notes:

- 1. See 15-1366. Catalyst used in:
- Reductive Amination: The development of a new chiral phosphoric acid catalyst has provided a convenient strategy for the enantioselective construction of protected primary amines and provided a highly stereoselective method for the reductive amination of heterocyclic amines.
- Biginelli and Biginelli-like Reaction: Organocatalytic enantioselective Biginelli and Biginelli-like reactions by chiral phosphoric acids derived from 3,3'-disubstituted binaphthols
- Povarov Reaction: An organocatalytic asymmetric three-component Povarov reaction involving 2-hydroxystyrenes to give cis-disubstituted tetrahydroquinolines in high stereoselectivities of up to >99:1 dr and 97% ee.
- Cascade Spirocyclization: The gold/chiral Brønsted acid relay catalysis enabled a highly stereoselective three-component reaction of salicylaldehydes, anilines, and alkynols to give aromatic spiroacetals in high yields and stereoselectivities.
- aza-Pinacol Cyclization: The first highly enantioselective catalytic protocol for the reductive coupling of ketones and hydrazones is reported.

PHOSPHORUS (Compounds)

15-0340 (R)-(-)-3,3'-Bis(triphenylsilyl)-1,1'-binaphthyl-2,2'-diyl hydrogen phosphate, min. 98% (continued) [(R)-TiPSY] (791616-55-2)

References:

- 1. J. Am. Chem. Soc. 2006, 128, 84-86
- 2. J. Am. Chem. Soc. 2009, 131, 15301-15310.

ketyl-phosphate H-bond

- 3. J. Am. Chem. Soc. 2012, 77, 6970-6979.
- 4. Org. Lett., 2013, 15, 460-463.
- 5. J. Am. Chem. Soc. 2013, 135, 17735-17738.

PHOSPHORUS (Compounds)

15-0341 (S)-(+)-3,3'-Bis(triphenylsilyl)-1,1'-binaphthyl-2,2'-diyl hydrogen phosphate, min. 98% [(S)-TiPSY] (929097-92-7)

10ma 100mg

C₅₆H₄₁O₄PSi₂; FW: 865.07; white to light-yellow solid; m.p. 329-335° Note: Sold in collaboration with Daicel for research purposes only.

Technical Notes:

- Friedel-Crafts Reaction: Catalyst for the highly enantioselective Friedel-Crafts reactions of indoles with imines.
- 2. Catalyst used in the highly enantioselective Friedel-Crafts reaction of pyrrole derivatives with N-acyl imines.
- Transfer Hydrogenation: Chiral phosphoric acid catalyzed enantioselective transfer hydrogenation of 3. hydroxylactams to provide enantioenriched tetrahydro-β-carbolines in dioxane at room temperature (up to 94% yield, 90% ee).
- Multicomponent Reaction: Catalyzed by [Rh₂(OAc)₄] and a chiral phosphoric acid, an enantioselective symmetric three-component reaction of diazo compounds with imines and water is reported to give β-aminoα-hvdroxy acid derivatives.

References:

- 1. J. Am. Chem. Soc. 2007, 129, 1484-1485.
- Org. Lett., 2007, 9, 4065-4068.


•	tt., 2013 , <i>15</i> , 2688-2691. atChem, 2011 , <i>3</i> , 653-656.	
15-0520 NEW	(11aR)-3,7-Bis(triphenylsilyl)-10,11,12,13-tetrahydro-5-hydroxy-5-oxide-diindeno[7,1-de:1',7'-fg][1,3,2] dioxaphosphocin, 98% (99% ee) (1372719-94-2) C ₅₃ H ₄₃ O ₄ PSi ₂ : FW: 831.1; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research purposes only.	50mg
15-0524 NEW	(11aS)-3,7-Bis(triphenylsilyI)-10,11,12,13-tetrahydro-5-hydroxy-5-oxide-diindeno[7,1-de:1',7'-fg][1,3,2]dioxaphosphocin, 98% (99% ee) C ₅₃ H ₄₃ O ₄ PSi ₂ ; FW: 831.1; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research purposes only.	50mg

15-0378 NEW

(11bR)-2,6-Di-9-anthracenyl-8,9,10,11,12,13,14,15-octahydro-4-hydroxy-4-oxide-dinaphtho[2,1-d:1',2'-f][1,3,2] dioxaphosphepin, 95% (99% ee) (1011465-29-4)

C₄₈H₃₇O₄P; FW: 708.8; white to yellow pwdr.

Note: Sold in collaboration with Daicel for research purposes only.



'OH

50ma

50mg

50mg

15-0382 (11bS)-2,6-Di-9-anthracenyl-8,9,10,11,12,13,14,15-octahydro-4hydroxy-4-oxide-dinaphtho[2,1-d:1',2'-f][1,3,2]dioxaphosphepin, NEW 98% (99% ee)

C₄₈H₃₇O₄P; FW: 708.8; white to light yellow pwdr.

Note: Sold in collaboration with Daicel for research purposes only.

15-0552 (11bR)-2,6-Di-9-phenanthrenyl-4-hydroxy-4-oxidedinaphtho[2,1-d:1',2'-f][1,3,2]dioxaphosphepin, NEW (864943-22-6)

C₄₈H₂₉O₄P; FW: 700.7; white to light yellow pwdr.

Note: Sold in collaboration with Daicel for research purposes only.

Technical Notes:

- Hydrogenation: A highly efficient transfer hydrogenation benzoxazines, benzothiazines, and benzoxazinones with as low as 0.01 mol% BINOL phosphate catalyst furnishes the dihydro-2H-benzoxazines. -benzothiazines, and -benzoxazinones
- A Brønsted acid catalyzed cascade transfer hydrogenation provides direct access to 2-aryl- and 2-alkyl-substituted tetrahydroquinolines with excellent enantioselectivities under mild conditions and using very low amounts of catalyst.
- Three-Component Reaction: An asymmetric three-component reaction of diazo compounds and alcohols 3. with imines catalyzed cooperatively by a rhodium complex and a chiral Brønsted acid provides a general and efficient entry to β -amino- α -hydroxyl acid derivatives.
- Diels-Alder Reaction: A mild, enantioselective Diels-Alder reaction, catalyzed by a chiral magnesium phosphate species, has been developed for the synthesis of various chiral spirooxindoles.

90-99% e.e.

R= Alkyl, Aryl

Ĥ 87-99% e.e.

15-0552 (11bR)-2,6-Di-9-phenanthrenyl-4-hydroxy-4-oxide-dinaphtho[2,1-d:1',2'-f][1,3,2] (continued) dioxaphosphepin, (864943-22-6)

$$R^{2} \longrightarrow OMe$$

$$R^{3} \longrightarrow OMe$$

$$Et_{2}O, MS 4Å, RT \qquad R^{4} \longrightarrow OR^{3}$$

$$Boc \qquad R^{3} = TBS \text{ or } TMS$$

$$up \text{ to } 99\% \text{ yield}$$

$$99\% \text{ e.e. and } 99:1 \text{ d.r.}$$

$$Ar = 9-\text{phenanthryl}$$

$$Ar = 9-\text{phenanthryl}$$

References:

- Angew. Chem. Int. Ed., 2006, 45, 6751-6755.
- 2. Angew. Chem. Int. Ed., 2006, 45, 3683-3686.
- 3. J. Am. Chem. Soc., 2008, 130, 7782-7783.
- 4. Angew. Chem. Int. Ed., 2013, 52, 4628-4632.


15-0344 (11bR)-4-Hydroxy-2,6-bis(4-nitrophenyl)-4-oxide-dinaphtho[2,1-d:1',2'-f][1,3,2]dioxaphosphepin, 98%, (99% ee) (695162-89-1)

Note: Sold in collaboration with Daicel for research purposes

Technical Notes:

Mannich Reaction: The Mannich-type reaction of ketene silyl acetals
with aldimines proceeded highly enantioselectively to afford the syn
isomer of β-aminoesters 3 with up to 96 % ee under the influence of the
catalyst.

C₃₂H₁₉N₂O₈P; FW: 590.5; white to yellow pwdr.



- Mannich-type reaction of ketene silyl acetals with aldimines proceeded catalytically by means of a phosphoric acid diester with good diastereoselectivity and high enantioselectivity (up to 96% ee). The highest enantioselectivity was achieved by the phosphoric acid diester bearing 4-nitrophenyl groups on the 3,3'-positions of BINOL.
- Self-Coupling Reaction: The enantioselective BINOL-phosphate catalyzed formation of a quaternary carbon center, bearing a N-atom has been achieved through the self-coupling reaction of enamides
- Hydrocyanation: A first organocatalytic enantioselective route was developed for the conversion of readily prepared and air stable aliphatic hydrazones to synthetically valuable α-hydrazinonitriles.
- 5. See 15-1386.

Zwitterionic TS in dicoordination pathway

References:

- Angew. Chem. Int. Ed., 2004, 43, 1566-1568. 1.
- 2 J. Am. Chem. Soc., 2007, 129, 6756-6764.
- Chem. Commun., **2008**, (38), 4637-4639 Org. Lett., **2010**, 12, 188-191. 3.
- 4

	, , ,		
15-0346 NEW	(11bS)-4-Hydroxy-2,6-bis(4-nitrophenyl)-4-oxide-dinaphthol d:1',2'-f][1,3,2]dioxaphosphepin, 98% (99% ee) (878111-16-1 $C_{32}H_{19}N_2O_8P$; FW: 590.5; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research purposes or) The state of the	50mg
15-0348	(11bR)-4-Hydroxy-2,6-bis([1,1':3',1"-terphenyl]-5'-yl)-4-	Ph	50mg
NEW	oxide-dinaphtho[2,1-d:1',2'-f][1,3,2]dioxaphosphepin, 98% (99% ee) (361342-55-4)		
	C ₅₆ H ₃₇ O ₄ P; FW: 804.9; white to light yellow pwdr.	Ph	

Note: Sold in collaboration with Daicel for research purposes only.

CF₃

C₃₄H₁₉F₆O₄P; FW: 636.5; white to light yellow pwdr.

Note: Sold in collaboration with Daicel for research purposes only.

Hydrophosphonylation: Catalyst for the highly enantioselective hydrophosphonylation reaction of diisopropyl phosphite with aldimine to give α-amino.

References:

Tetrahedron Lett., 2009, 65, 4950-4956.

only.

15-1393	(11bS)-4-Hydroxy-2,6-bis[4-(trifluoromethyl)phenyl]-4-oxide dinaphtho[2,1-d:1',2'-f][1,3,2]dioxaphosphepin, 95%, (99% (1264573-23-0) $C_{34}H_{19}F_{8}O_{4}P; \ FW: 636.5; \ white to light yellow pwdr.$ Note: Sold in collaboration with Daicel for research purposes on	ee)	100mg
15-1381	(11bR)-4-Hydroxy-2,6-bis[2,4,6-tris(1-methylethyl)phenyl]- 4-oxide-dinaphtho[2,1-d:1',2'-f][1,3,2]dioxaphosphepin, 98%, (99% ee) (791616-63-2) C _{EO} H _{EV} O ₄ P; FW: 753.0; white to light yellow pwdr.	i-Pr i-Pr	100mg

Technical Notes:

13

Reductive Amination: Catalyst for the organocatalytic asymmetric reductive amination of aldehydes. Treating racemic α-branched aldehydes with p-anisidine and a Hantzsch ester in the presence of catalyst, TRIP, gave β-branched secondary amines.

Note: Sold in collaboration with Daicel for research purposes

α-Allylation: Highly enantioselective Pd/chiral acid-catalyzed α-allylation of α-branched aldehydes with an allyl amine as the allylating species, that creates all-carbon quaternary stereogenic centers in high yields and enantioselectivities.

(TMP= 3,4,5-(MeO)₃C₆H₂) Hydrogen Transfer

15-1381 (11bR)-4-Hydroxy-2,6-bis[2,4,6-tris(1-methylethyl)phenyl]-4-oxide-dinaphtho[2,1-d:1',2'-f] (continued) [1,3,2]dioxaphosphepin, 98%, (99% ee) (791616-63-2)

- Hydrogenation: A achiral amine in combination with a catalytic amount of a chiral Brønsted acid can
 accomplish an aldol addition-dehydration-conjugate reduction-reductive amination to provide potential
 intermediates of pharmaceutically active compounds in good yields and excellent enantioselectivities.
- Friedel-Crafts Reaction: The first enantioselective catalysis of the Friedel-Crafts reaction via activation of electron-rich multiple bonds by a chiral Brønsted acid.
- Allylboration: A new high-yielding and highly enantioselective chiral Brønsted acid-catalyzed allylboration of aldehydes.
- Aza-Darzens Reaction: Aza-Darzens reaction of ethyl diazoacetate with aldimines, derived from phenyl glyoxal, furnished cis-aziridine carboxylates with excellent enantioselectivities by means of a chiral phosphoric acid.
- Intramolecular Aldol Condensation: Transformation applicable to a wide variety of substrates to give chiral
 cyclohexenones in high yields and with excellent enantioselectivity.

References:

- J. Am. Chem. Soc., 2006, 128, 13074-13075. 1.
- J. Am. Chem. Soc., 2007, 129, 11336-11337. J. Am. Chem. Soc., 2007, 129, 7498-7499. J. Am. Chem. Soc., 2007, 129, 292-293. J. Am. Chem. Soc., 2010, 132, 11884-11886. 2.
- 3

- J. Am. Chem. Soc., 2013, 135, 11740-11743. Angew. Chem. Int. Ed., 2009, 48, 9652-9654.

15-1382 (11bS)-4-Hydroxy-2,6-bis[2,4,6-tris(1-methylethyl)phenyl]-4-oxidedinaphtho[2,1-d:1',2'-f][1,3,2]dioxaphosphepin, 98%, (99% ee)

(874948-63-7)


C₅₀H₅₇O₄P; FW: 753.0; white to light yellow pwdr.

Note: Sold in collaboration with Daicel for research purposes only.

(11bR)-4-Hydroxy-2,6-di-1-naphthalenyl-4-oxide-15-1388 dinaphtho[2,1-d:1',2'-f][1,3,2]dioxaphosphepin, 98%, (99% ee) (864943-23-7)

C₄₀H₂₅O₄P; FW: 600.6; white to light yellow pwdr.

Note: Sold in collaboration with Daicel for research purposes only.



15-1389 (11bS)-4-Hydroxy-2,6-di-1-naphthalenyl-4-oxide-dinaphtho[2,1d:1',2'-f][1,3,2]dioxaphosphepin, 98%, (99% ee) (929097-93-8)

25ma 100ma

100ma

100mg

C₄₀H₂₅O₄P; FW: 600.6; white to light yellow pwdr.

Note: Sold in collaboration with Daicel for research purposes only.

Technical Notes:

- Friedel-Crafts Reaction: Catalyst for the Highly enantioselective Friedel-Crafts reactions of indoles with imines.
- Chiral phosphoric acid catalyzed tandem double Friedel-Crafts reactions between indoles and 2-formylbiphenyls were realized under mild conditions.

References:

- 1 J. Am. Chem. Soc., 2007, 129, 1484-1485.
- Chem. Eur. J., 2009, 15, 8709-8712. 2.

15-1390

(11bR)-4-Hydroxy-2,6-di-2-naphthalenyl-4-oxide-dinaphtho[2,1-d:1¹,2¹-f][1,3,2]dioxaphosphepin, 98%, (99% ee) (791616-56-3)

 $C_{40}H_{25}O_4P$; FW: 600.6; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research purposes only.

Technical Notes:

 aza-Michael Addition: Catalyst for the enantioselective aza-Michael addition of aromatic amines to nitroolefins.

Cycloaddition: A chiral phosphoric acid-catalyzed intramolecular

 1,3-dipolar cycloaddition of 4-(2-formylphenoxy)butenoates with amino esters provides hexahydromeno[4,3-b] pyrrolidine derivatives in high enantioselectivity (up to 94% ee).

References:

- 1. Chinese J Catal, 2011, 32, 1573-1576.
- 2. Org. Biomol. Chem., 2010, 8, 2016-2019.

15-1391 (11bS)-4-Hydroxy-2,6-di-2-naphthalenyl-4-oxide-dinaphtho[2,1-d:1,2'-f][1,3,2]dioxaphosphepin, 98%, (99% ee) (874948-60-4) 100mg C₄₀H₂₅O₄P; FW: 600.6; white to light yellow pwdr.

Note: Sold in collaboration with Daicel for research purposes only.

Technical Note:

 Nucleophilic Substitution: Catalyst for the nucleophilic substitution involving 3-hydroxyoxindoles giving 3,3'-disubstituted oxindoles with concomitant generation of an all-carbon quaternary stereogenic center in high yield and excellent enantioselectivity.

References:

Angew. Chem. Int. Ed., 2012, 51, 1046-1050.

15-1386 (11bR)-4-Hydroxy-2,6-diphenyl-4-oxide-dinaphtho[2,1-d:1',2'-f][1,3,2]dioxaphosphepin, 98%, (99% ee) (695162-86-8)

C₃₂H₂₄O₄P; FW: 500.5; white to light yellow pwdr.

Note: Sold in collaboration with Daicel for research purposes only.

Technical Notes:

 Diels-Alder Reaction: A highly enantioselective anti-diastereoselective hetero-Diels-Alder reaction between a glyoxylate and siloxy- or methoxydienes using a chiral phosphoric acid catalyst that possesses less bulky phenyl groups at the 3 and 3' positions of binaphthyl has been

2. **Kinetic Resolution:** In the presence of 10 mol% of a chiral phosphoric acid, a variety of racemic N-benzylic sulfonamides having N-(3-indolyl)methyl groups smoothly undergo kinetic resolution with benzyl thiol at 0 °C or at room temperature and the remaining sulfonamides are recovered in moderate to excellent yields and with excellent ee.

O.P.OH

100mg

16

100ma

Visit strem.com for new product announcements.

15-1386 (11bR)-4-Hydroxy-2,6-diphenyl-4-oxide-dinaphtho[2,1-d:1',2'-f][1,3,2]dioxaphosphepin, (continued) 98%, (99% ee) (695162-86-8)

$$R^{3}$$

$$R^{1}$$

$$R^{3}$$

$$R^{1}$$

$$R^{2}$$

$$R^{3}$$

$$R^{3}$$

$$R^{1}$$

$$R^{1}$$

$$R^{2}$$

$$R^{3}$$

$$R^{1}$$

$$R^{2}$$

$$R^{3}$$

$$R^{1}$$

$$R^{2}$$

$$R^{3}$$

$$R^{3}$$

$$R^{1}$$

$$R^{2}$$

$$R^{3}$$

$$R^{3}$$

$$R^{1}$$

$$R^{2}$$

$$R^{3}$$

$$R^{3}$$

$$R^{4}$$

$$R^{2}$$

$$R^{3}$$

$$R^{4}$$

$$R^{4}$$

$$R^{2}$$

$$R^{3}$$

$$R^{4}$$

$$R^{5}$$

$$R^{4}$$

$$R^{4}$$

$$R^{5}$$

$$R^{5$$

$$SO_{2}R$$

$$R^{3}N$$

$$R,R^{1} = \text{aryl, alkyl}$$

$$R,R^{1} = \text{aryl, alkyl}$$

$$R^{2} = \text{H, alkoxy, halo}$$

$$R^{3} = \text{H, alkyl}$$

$$R^{2} = \text{H, alkyl}$$

$$SO_{2}R$$

$$R^{3}N$$

$$Catalyst (10 \text{ mol}\%)$$

$$DCE, 0-25C$$

$$R^{2}$$

$$DCE, 0-25C$$

$$R^{2}$$

$$R^{3}N$$

$$R^{1}$$

$$Catalyst (10 \text{ mol}\%)$$

$$DCE, 0-25C$$

$$R^{2}$$

$$R^{3}N$$

$$R^{1}$$

$$Catalyst (10 \text{ mol}\%)$$

$$R^{2}$$

$$R^{2}$$

$$R^{3}$$

$$R^{3}$$

$$R^{1}$$

$$R^{2}$$

$$R^{3}$$

$$R^{3}$$

$$R^{3}$$

$$R^{3}$$

$$R^{4}$$

$$R^{2}$$

$$R^{3}$$

$$R^{3}$$

$$R^{4}$$

$$R^{2}$$

$$R^{3}$$

$$R^{3}$$

$$R^{3}$$

$$R^{3}$$

$$R^{3}$$

$$R^{3}$$

$$R^{4}$$

$$R^{2}$$

$$R^{3}$$

$$R^{$$

References:

15-0406

- J. Am. Chem. Soc., 2009, 131, 12882-12883.
- Chem. Commun., 2012, 48, 898-900.

C₃₄H₂₇F₆O₄P; FW: 644.5; white to light yellow pwdr. o`P[©]O Note: Sold in collaboration with Daicel for research purposes only.

(11bS)-8.9.10.11.12.13.14.15-Octahydro-4-hydroxy-2.6-bis[4-

HO

t-Bu

CF₃

50ma

NEW	(trifluoromethyl)phenyl]-4-oxide-dinaphtho[2,1-d:1',2'-f][1 dioxaphosphepin, 98% (99% ee) $C_{34}H_{27}F_6O_4P$; FW: 644.5; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research purposes	,3,2]	o a mg
15-0436 NEW	(11bR)-8,9,10,11,12,13,14,15-Octahydro-4-hydroxy-2, 6-bis(3,5-di-tert-butyl-4-methoxyphenyl)-4-oxide-dinaphtho[2,1-d:1',2'-f][1,3,2]dioxaphosphepin, 98% (99% ee) $C_{so}H_{gs}O_{s}P; \ FW: 793.0; \ white \ to \ light \ yellow \ pwdr.$ Note: Sold in collaboration with Daicel for research purposes only.	t-Bu OMe t-Bu O-p-O O P OH	50mg

15-0438	(11bS)-8,9,10,11,12,13,14,15-Octahydro-4-hydroxy-2,6-bis(3,5-di-	50n
NEW	tert-butyl-4-methoxyphenyl)-4-oxide-dinaphtho[2,1-d:1',2'-f][1,3,2] dioxaphosphepin, 98% (99% ee) $C_{50}H_{65}O_6P$; FW: 793.0; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research purposes only.	
15-0408 NEW	(11bR)-8,9,10,11,12,13,14,15-Octahydro-4-hydroxy-2,6-bis(4-methoxyphenyl)-4-oxide-dinaphtho[2,1-d:1',2'-f][1, 3,2]dioxaphosphepin, 98% (99% ee) (1011465-27-2) C ₃₄ H ₃₃ O ₈ P; FW: 568.6; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research purposes only.	50n
15-0412 NEW	(11bS)-8,9,10,11,12,13,14,15-Octahydro-4-hydroxy-2,6-bis(4-methoxyphenyl)-4-oxide-dinaphtho[2,1-d:1',2'-f][1,3,2] dioxaphosphepin, 98% (99% ee) C ₃₄ H ₃₃ O ₆ P; FW: 568.6; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research purposes only.	50n
15-0414 NEW	(11bR)-8,9,10,11,12,13,14,15-Octahydro-4-hydroxy-2,6-bis(4-nitrophenyl)-4-oxide-dinaphtho[2,1-d:1',2'-f][1,3,2] dioxaphosphepin, 98% (99% ee) (791616-68-7) C ₃₂ H ₂₇ N ₂ O ₈ P; FW: 598.5; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research purposes only.	50n
15-0416 NEW	(11bS)-8,9,10,11,12,13,14,15-Octahydro-4-hydroxy-2,6-bis(4-nitrophenyl) -4-oxide-dinaphtho[2,1-d:1',2'-f][1,3,2]dioxaphosphepin, 98% (99% ee) $C_{32}H_{27}N_2O_8P$; FW: 598.5; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research purposes only.	50r
15-0394 NEW	(11bR)-8,9,10,11,12,13,14,15-Octahydro-4-hydroxy-2,6-bis([1,1':3',1"-terphenyl]-5'-yl)-4-oxide-dinaphtho[2,1-d:1',2'-f][1,3,2]dioxaphosphepin, 98% (99% ee) (1569807-15-3) C ₅₆ H ₄₅ O ₄ P; FW: 812.9; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research purposes only.	50n
15-0396 NEW	(11bS)-8,9,10,11,12,13,14,15-Octahydro-4-hydroxy-2,6-bis([1,1':3',1''-terphenyl]-5'-yl)-4-oxide-dinaphtho[2,1-d:1',2'-f][1,3,2] dioxaphosphepin, 98% (99% ee) (1496637-09-2) C ₅₆ H ₄₅ O ₄ P; FW: 812.9; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research purposes only.	50n
15-0424 NEW	(11bR)-8,9,10,11,12,13,14,15-Octahydro-4-hydroxy-2,6-bis(2,4,6-trimethylphenyl)-4-oxide-dinaphtho[2,1-d:1',2'-f] [1,3,2]dioxaphosphepin, 98% (99% ee) (1011465-23-8) C ₃₈ H ₄₁ O ₄ P; FW: 592.7; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research purposes only.	50r
15-0434 NEW	(11bS)-8,9,10,11,12,13,14,15-Octahydro-4-hydroxy-2,6-bis(2, 4,6-trimethylphenyl)-4-oxide-dinaphtho[2,1-d:1',2'-f][1,3,2] dioxaphosphepin, 98% (99% ee) C ₃₈ H ₄ ,0 ₄ P; FW: 592.7; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research purposes only.	50r

PHOSPHORUS (Compounds)

15-1383

(11bR)-8.9.10.11.12.13.14.15-Octahvdro-4-hvdroxy-2.6di-1-naphthalenyl-4-oxide-dinaphtho[2,1-d:1',2'-f][1,3,2] dioxaphosphepin, 98%, (99% ee) (1242066-20-1) C₄₀H₃₃O₄P; FW: 608.7; white to light yellow pwdr.

25ma 100mg

Note: Sold in collaboration with Daicel for research purposes

Technical Notes:

- Friedel-Crafts Alkylation: Chiral phosphoric acid catalyzed Friedel-Crafts alkylation of indoles with 3.3.3-trifluoropyruvate gave the corresponding adducts in excellent yields with high enantioselectivities.
- Pinacol Rearrangement: It has been found that indolyl diols can be treated with chiral phosphoric acids to effect a regio- and enantioselective pinacol rearrangement with high efficiency.

Tech. Note (1) Ref. (1)

$$R^3$$
 R^3
 R^3
 R^3
 R^3
 R^3

14 examples up to 99% yield up to 96% e.e.

Tech. Note (2) Ref. (2)

References:

- Asian J. Chem., 2010, 5, 470-472. 1
- Angew. Chem. Int. Ed., 2010, 49, 9734-9736.

15-1384 (11bS)-8,9,10,11,12,13,14,15-Octahydro-4-hydroxy-2,6di-1-naphthalenyl-4-oxide-dinaphtho[2,1-d:1',2'-f][1,3,2]

25mg 100mg

dioxaphosphepin, 98%, (99% ee) C₄₀H₃₃O₄P; FW: 608.7; white to light yellow pwdr.

Note: Sold in collaboration with Daicel for research purposes only.

15-1378

(11bR)-8,9,10,11,12,13,14,15-Octahydro-4-hydroxy-2,6di-2-naphthalenyl-4-oxide-dinaphtho[2,1-d:1',2'-f][1,3,2] dioxaphosphepin, 98%, (99% ee) (922711-75-9) C₄₀H₂₂O₄P; W: 608.7; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research purposes

25mg 100ma

'nн

Technical Notes:

- 1. The preparation of binaphthol monophosphoric acid derivatives.
- Organocatalyst developed for the diastereo- and enantioselective

1,4-conjugate addn. of a variety of β-ketoesters to nitroolefins, employed in the addn. reaction, providing the corresponding nitroalkanes in high yield (up to 97%) with moderate diastereoselectivities (up to 2.6:1 dr) and enantioselectivities (up to 58% ee).

References:

- 1 JP 4725757, EP 1038877, US 6274745, 2000-3-21.
- Lett. in Org. Chem., 2010, 7, 219-225. 2.

15-1379

(11bS)-8,9,10,11,12,13,14,15-Octahydro-4-hydroxy-2,6-di-2-naphthalenyl-4-oxide-dinaphtho[2,1-d:1',2'-f][1,3,2]dioxaphosphepin, 98%, (99% ee) C₄₀H₃₃O₄P; FW: 608.7; white to light yellow pwdr.

25mg 100mg

Note: Sold in collaboration with Daicel for research purposes only.

Technical Note:

The preparation of binaphthol monophosphoric acid derivatives. 1

References:

1. JP 4725757, EP 1038877, US 6274745, 2000-3-21.

15-0376 NEW	(11bS)-8,9,10,11,12,13,14,15-Octahydro-4-hydroxy-2,6-di- 9-phenanthrenyl-4-oxide-dinaphtho[2,1-d:1',2'-f][1,3,2] dioxaphosphepin, 95% (99% ee) (1028416-47-8) C ₄₉ H ₃₇ O ₄ P; FW: 708.8; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research purposes only.	50mg
Technical Note: 1. See 15-0	0566 (page 20)	
15-0566 (NEW)	(11bR)-8,9,10,11,12,13,14,15-Octahydro-4-hydroxy-2,6-di- 9-phenanthrenyl-4-oxide-dinaphtho[2,1-d:1',2'-f][1,3,2] dioxaphosphepin, 98% (99% ee) (934201-93-1) C ₄₉ H ₃₇ O ₄ P; FW: 708.8; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research purposes only.	50mg
15-1396	(11bR)-8,9,10,11,12,13,14,15-Octahydro-4-hydroxy-2,6-diphenyl-4-oxide-dinaphtho[2,1-d:1',2'-f][1,3,2]dioxaphosphepin, 98%, (99% ee) (791616-65-4) C ₃₂ H ₂₉ O ₄ P; FW: 508.5; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research purposes only.	100mg
15-1397	(11bS)-8,9,10,11,12,13,14,15-Octahydro-4-hydroxy-2,6-diphenyl-4-oxide-dinaphtho[2,1-d:1',2'-f][1,3,2]dioxaphosphepin, 98%, (99% ee) (945852-48-2) C ₃₂ H ₂₉ O ₄ P; FW: 508.5; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research purposes only.	100mg
15-0444 NEW	(11bR)-8,9,10,11,12,13,14,15-Octahydro-4-hydroxy-2, 6-di-1-pyrenyl-4-oxide-dinaphtho[2,1-d:1',2'-f][1,3,2] dioxaphosphepin, 98% (99% ee) (1225195-02-7) C ₅₂ H ₃₇ O ₄ P; FW: 756.8; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research purposes only.	50mg
15-0446 NEW	(11bS)-8,9,10,11,12,13,14,15-Octahydro-4-hydroxy-2,6-di-1-pyrenyl-4-oxide-dinaphtho[2,1-d:1',2'-f][1,3,2]dioxaphosphepin, 98% (99% ee) C ₅₂ H ₃₇ O ₄ P; FW: 756.8; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research purposes only.	50mg
15-1370	(11bR)-8,9,10,11,12,13,14,15-Octahydro-4-hydroxy-4-oxide-dinaphtho[2,1-d:1',2'-f][1,3,2]dioxaphosphepin, 98%, (99% ee) (297752-25-1) C ₂₀ H ₂₁ O ₄ P; FW: 356.4; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research purposes only.	100mg
References:	paration of binaphthol monophosphoric acid derivatives. 757, EP 1038877, US 6274745, 2000-3-21.	

PHOSPHORUS (Compounds)		
15-1371	(11bS)-8,9,10,11,12,13,14,15-Octahydro-4-hydroxy-4-oxide-dinaphtho[2,1-d:1',2'-f][1,3,2]dioxaphosphepin, 98%, (99% ee) (1193697-61-8) $C_{20}H_{21}O_4P$; FW: 356.4; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research purposes only.	100mg
Technical Note:		
The prepared References:	aration of binaphthol monophosphoric acid derivatives.	
	57, EP 1038877, US 6274745, 2000-3-21.	
15-0356 NEW	(11bS,11'bS)-2,2'-[Oxybis(methylene)]bis[4-hydroxy-4,4'-dioxide-dinaphtho[2,1-d:1',2'-f][1,3,2]dioxaphosphepin], 95% (99% ee)	50mg
15-0354	(11bR,11'bR)-2,2'-[Oxybis(methylene)]bis[4-hy-	50mg
NEW	droxy-4,4'-dioxide-dinaphtho[2,1-d:1',2'-f][1,3,2] dioxaphosphepin], 98% (99% ee) (1022915-09-8) C ₄₂ H ₂₈ O ₉ P ₂ ; FW: 738.6; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research purposes only.	
15-0574	(11aR)-10,11,12,13-Tetrahydro-5-hydroxy-3,7-bis[2,4,6-	50mg
NEW	trisisopropylphenyl]-5-oxide-diindeno[7,1-de:1',7'-fg] [1,3,2]dioxaphosphocin, 95% (99% ee) (1372719-95-3) C ₄₇ H ₅₉ O ₄ P; FW: 718.9; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research purposes only.	
15-0464	(11aS)-10,11,12,13-Tetrahydro-5-hydroxy-3,7-bis[2,4,6-	50mg
NEW	trisisopropylphenyl]-5-oxide-diindeno[7,1-de:1',7'-fg][1,3,2] dioxaphosphocin, 98% (99% ee) (1258276-28-6) C ₄₇ H ₅₉ O ₄ P; FW: 718.9; white to light yellow pwdr. Note: Sold in collaboration with Daicel for research purposes only.	

Strem offers additional products in collaboration with Daicel.

For a full listing please visit our website to view/download the High Purity Chiral Reagents booklet.

Additional product categories include:

- BINOL Ligands
- BOX Ligands
- Chiral Squaramides Organocatalysts
- Proline-Based Organocatalysts
- Pybox Ligands
- SPINOL-Based Ligands
- Taddols
- Thiourea Catalysts





Visit strem.com for the following:

- New Product Announcements
- Searchable Catalog
- Technical Notes
- Safety Data Sheets (SDS)
- Certificates of Analysis (CofA)
- Product Pricing and Availability

If you are unable to find a product you need please contact us.


Custom synthesis services are available.

Available Booklets









































The Strem Product Line

OUR LINE OF RESEARCH CHEMICALS

Biocatalysts & Organocatalysts Electronic Grade Chemicals

Fullerenes

High Purity Inorganics & Alkali Metals

Ionic liquids

Ligands & Chiral Ligands

Metal Acetates & Carbonates

Metal Alkoxides & beta-Diketonates

Metal Alkyls & Alkylamides

Metal Carbonyls & Derivatives

Metal Catalysts & Chiral Catalysts

Metal Foils, Wires, Powders & Elements

Metal Halides, Hydrides & Deuterides Metal Oxides. Nitrates & Chalcogenides

Metal Scavengers

Metallocenes

Nanomaterials

Organofluorines

Organometallics

Organophosphines & Arsines

Porphines & Phthalocyanines

Precious Metal & Rare Earth Chemicals

Volatile Precursors for MOCVD, CVD & ALD

Strem Chemicals, Inc.

7 Mulliken Way Dexter Industrial park Newburyport, MA 01950-4098 U.S.A

Office Tel: (978) 499-1600 Office Fax: (978) 465-3104

Toll-free (U.S. & Canada) Tel: (800) 647-8736 Fax: (800) 517-8736

Email: info@strem.com www.strem.com

Custom Synthesis

cGMP Facilities

FDA Inspected

Drug Master Files

Complete Documentation

Strem Chemicals, Inc.

15, rue de l'Atome Zone Industrielle

F-67800 BISCHHEIM (France) Tel.: +33 (0) 3 88 62 52 60 Fax: +33 (0) 3 88 62 26 81 Email: info.europe@strem.com

Strem Chemicals, Inc.

Postfach 1215

D-77672 KEHL, Germany Tel.: +49 (0) 7851 75879 Fax: +33 (0) 3 88 62 26 81 Email: info.europe@strem.com

Strem Chemicals UK, Ltd.

An Independent Distributor of Strem Chemicals Products Newton Hall, Town Street Newton, Cambridge, CB22 7ZE, UK Tel: +44 (0)1223 873 028

Fax: +44 (0)1223 870 207 Email: enquiries@strem.co.uk

